This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

| | ************************************** | ************************************** | | | | | | | | | |
|--|---|--|--|---|---------------------|--|---------------------------------------|--------------------|-----|---------|------|
| | | | | | | | | | | | |
| | | | | | | | • | | | | |
| | | | | | | | | | | | |
| | | | ; ; | | | | | | | | |
| | | | | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | * | | | | | |
| | | | | | | | | | | | |
| | | | | # | | | | <i>.</i> ** | | | |
| | | | | 10 | | | | | | | |
| | | | | r_ • | * v * v * w. i | | | | | | |
| | | | | | | • * * | | | | | |
| | | | | | | | | | | | |
| | | | | | | | • | | | | |
| | *** | | | | | | | | # 1 | | |
| | | | | en en general de la companya de la La companya de la co | | ing and Security | | | | | f 20 |
| . 5.1 | | | | | | | e e e e e e e e e e e e e e e e e e e | | | | |
| | | | | | orionia Arionig≹ | | | | | | |
| | * * | | 4 · | | | | | | | | |
| | | | | | | 1 | | | | | |
| | of State | | | | | | | | | • . • • | |
| | | | | | | 1 + 2 - 2 - 4 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 | | | | | |
| | | | | | * | | | | | | 9.4 |
| | | e e e e e e e e e e e e e e e e e e e | , | | | | | | | | |
| | 95. \$1 | a a | | | | $\tau_{i} = \frac{e^{i \epsilon_{i}}}{\epsilon_{i}}$ | 1 | | | | |
| - | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | * . | | | | |
| | | | | e . | | | | | | | |
| 19 | | | | | | | | | | ÷ . | |
| | | | | | | | | ्री स् । | | | |
| in the second se | | * . | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | 2 1 to | | er f | | | | | |
| | | | | | | | er en A | | | | |
| * - | | | | | | r grandf m gra | | | | | |
| | | | | | | | · e | • | | | - |
| | * * * * * * * * * * * * * * * * * * * | | | | | | | e de la compa | 1.4 | | • |
| | | | en e | • | | | | | | | |
| Į. | | | | | | | | | | | |
| | | | | # # | Fig. 1 | | | | | | |
| | | | | the second second | ₹ 55 | | | | . 4 | | |
| | | | the second secon | | 144. uz | real of the second | | | | | |
| | | | | | N _{AA} . | | | | | | . : |
| | | | | | | | | | | | · |
| | | | | | | | | | | | |
| | | | | | | v g | | | | | |
| *. *. | under der State | | | | <i>(</i>) | * | | 1 | | | |
| | | | | | | · • | | | | | |
| | | ranger (n. 1842) Romannia | | | . * | q.s | \$ | | • | | |
| - 1 | Professional Control | | 19 C | * | | 1.21 | | 1 | | | |

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶:
C07K 14/47, 14/82, 14/15, C12Q 1/68, G01N 33/574, A61K 38/17, 39/00

(11) International Publication Number:

WO 98/45328

(43) International Publication Date:

15 October 1998 (15.10.98)

(21) International Application Number:

PCT/US98/06939

(22) International Filing Date:

9 April 1998 (09.04.98)

(30) Priority Data:

08/838,762 9 April 1997 (09.04.97) US 08/991,789 11 December 1997 (11.12.97) US

(71) Applicant: CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).

(72) Inventors: FRUDAKIS, Tony, N.; P.O. Box 99232, Seattle, WA 99232-0232 (US). SMITH, John, M.; 208 - 116th Place Southeast, Everett, WA 98208 (US). REED, Steven, G.; 2843 - 122nd Place N.E., Bellevue, WA 98005 (US).

(74) Agents: MAKI, David, J. et al.; Seed and Berry LLP, 6300 Columbia Center, 701 Fifth Avenue, Seattle, WA 98104-7092 (US). (81) Designated States: AL, AM, AT, AU, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: COMPOSITIONS AND METHODS FOR THE TREATMENT AND DIAGNOSIS OF BREAST CANCER

(57) Abstract

Compositions and methods for the detection and therapy of breast cancer are disclosed. The compounds provided include nucleotide sequences that are preferentially expressed in breast tumor tissue, as well as polypeptides encoded by such nucleotide sequences. Vaccines and pharmaceutical compositions comprising such compounds are also provided and may be used, for example, for the prevention and treatment of breast cancer. The polypeptides may also be used for the production of antibodies, which are useful for diagnosing and monitoring the progression of breast cancer patient.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia · |
|------|--------------------------|----|--|----------|-----------------------|----|--------------------------|
| AM | Armenia | FI | Finland | LT | Lithuania | SK | Slovakia |
| ΑT | Austria | FR | France | LU | Luxembourg | SN | |
| ΑU | Australia | GA | Gabon | LV | Latvia | SZ | Senegal Senegal |
| ΑZ | Azerbaijan | GB | United Kingdom | MC | Моласо | TD | Swaziland |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Chad |
| BB | Barbados | GH | Ghana | MG | Madagascar | TJ | Togo |
| BE | Belgium | GN | Guinea | MK | The former Yugoslav | TM | Tajikistan |
| BF | Burkina Faso | GR | Greece | 1784% | Republic of Macedonia | TR | Turkmenistan |
| BG | Bulgaria | HU | Hungary | ML | Mali | TT | Turkey |
| BJ | Benin | IE | Ireland | MN | Mongolia | | Trinidad and Tobago |
| BR | Brazil | IL | Israel | MR | Mauritania | UA | Ukraine |
| BY | Belarus | IS | Iceland | MW | Malawi | UG | Uganda |
| CA | Canada | ľT | Italy | MX | Mexico | US | United States of America |
| CF | Central African Republic | JP | Japan | NE NE | | UZ | Uzbekistan |
| CG | Congo | KE | Kenya | | Niger | VN | Viet Nam |
| СН | Switzerland | KG | Kyrgyzstan | NL NO | Netherlands | YU | Yugoslavia |
| CI | Côte d'Ivoire | KP | | NO | Norway | zw | Zimbabwe |
| CM | Cameroon | KI | Democratic People's Republic of Korea | NZ | New Zealand | | |
| CN | China | KR | • | PL | Poland | | |
| CU | Cuba | KZ | Republic of Korea Kazakstan | PT | Portugal | | |
| CZ | Czech Republic | | | RO | Romania | | |
| DE | Germany | rc | Saint Lucia | RU | Russian Federation | | |
| DK | Denmark | LI | Liechtenstein | SD | Sudan | | |
| EE | Estonia | LK | Sri Lanka | SE | Sweden | | |
| D.C. | ESTORIA | LR | Liberia | SG | Singapore | | |
| | • | - | | | | | |
| | | | | | | | |

WO 98/45328 PCT/US98/06939

COMPOSITIONS AND METHODS FOR THE TREATMENT AND DIAGNOSIS OF BREAST CANCER

TECHNICAL FIELD

5

10

The present invention relates generally to the detection and therapy of breast cancer. The invention is more specifically related to nucleotide sequences that are preferentially expressed in breast tumor tissue and to polypeptides encoded by such nucleotide sequences. The nucleotide sequences and polypeptides may be used in vaccines and pharmaceutical compositions for the prevention and treatment of breast cancer. The polypeptides may also be used for the production of compounds, such as antibodies, useful for diagnosing and monitoring the progression of breast cancer in a patient.

BACKGROUND OF THE INVENTION

Breast cancer is a significant health problem for women in the United States and throughout the world. Although advances have been made in detection and treatment of the disease, breast cancer remains the second leading cause of cancer-related deaths in women, affecting more than 180,000 women in the United States each year. For women in North America, the life-time odds of getting breast cancer are now one in eight.

treatment of breast cancer is currently available. Management of the disease currently relies on a combination of early diagnosis (through routine breast screening procedures) and aggressive treatment, which may include one or more of a variety of treatments such as surgery, radiotherapy, chemotherapy and hormone therapy. The course of treatment for a particular breast cancer is often selected based on a variety of prognostic parameters, including an analysis of specific tumor markers. See, e.g., Porter-Jordan and Lippman, Breast Cancer 8:73-100 (1994). However, the use of established markers often leads to a result that is difficult to interpret, and the high mortality observed in

15

20

breast cancer patients indicates that improvements are needed in the treatment, diagnosis and prevention of the disease.

Accordingly, there is a need in the art for improved methods for therapy and diagnosis of breast cancer. The present invention fulfills these needs and further provides other related advantages.

SUMMARY OF THE INVENTION

Briefly stated, the subject invention provides compositions and methods for the diagnosis and therapy of breast cancer. In one aspect, isolated DNA molecules are provided, comprising (a) a nucleotide sequence preferentially expressed in breast cancer tissue, relative to normal tissue; (b) a variant of such a sequence that contains one or more nucleotide substitutions, deletions, insertions and/or modifications at no more than 20% (preferably no more than 5%) of the nucleotide positions, such that the antigenic and/or immunogenic properties of the polypeptide encoded by the nucleotide sequence are retained; or (c) a nucleotide sequence encoding an epitope of a polypeptide encoded by at least one of the above sequences. In one embodiment, the isolated DNA molecule comprises a human endogenous retroviral sequence recited in SEQ ID NO:1. In other embodiments, the isolated DNA molecule comprises a nucleotide sequence recited in any one of SEQ ID NO: 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297.

In related embodiments, the isolated DNA molecule encodes an epitope of a polypeptide, wherein the polypeptide is encoded by a nucleotide sequence that: (a) hybridizes to a sequence recited in any one of SEQ ID NO: 1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297 under stringent conditions; and (b) is at least 80% identical to a sequence recited in any one of SEQ ID NO: 1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219,

10

15

221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297; and wherein RNA corresponding to said nucleotide sequence is expressed at a greater level in human breast tumor tissue than in normal breast tissue.

In another embodiment, the present invention provides an isolated DNA molecule encoding an epitope of a polypeptide, the polypeptide being encoded by: (a) a nucleotide sequence transcribed from the sequence of SEQ ID NO: 141; or (b) a variant of said nucleotide sequence that contains one or more nucleotide substitutions, deletions, insertions and/or modifications at no more than 20% of the nucleotide positions, such that the antigenic and/or immunogenic properties of the polypeptide encoded by the nucleotide sequence are retained. Isolated DNA and RNA molecules comprising a nucleotide sequence complementary to a DNA molecule as described above are also provided.

In related aspects, the present invention provides recombinant expression vectors comprising a DNA molecule as described above and host cells transformed or transfected with such expression vectors.

In further aspects, polypeptides, comprising an amino acid sequence encoded by a DNA molecule as described above, and monoclonal antibodies that bind to such polypeptides are provided.

In yet another aspect, methods are provided for determining the presence of breast cancer in a patient. In one embodiment, the method comprises detecting, within a biological sample, a polypeptide as described above. In another embodiment, the method comprises detecting, within a biological sample, an RNA molecule encoding a polypeptide as described above. In yet another embodiment, the method comprises (a) intradermally injecting a patient with a polypeptide as described above; and (b) detecting an immune response on the patient's skin and therefrom detecting the presence of breast cancer in the patient. In further embodiments, the present invention provides methods for determining the presence of breast cancer in a patient as described above wherein the polypeptide is encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208,

215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions.

In a related aspect, diagnostic kits useful in the determination of breast cancer are provided. The diagnostic kits generally comprise either one or more monoclonal antibodies as described above, or one or more monoclonal antibodies that bind to a polypeptide encoded by a nucleotide sequence selected from the group consisting of sequences provided in SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 and 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and a detection reagent.

Within a related aspect, the diagnostic kit comprises a first polymerase chain reaction primer and a second polymerase chain reaction primer, at least one of the primers being specific for an RNA molecule described herein. In one embodiment, at least one of the primers comprises at least about 10 contiguous nucleotides of an RNA molecule as described above, or an RNA molecule encoding a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289 and 290.

Within another related aspect, the diagnostic kit comprises at least one oligonucleotide probe, the probe being specific for a DNA molecule described herein. In one embodiment, the probe comprises at least about 15 contiguous nucleotides of a DNA molecule as described above, or a DNA molecule selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289 and 290.

In another related aspect, the present invention provides methods for monitoring the progression of breast cancer in a patient. In one embodiment, the method comprises: (a) detecting an amount, in a biological sample, of a polypeptide as described above at a first point in time; (b) repeating step (a) at a subsequent point in time; and (c) comparing the amounts of polypeptide detected in steps (a) and (b), and therefrom monitoring the progression of breast cancer in the patient. In another

15

20

25

embodiment, the method comprises (a) detecting an amount, within a biological sample, of an RNA molecule encoding a polypeptide as described above at a first point in time; (b) repeating step (a) at a subsequent point in time; and (c) comparing the amounts of RNA molecules detected in steps (a) and (b), and therefrom monitoring the progression of breast cancer in the patient. In yet other embodiments, the present invention provides methods for monitoring the progression of breast cancer in a patient as described above wherein the polypeptide is encoded by a nucleotide sequence selected form the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions.

In still other aspects, pharmaceutical compositions, which comprise a polypeptide as described above in combination with a physiologically acceptable carrier, and vaccines, which comprise a polypeptide as described above in combination with an immune response enhancer or adjuvant, are provided. In yet other aspects, the present invention provides pharmaceutical compositions and vaccines comprising a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 and 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions.

In related aspects, the present invention provides methods for inhibiting the development of breast cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as described above.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows the differential display PCR products, separated by gel electrophoresis, obtained from cDNA prepared from normal breast tissue (lanes 1 and 2)

and from cDNA prepared from breast tumor tissue from the same patient (lanes 3 and 4). The arrow indicates the band corresponding to B18Ag1.

Figure 2 is a northern blot comparing the level of B18Ag1 mRNA in breast tumor tissue (lane 1) with the level in normal breast tissue.

Figure 3 shows the level of B18Ag1 mRNA in breast tumor tissue compared to that in various normal and non-breast tumor tissues as determined by RNase protection assays.

Figure 4 is a genomic clone map showing the location of additional retroviral sequences obtained from ends of XbaI restriction digests (provided in SEQ ID NO:3 - SEQ ID NO:10) relative to B18Ag1.

Figures 5A and 5B show the sequencing strategy, genomic organization and predicted open reading frame for the retroviral element containing B18Ag1.

Figure 6 shows the nucleotide sequence of the representative breast tumor-specific cDNA B18Ag1.

Figure 7 shows the nucleotide sequence of the representative breast tumor-specific cDNA B17Ag1.

Figure 8 shows the nucleotide sequence of the representative breast tumor-specific cDNA B17Ag2.

Figure 9 shows the nucleotide sequence of the representative breast 20 tumor-specific cDNA B13Ag2a.

Figure 10 shows the nucleotide sequence of the representative breast tumor-specific cDNA B13Ag1b.

Figure 11 shows the nucleotide sequence of the representative breast tumor-specific cDNA B13Ag1a.

Figure 12 shows the nucleotide sequence of the representative breast tumor-specific cDNA B11Ag1.

Figure 13 shows the nucleotide sequence of the representative breast tumor-specific cDNA B3CA3c.

Figure 14 shows the nucleotide sequence of the representative breast 30 tumor-specific cDNA B9CG1.

20

Figure 15 shows the nucleotide sequence of the representative breast tumor-specific cDNA B9CG3.

Figure 16 shows the nucleotide sequence of the representative breast tumor-specific cDNA B2CA2.

Figure 17 shows the nucleotide sequence of the representative breast tumor-specific cDNA B3CA1.

Figure 18 shows the nucleotide sequence of the representative breast tumor-specific cDNA B3CA2.

Figure 19 shows the nucleotide sequence of the representative breast 10 tumor-specific cDNA B3CA3.

Figure 20 shows the nucleotide sequence of the representative breast tumor-specific cDNA B4CA1.

Figure 21A depicts RT-PCR analysis of breast tumor genes in breast tumor tissues (lanes 1-8) and normal breast tissues (lanes 9-13) and H₂O (lane 14).

Figure 21B depicts RT-PCR analysis of breast tumor genes in prostate tumors (lane 1, 2), colon tumors (lane 3), lung tumor (lane 4), normal prostate (lane 5), normal colon (lane 6), normal kidney (lane 7), normal liver (lane 8), normal lung (lane 9), normal ovary (lanes 10, 18), normal pancreases (lanes 11, 12), normal skeletal muscle (lane 13), normal skin (lane 14), normal stomach (lane 15), normal testes (lane 16), normal small intestine (lane 17), HBL-100 (lane 19), MCF-12A (lane 20), breast tumors (lanes 21-23), H₂O (lane 24), and colon tumor (lane 25).

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the diagnosis, monitoring and therapy of breast cancer.

The compositions described herein include polypeptides, nucleic acid sequences and antibodies. Polypeptides of the present invention generally comprise at least a portion of a protein that is expressed at a greater level in human breast tumor tissue than in normal breast tissue (i.e., the level of RNA encoding the polypeptide is at least 2-fold higher in tumor tissue). Such polypeptides are referred to herein as breast tumor-

specific polypeptides, and cDNA molecules encoding such polypeptides are referred to as breast tumor-specific cDNAs. Nucleic acid sequences of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of a polypeptide as described above, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or fragments thereof, that are capable of binding to a portion of a polypeptide as described above. Antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies.

Polypeptides within the scope of this invention include, but are not 10 limited to, polypeptides (and epitopes thereof) encoded by a human endogenous retroviral sequence, such as the sequence designated B18Ag1 (Figure 5 and SEQ ID NO:1). Also within the scope of the present invention are polypeptides encoded by other sequences within the retroviral genome containing B18Ag1 (SEQ ID NO: 141). Such sequences include, but are not limited to, the sequences recited in SEQ ID NO:3 -15 SEQ ID NO:10. B18Ag1 has homology to the gag p30 gene of the endogenous human retroviral element S71, as described in Werner et al., Virology 174:225-238 (1990) and also shows homology to about thirty other retroviral gag genes. As discussed in more detail below, the present invention also includes a number of additional breast tumorspecific polypeptides, such as those encoded by the nucleotide sequences recited in 20 SEQ ID NO: 11-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297. As used herein, the term "polypeptide" encompasses amino acid chains of any length, including full length proteins containing the sequences recited herein. A polypeptide comprising 25 an epitope of a protein containing a sequence as described herein may consist entirely of the epitope, or may contain additional sequences. The additional sequences may be derived from the native protein or may be heterologous, and such sequences may (but, need not) possess immunogenic or antigenic properties.

10

15

20

25

An "epitope," as used herein is a portion of a polypeptide that is recognized (i.e., specifically bound) by a B-cell and/or T-cell surface antigen receptor. Epitopes may generally be identified using well known techniques, such as those summarized in Paul, Fundamental Immunology, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides derived from the native polypeptide for the ability to react with antigen-specific antisera and/or T-cell lines or clones. An epitope of a polypeptide is a portion that reacts with such antisera and/or T-cells at a level that is similar to the reactivity of the full length polypeptide (e.g., in an ELISA and/or T-cell reactivity assay). Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988. B-cell and T-cell epitopes may also be predicted via computer analysis. Polypeptides comprising an epitope of a polypeptide that is preferentially expressed in a tumor tissue (with or without additional amino acid sequence) are within the scope of the present invention.

The compositions and methods of the present invention also encompass variants of the above polypeptides and nucleic acid sequences encoding such polypeptides. A polypeptide "variant," as used herein, is a polypeptide that differs from the native polypeptide in substitutions and/or modifications, such that the antigenic and/or immunogenic properties of the polypeptide are retained. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antisera and/or T-cells as described above. Nucleic acid variants may contain one or more substitutions, deletions, insertions and/or modifications such that the antigenic and/or immunogenic properties of the encoded polypeptide are retained. One preferred variant of the polypeptides described herein is a variant that contains nucleotide substitutions, deletions, insertions and/or modifications at no more than 20% of the nucleotide positions.

Preferably, a variant contains conservative substitutions. A 30 "conservative substitution" is one in which an amino acid is substituted for another

10

15

20

25

amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. In general, the following groups of amino acids represent conservative changes: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his.

Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenic or antigenic properties, secondary structure and hydropathic nature of the polypeptide. For example, a polypeptide may be conjugated to a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

In general, nucleotide sequences encoding all or a portion of the polypeptides described herein may be prepared using any of several techniques. For example, cDNA molecules encoding such polypeptides may be cloned on the basis of the breast tumor-specific expression of the corresponding mRNAs, using differential display PCR. This technique compares the amplified products from RNA template prepared from normal and breast tumor tissue. cDNA may be prepared by reverse transcription of RNA using a (dT)₁₂AG primer. Following amplification of the cDNA using a random primer, a band corresponding to an amplified product specific to the tumor RNA may be cut out from a silver stained gel and subcloned into a suitable vector (e.g., the T-vector, Novagen, Madison, WI). Nucleotide sequences encoding all or a portion of the breast tumor-specific polypeptides disclosed herein may be amplified from cDNA prepared as described above using the random primers shown in SEQ ID NO.:87-125.

Alternatively, a gene encoding a polypeptide as described herein (or a portion thereof) may be amplified from human genomic DNA, or from breast tumor

15

20

25

30

cDNA, via polymerase chain reaction. For this approach, B18Ag1 sequence-specific primers may be designed based on the sequence provided in SEQ ID NO:1, and may be purchased or synthesized. One suitable primer pair for amplification from breast tumor cDNA is (5'ATG GCT ATT TTC GGG GGC TGA CA) (SEQ ID NO.:126) and (5'CCG GTA TCT CCT CGT GGG TAT T) (SEQ ID NO.:127). An amplified portion of B18Ag1 may then be used to isolate the full length gene from a human genomic DNA library or from a breast tumor cDNA library, using well known techniques, such as those described in Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY (1989). Other sequences within the retroviral genome of which B18Ag1 is a part may be similarly prepared by screening human genomic libraries using B18Ag1-specific sequences as probes. Nucleotides translated into protein from the retroviral genome shown in SEQ ID NO: 141 may then be determined by cloning the corresponding cDNAs, predicting the open reading frames and cloning the appropriate cDNAs into a vector containing a viral promoter, such as T7. The resulting constructs can be employed in a translation reaction, using techniques known to those of skill in the art, to identify nucleotide sequences which result in expressed protein. Similarly, primers specific for the remaining breast tumor-specific polypeptides described herein may be designed based on the nucleotide sequences provided in SEQ ID NO:11 - SEQ ID NO:86 and SEQ ID NO:142 - SEQ ID NO:297.

Recombinant polypeptides encoded by the DNA sequences described above may be readily prepared from the DNA sequences. For example, supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

In general, any of a variety of expression vectors known to those of ordinary skill in the art may be employed to express recombinant polypeptides of this invention. Expression may be achieved in any appropriate host cell that has been

10

15

transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast and higher eukaryotic cells. Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO.

Such techniques may also be used to prepare polypeptides comprising epitopes or variants of the native polypeptides. For example, variants of a native polypeptide may generally be prepared using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis, and sections of the DNA sequence may be removed to permit preparation of truncated polypeptides. Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, J. Am. Chem. Soc. 85:2149-2146 (1963). Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division,, Foster City, CA, and may be operated according to the manufacturer's instructions.

In specific embodiments, polypeptides of the present invention encompass amino acid sequences encoded by a DNA molecule having a sequence recited in any one of SEQ ID NO:1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297, variants of such polypeptides that are encoded by DNA molecules containing one or more nucleotide substitutions, deletions, insertions and/or modifications at no more than 20% of the nucleotide positions, and epitopes of the above polypeptides. Polypeptides within the scope of the present invention also include polypeptides (and epitopes thereof) encoded by DNA sequences that hybridize to a DNA molecule having a sequence recited in any one of SEQ ID NO:1, 3-26, 28-77, 142, 143, 146-152, 154-30 166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240,

15

20

243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297 under stringent conditions, wherein the DNA sequences are at least 80% identical in overall sequence to a recited sequence and wherein RNA corresponding to the nucleotide sequence is expressed at a greater level in human breast tumor tissue than in normal breast tissue. As used herein, "stringent conditions" refers to prewashing in a solution of 6X SSC, 0.2% SDS; hybridizing at 65°C, 6X SSC, 0.2% SDS overnight; followed by two washes of 30 minutes each in 1X SSC, 0.1% SDS at 65°C and two washes of 30 minutes each in 0.2 X SSC, 0.1% SDS at 65°C. DNA molecules according to the present invention include molecules that encode any of the above polypeptides.

In another aspect of the present invention, antibodies are provided. Such antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. See, e.g., Harlow and Lane, Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988. In one such technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (e.g., mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for the antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, Eur. J. Immunol. 6:511-519 (1976), and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (i.e., reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as

15

20

described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Antibodies may be used, for example, in methods for detecting breast cancer in a patient. Such methods involve using an antibody to detect the presence or absence of a breast tumor-specific polypeptide as described herein in a suitable biological sample. As used herein, suitable biological samples include tumor or normal tissue biopsy, mastectomy, blood, lymph node, serum or urine samples, or other tissue, homogenate, or extract thereof obtained from a patient.

There are a variety of assay formats known to those of ordinary skill in the art for using an antibody to detect polypeptide markers in a sample. See, e.g., Harlow and Lane, Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988. For example, the assay may be performed in a Western blot format, wherein a protein preparation from the biological sample is submitted to gel electrophoresis, transferred to a suitable membrane and allowed to react with the antibody. The

15

presence of the antibody on the membrane may then be detected using a suitable detection reagent, as described below.

In another embodiment, the assay involves the use of antibody immobilized on a solid support to bind to the polypeptide and remove it from the remainder of the sample. The bound polypeptide may then be detected using a second antibody or reagent that contains a reporter group. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized antibody after incubation of the antibody with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the antibody is indicative of the reactivity of the sample with the immobilized antibody, and as a result, indicative of the concentration of polypeptide in the sample.

The solid support may be any material known to those of ordinary skill in the art to which the antibody may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose filter or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681.

techniques known to those in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the antigen and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the antibody, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of

15

20

25

30

antibody ranging from about 10 ng to about 1 μ g, and preferably about 100-200 ng, is sufficient to immobilize an adequate amount of polypeptide.

Covalent attachment of antibody to a solid support may also generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the antibody. For example, the antibody may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (see, e.g., Pierce Immunotechnology Catalog and Handbook (1991) at A12-A13).

In certain embodiments, the assay for detection of polypeptide in a sample is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the biological sample, such that the polypeptide within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a second antibody (containing a reporter group) capable of binding to a different site on the polypeptide is added. The amount of second antibody that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20TM (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is that period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with breast cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least, 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium

10

15

20

may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20TM. The second antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include enzymes (such as horseradish peroxidase), substrates, cofactors, inhibitors, dyes, radionuclides, luminescent groups, fluorescent groups and biotin. The conjugation of antibody to reporter group may be achieved using standard methods known to those of ordinary skill in the art.

The second antibody is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound second antibody is then removed and bound second antibody is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value established from non-tumor tissue. In one preferred embodiment, the cut-off value is the average mean signal obtained when the immobilized antibody is incubated with samples from patients, without breast cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value may be considered positive for breast

20

25

30

cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., Clinical Epidemiology: A Basic Science for Clinical Medicine, p. 106-7 (Little Brown and Co., 1985). Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (i.e., sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (i.e., the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for breast cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the antibody is immobilized on a membrane, such as nitrocellulose. In the flow-through test, the polypeptide within the sample bind to the immobilized antibody as the sample passes through the membrane. A second, labeled antibody then binds to the antibody-polypeptide complex as a solution containing the second antibody flows through the membrane. The detection of bound second antibody may then be performed as described above. In the strip test format, one end of the membrane to which antibody is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second antibody and to the area of immobilized antibody. Concentration of second antibody at the area of immobilized antibody indicates the presence of breast cancer. Typically, the concentration of second antibody at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of antibody immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that, would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferably, the amount of antibody immobilized on the

10

15

20

25

membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 1 μ g. Such tests can typically be performed with a very small amount of biological sample.

The presence or absence of breast cancer in a patient may also be determined by evaluating the level of mRNA encoding a breast tumor-specific polypeptide as described herein within the biological sample (e.g., a biopsy, mastectomy and/or blood sample from a patient) relative to a predetermined cut-off value. Such an evaluation may be achieved using any of a variety of methods known to those of ordinary skill in the art such as, for example, in situ hybridization and amplification by polymerase chain reaction.

For example, polymerase chain reaction may be used to amplify sequences from cDNA prepared from RNA that is isolated from one of the above biological samples. Sequence-specific primers for use in such amplification may be designed based on the sequences provided in any one of SEQ ID NO: 1, 11-86 and 142-297, and may be purchased or synthesized. In the case of B18Ag1, as noted herein, one suitable primer pair is B18Ag1-2 (5'ATG GCT ATT TTC GGG GGC TGA CA) (SEQ ID NO.:126) and B18Ag1-3 (5'CCG GTA TCT CCT CGT GGG TAT T) (SEQ ID NO.:127). The PCR reaction products may then be separated by gel electrophoresis and visualized according to methods well known to those of ordinary skill in the art. Amplification is typically performed on samples obtained from matched pairs of tissue (tumor and non-tumor tissue from the same individual) or from unmatched pairs of tissue (tumor and non-tumor tissue from different individuals). The amplification reaction is preferably performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the tumor sample as compared to the same dilution of the non-tumor sample is considered positive.

As used herein, the term "primer/probe specific for a DNA/RNA molecule" means an oligonucleotide sequence that has at least about 80% identity preferably at least about 90% and more preferably at least about 95%, identity to the DNA/RNA molecule in question. Primers and/or probes which may be usefully

20

25

employed in the inventive diagnostic methods preferably have at least about 10-40 nucleotides. In a preferred embodiment, the polymerase chain reaction primers comprise at least about 10 contiguous nucleotides of a DNA/RNA molecule encoding one of the polypeptides disclosed herein. Preferably, oligonucleotide probes for use in the inventive diagnostic methods comprise at least about 15 contiguous oligonucleotides of a DNA/RNA molecule encoding one of the polypeptides disclosed herein. Techniques for both PCR based assays and *in situ* hybridization assays are well known in the art.

Conventional RT-PCR protocols using agarose and ethidium bromide staining while important in defining gene specificity do not lend themselves to diagnostic kit development because of the time and effort required in making them quantitative (i.e., construction of saturation and/or titration curves), and their sample throughput. This problem is overcome by the development of procedures such as real time RT-PCR which allows for assays to be performed in single tubes, and in turn can be modified for use in 96 well plate formats. Instrumentation to perform such methodologies are available from Perkin Elmer/Applied Biosystems Division. Alternatively, other high throughput assays using labeled probes (e.g., digoxygenin) in combination with labeled (e.g., enzyme fluorescent, radioactive) antibodies to such probes can also be used in the development of 96 well plate assays.

In yet another method for determining the presence or absence of breast cancer in a patient, one or more of the breast tumor-specific polypeptides described may be used in a skin test. As used herein, a "skin test" is any assay performed directly on a patient in which a delayed-type hypersensitivity (DTH) reaction (such as swelling, reddening or dermatitis) is measured following intradermal injection of one or more polypeptides as described above. Such injection may be achieved using any suitable device sufficient to contact the polypeptide or polypeptides with dermal cells of the patient, such as a tuberculin syringe or 1 mL syringe. Preferably, the reaction is measured at least 48 hours after injection, more preferably 48-72 hours.

The DTH reaction is a cell-mediated immune response, which is greater in patients that have been exposed previously to a test antigen (i.e., an immunogenic

15

20

25

portion of a polypeptide employed, or a variant thereof). The response may measured visually, using a ruler. In general, a response that is greater than about 0.5 cm in diameter, preferably greater than about 5.0 cm in diameter, is a positive response, indicative of breast cancer.

The breast tumor-specific polypeptides described herein are preferably formulated, for use in a skin test, as pharmaceutical compositions containing at least one polypeptide and a physiologically acceptable carrier, such as water, saline, alcohol, or a buffer. Such compositions typically contain one or more of the above polypeptides in an amount ranging from about 1 µg to 100 µg, preferably from about 10 µg to 50 µg in a volume of 0.1 mL. Preferably, the carrier employed in such pharmaceutical compositions is a saline solution with appropriate preservatives, such as phenol and/or Tween 80TM.

In other aspects of the present invention, the progression and/or response to treatment of a breast cancer may be monitored by performing any of the above assays over a period of time, and evaluating the change in the level of the response (i.e., the amount of polypeptide or mRNA detected or, in the case of a skin test, the extent of the immune response detected). For example, the assays may be performed every month to every other month for a period of 1 to 2 years. In general, breast cancer is progressing in those patients in whom the level of the response increases over time. In contrast, breast cancer is not progressing when the signal detected either remains constant or decreases with time.

In further aspects of the present invention, the compounds described herein may be used for the immunotherapy of breast cancer. In these aspects, the compounds (which may be polypeptides, antibodies or nucleic acid molecules) are preferably incorporated into pharmaceutical compositions or vaccines. Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more polypeptides and an immune response enhancer, such as an adjuvant or a liposome (into which the compound is incorporated) Pharmaceutical compositions and vaccines may additionally contain a delivery system, such as biodegradable microspheres which are disclosed, for example, in U.S. Patent

15

20

25

Nos. 4,897,268 and 5,075,109. Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, including one or more separate polypeptides.

Alternatively, a vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated in situ. In such vaccines, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as Bacillus-Calmette-Guerrin) that expresses an immunogenic portion of the polypeptide on its cell surface. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., Science 259:1745-1749 (1993), and reviewed by Cohen, Science 259:1691-1692 (1993). The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as, carriers for the pharmaceutical compositions of this invention.

- 15

20

Any of a variety of adjuvants may be employed in the vaccines of this invention to nonspecifically enhance the immune response. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, Bortadella pertussis or Mycobacterium tuberculosis derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI), Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ), alum, biodegradable microspheres, monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

The above pharmaceutical compositions and vaccines may be used, for example, for the therapy of breast cancer in a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with breast cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of breast cancer or to treat a patient afflicted with breast cancer. To prevent the development of breast cancer, a pharmaceutical composition or vaccine comprising one or more polypeptides as described herein may be administered to a patient. Alternatively, naked DNA or plasmid or viral vector encoding the polypeptide may be administered. For treating a patient with breast cancer, the pharmaceutical composition or vaccine may comprise one or more polypeptides, antibodies or nucleotide sequences complementary to DNA encoding a polypeptide as described herein (e.g., antisense RNA or antisense deoxyribonucleotide oligonucleotides).

Routes and frequency of administration, as well as dosage, will vary from individual to individual. In general, the pharmaceutical compositions and vaccines may be administered by injection (e.g., intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (e.g., by aspiration) or orally. Between 1 and 10 doses may be administered for a 52-week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients.

A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*.

5 Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (e.g., more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 100 μg to 5 mg. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

The following Examples are offered by way of illustration and not by way of limitation.

10

15

20

EXAMPLES

EXAMPLE 1

PREPARATION OF BREAST TUMOR-SPECIFIC CDNAs USING DIFFERENTIAL DISPLAY RT-PCR

This Example illustrates the preparation of cDNA molecules encoding breast tumor-specific polypeptides using a differential display screen.

A. Preparation of B18Ag1 cDNA and Characterization of mRNA Expression

Tissue samples were prepared from breast tumor and normal tissue of a patient with breast cancer that was confirmed by pathology after removal from the patient. Normal RNA and tumor RNA was extracted from the samples and mRNA was isolated and converted into cDNA using a (dT)₁₂AG (SEQ ID NO.:130) anchored 3' primer. Differential display PCR was then executed using a randomly chosen primer (CTTCAACCTC) (SEQ ID NO.:103). Amplification conditions were standard buffer containing 1.5 mM MgCl₂, 20 pmol of primer, 500 pmol dNTP, and 1 unit of *Taq* DNA polymerase (Perkin-Elmer, Branchburg, NJ). Forty cycles of amplification were performed using 94°C denaturation for 30 seconds, 42°C annealing for 1 minute, and 72°C extension for 30 seconds. An RNA fingerprint containing 76 amplified products was obtained. Although the RNA fingerprint of breast tumor tissue was over 98% identical to that of the normal breast tissue, a band was repeatedly observed to be specific to the RNA fingerprint pattern of the tumor. This band was cut out of a silver stained gel, subcloned into the T-vector (Novagen, Madison, WI) and sequenced.

The sequence of the cDNA, referred to as B18Ag1, is provided in SEQ ID NO:1. A database search of GENBANK and EMBL revealed that the B18Ag1 fragment initially cloned is 77% identical to the endogenous human retroviral element S71, which is a truncated retroviral element homologous to the Simian Sarcoma Virus, (SSV). S71 contains an incomplete gag gene, a portion of the pol gene and an LTR-like structure at the 3' terminus (see Werner et al., Virology 174:225-238 (1990)). B18Ag1

10

15

20

is also 64% identical to SSV in the region corresponding to the P30 (gag) locus. B18Ag1 contains three separate and incomplete reading frames covering a region which shares considerable homology to a wide variety of gag proteins of retroviruses which infect mammals. In addition, the homology to S71 is not just within the gag gene, but spans several kb of sequence including an LTR.

B18Ag1-specific PCR primers were synthesized using computer analysis guidelines. RT-PCR amplification (94°C, 30 seconds; 60°C \rightarrow 42°C, 30 seconds; 72°C, 30 seconds for 40 cycles) confirmed that B18Ag1 represents an actual mRNA sequence present at relatively high levels in the patient's breast tumor tissue. The primers used in amplification were B18Ag1-1 (CTG CCT GAG CCA CAA ATG) (SEQ ID NO.:128) and B18Ag1-4 (CCG GAG GAG GAA GCT AGA GGA ATA) (SEQ ID NO.:129) at a 3.5 mM magnesium concentration and a pH of 8.5, and B18Ag1-2 (ATG GCT ATT TTC GGG GCC TGA CA) (SEQ ID NO.:126) and B18Ag1-3 (CCG GTA TCT CCT CGT GGG TAT T) (SEQ ID NO.:127) at 2 mM magnesium at pH 9.5. The same experiments showed exceedingly low to nonexistent levels of expression in this patient's normal breast tissue (see Figure 1). RT-PCR experiments were then used to show that B18Ag1 mRNA is present in nine other breast tumor samples (from Brazilian and American patients) but absent in, or at exceedingly low levels in, the normal breast tissue corresponding to each cancer patient. RT-PCR analysis has also shown that the B18Ag1 transcript is not present in various normal tissues (including lymph node, myocardium and liver) and present at relatively low levels in PBMC and lung tissue. The presence of B18Ag1 mRNA in breast tumor samples, and its absence from normal breast tissue, has been confirmed by Northern blot analysis, as shown in Figure 2.

The differential expression of B18Ag1 in breast tumor tissue was also confirmed by RNase protection assays. Figure 3 shows the level of B18Ag1 mRNA in various tissue types as determined in four different RNase protection assays. Lanes 1-12 represent various normal breast tissue samples, lanes 13-25 represent various breast tumor samples; lanes 26-27 represent normal prostate samples; lanes 28-29 represent, prostate tumor samples; lanes 30-32 represent colon tumor samples; lane 33 represents normal aorta; lane 34 represents normal small intestine; lane 35 represents normal skin,

15

20

25

30

lane 36 represents normal lymph node; lane 37 represents normal ovary; lane 38 represents normal liver; lane 39 represents normal skeletal muscle; lane 40 represents a first normal stomach sample, lane 41 represents a second normal stomach sample; lane 42 represents a normal lung; lane 43 represents normal kidney; and lane 44 represents normal pancreas. Interexperimental comparison was facilitated by including a positive control RNA of known β -actin message abundance in each assay and normalizing the results of the different assays with respect to this positive control.

RT-PCR and Southern Blot analysis has shown the B18Ag1 locus to be present in human genomic DNA as a single copy endogenous retroviral element. A genomic clone of approximately 12-18 kb was isolated using the initial B18Ag1 sequence as a probe. Four additional subclones were also isolated by XbaI digestion. Additional retroviral sequences obtained from the ends of the XbaI digests of these clones (located as shown in Figure 4) are shown as SEQ ID NO:3 - SEQ ID NO:10, where SEQ ID NO:3 shows the location of the sequence labeled 10 in Figure 4, SEQ ID NO:4 shows the location of the sequence labeled 11-29, SEQ ID NO:5 shows the location of the sequence labeled 6, SEQ ID NO:7 shows the location of the sequence labeled 12, SEQ ID NO:8 shows the location of the sequence labeled 13, SEQ ID NO:9 shows the location of the sequence labeled 11-22.

Subsequent studies demonstrated that the 12-18 kb genomic clone contains a retroviral element of about 7.75 kb, as shown in Figures 5A and 5B. The sequence of this retroviral element is shown in SEQ ID NO: 141. The numbered line at the top of Figure 5A represents the sense strand sequence of the retroviral genomic clone. The box below this line shows the position of selected restriction sites. The arrows depict the different overlapping clones used to sequence the retroviral element. The direction of the arrow shows whether the single-pass subclone sequence corresponded to the sense or anti-sense strand. Figure 5B is a schematic diagram of the retroviral element containing B18Ag1 depicting the organization of viral genes within the element. The open boxes correspond to predicted reading frames, starting with a

methionine, found throughout the element. Each of the six likely reading frames is shown, as indicated to the left of the boxes, with frames 1-3 corresponding to those found on the sense strand.

Using the cDNA of SEQ ID NO:1 as a probe, a longer cDNA was obtained (SEQ ID NO:227) which contains minor nucleotide differences (less than 1%) compared to the genomic sequence shown in SEQ ID NO:141.

B. <u>Preparation of cDNA Molecules Encoding Other Breast Tumor-Specific Polypeptides</u>

Normal RNA and tumor RNA was prepared and mRNA was isolated and converted into cDNA using a (dT)₁₂AG anchored 3' primer, as described above. Differential display PCR was then executed using the randomly chosen primers SEQ ID NO.: 87-125. Amplification conditions were as noted above, and bands observed to be specific to the RNA fingerprint pattern of the tumor were cut out of a silver stained gel, subcloned into either the T-vector (Novagen, Madison, WI) or the pCRII vector (Invitrogen, San Diego, CA) and sequenced. The sequences are provided in SEQ ID NO:11 - SEQ ID NO:86. Of the 79 sequences isolated, 67 were found to be novel (SEQ ID NO:11-26 and 28-77) (see also Figures 6-20).

An extended DNA sequence (SEQ ID NO: 290) for the antigen B15Ag1 (originally identified partial sequence provided in SEQ ID NO: 27) was obtained in further studies. Comparison of the sequence of SEQ ID NO: 290 with those in the gene bank as described above, revealed homology to the known human β -A activin gene.

Subsequent studies identified an additional 146 sequences (SEQ ID NOS:142-289), of which 115 appeared to be novel (SEQ ID NOS:142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291). To the best of the inventors' knowledge none of the previously identified sequences have heretofore been shown to be expressed at a greater level in human breast tumor tissue than in normal breast tissue.

In further studies, six different splice forms of the antigen B11Ag1 were isolated, with each of the various splice forms containing slightly different versions of

20

the B11Ag1 coding frame. Splice junction sequences define individual exons which, in various patterns and arrangements, make up the various splice forms. Primers were designed to examine the expression pattern of each of the exons using RT-PCR as described below. Each exon was found to show the same expression pattern as the original B11Ag1 clone, with expression being breast tumor, prostate and testis-specific. The determined cDNA sequences for the isolated protein coding exons are provided in SEQ ID NO: 292-297, respectively.

EXAMPLE 2

10

15

20

Preparation of B18AG1 DNA from Human Genomic DNA

This Example illustrates the preparation of B18Ag1 DNA by amplification from human genomic DNA.

B18Ag1 DNA may be prepared from 250 ng human genomic DNA using 20 pmol of B18Ag1 specific primers, 500 pmol dNTPS and 1 unit of *Taq* DNA polymerase (Perkin Elmer, Branchburg, NJ) using the following amplification parameters: 94°C for 30 seconds denaturing, 30 seconds 60°C to 42°C touchdown annealing in 2°C increments every two cycles and 72°C extension for 30 seconds. The last increment (a 42°C annealing temperature) should cycle 25 times. Primers were selected using computer analysis. Primers synthesized were B18Ag1-1, B18Ag1-2, B18Ag1-3, and B18Ag1-4. Primer pairs that may be used are 1+3, 1+4, 2+3, and 2+4.

Following gel electrophoresis, the band corresponding to B18Ag1 DNA may be excised and cloned into a suitable vector.

25

EXAMPLE 3

PREPARATION OF B18AG1 DNA FROM BREAST TUMOR CDNA

This Example illustrates the preparation of B18Ag1 DNA by, amplification from human breast tumor cDNA.

First strand cDNA is synthesized from RNA prepared from human breast tumor tissue in a reaction mixture containing 500 ng poly A+ RNA, 200 pmol of the primer (T)₁₂AG (i.e., TTT TTT TTT TTT AG) (SEQ ID NO: 130), 1X first strand reverse transcriptase buffer, 6.7 mM DTT, 500 mmol dNTPs, and 1 unit AMV or MMLV reverse transcriptase (from any supplier, such as Gibco-BRL (Grand Island, NY)) in a final volume of 30 μl. After first strand synthesis, the cDNA is diluted approximately 25 fold and 1 μl is used for amplification as described in Example 2. While some primer pairs can result in a heterogeneous population of transcripts, the primers B18Ag1-2 (5'ATG GCT ATT TTC GGG GGC TGA CA) (SEQ ID NO: 126) and B18Ag1-3 (5'CCG GTA TCT CCT CGT GGG TAT T) (SEQ ID NO: 127) yield a single 151 bp amplification product.

EXAMPLE 4

IDENTIFICATION OF B-CELL AND T-CELL EPITOPES OF B18AG1

15

20

10

This Example illustrates the identification of B18Ag1 epitopes.

The B18Ag1 sequence can be screened using a variety of computer algorithms. To determine B-cell epitopes, the sequence can be screened for hydrophobicity and hydrophilicity values using the method of Hopp, *Prog. Clin. Biol. Res. 172B*:367-77 (1985) or, alternatively, Cease et al., *J. Exp. Med. 164*:1779-84 (1986) or Spouge et al., *J. Immunol. 138*:204-12 (1987). Additional Class II MHC (antibody or B-cell) epitopes can be predicted using programs such as AMPHI (e.g., Margalit et al., *J. Immunol. 138*:2213 (1987)) or the methods of Rothbard and Taylor (e.g., EMBO J. 7:93 (1988)).

Once peptides (15-20 amino acids long) are identified using these techniques, individual peptides can be synthesized using automated peptide synthesis equipment (available from manufacturers such as Perkin Elmer/Applied Biosystems Division, Foster City, CA) and techniques such as Merrifield synthesis. Following, synthesis, the peptides can used to screen sera harvested from either normal or breast cancer patients to determine whether patients with breast cancer possess antibodies

15

20

30

reactive with the peptides. Presence of such antibodies in breast cancer patient would confirm the immunogenicity of the specific B-cell epitope in question. The peptides can also be tested for their ability to generate a serologic or humoral immune in animals (mice, rats, rabbits, chimps etc.) following immunization *in vivo*. Generation of a peptide-specific antiserum following such immunization further confirms the immunogenicity of the specific B-cell epitope in question.

To identify T-cell epitopes, the B18Ag1 sequence can be screened using different computer algorithms which are useful in identifying 8-10 amino acid motifs within the B18Ag1 sequence which are capable of binding to HLA Class I MHC molecules. (see, e.g., Rammensee et al., Immunogenetics 41:178-228 (1995)). Following synthesis such peptides can be tested for their ability to bind to class I MHC using standard binding assays (e.g., Sette et al., J. Immunol. 153:5586-92 (1994)) and more importantly can be tested for their ability to generate antigen reactive cytotoxic Tcells following in vitro stimulation of patient or normal peripheral mononuclear cells using, for example, the methods of Bakker et al., Cancer Res. 55:5330-34 (1995); Visseren et al., J. Immunol. 154:3991-98 (1995); Kawakami et al., J. Immunol. 154:3961-68 (1995); and Kast et al., J. Immunol. 152:3904-12 (1994). Successful in vitro generation of T-cells capable of killing autologous (bearing the same Class I MHC molecules) tumor cells following in vitro peptide stimulation further confirms the immunogenicity of the B18Ag1 antigen. Furthermore, such peptides may be used to generate murine peptide and B18Ag1 reactive cytotoxic T-cells following in vivo immunization in mice rendered transgenic for expression of a particular human MHC Class I haplotype (Vitiello et al., J. Exp. Med. 173:1007-15 (1991).

A representative list of predicted B18Ag1 B-cell and T-cell epitopes, 25 broken down according to predicted HLA Class I MHC binding antigen, is shown below:

Predicted Th Motifs (B-cell epitopes) (SEQ ID NOS.: 131-133)

SSGGRTFDDFHRYLLVGI

QGAAQKPINLSKXIEVVQGHDE

SPGVFLEHLQEAYRIYTPFDLSA

Predicted HLA A2.1 Motifs (T-cell epitopes) (SEQ ID NOS.: 134-140)

YLLVGIQGA

5 GAAQKPINL

NLSKXIEVV

EVVQGHDES

HLQEAYRIY

NLAFVAQAA

10 FVAQAAPDS

EXAMPLE 5

CHARACTERIZATION OF BREAST TUMOR GENES DISCOVERED BY DIFFERENTIAL DISPLAY PCR

15

20

The specificity and sensitivity of the breast tumor genes discovered by differential display PCR were determined using RT-PCR. This procedure enabled the rapid evaluation of breast tumor gene mRNA expression semiquantitatively without using large amounts of RNA. Using gene specific primers, mRNA expression levels in a variety of tissues were examined, including 8 breast tumors, 5 normal breasts, 2 prostate tumors, 2 colon tumors, 1 lung tumor, and 14 other normal adult human tissues, including normal prostate, colon, kidney, liver, lung, ovary, pancreas, skeletal muscle, skin, stomach and testes.

To ensure the semiquantitative nature of the RT-PCR, β-actin was used as internal control for each of the tissues examined. Serial dilutions of the first strand cDNAs were prepared and RT-PCR assays performed using β-actin specific primers. A dilution was then selected that enabled the linear range amplification of β-actin template, and which was sensitive enough to reflect the difference in the initial copy, number. Using this condition, the β-actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was minimized by DNase

treatment and by assuring a negative result when using first strand cDNA that was prepared without adding reverse transcriptase.

Using gene specific primers, the mRNA expression levels were determined in a variety of tissues. To date, 38 genes have been successfully examined by RT-PCR, five of which exhibit good specificity and sensitivity for breast tumors (B15AG-1, B31GA1b, B38GA2a, B11A1a and B18AG1a). Figures 21A and 21B depict the results for three of these genes: B15AG-1 (SEQ ID NO:27), B31GA1b (SEQ ID NO:148) and B38GA2a (SEQ ID NO. 157). Table I summarizes the expression level of all the genes tested in normal breast tissue and breast tumors, and also in other tissues.

TABLE I

Percentage of Breast Cancer Antigens that are Expressed in Various Tissues

| 15 | Breast Tissues | Over-expressed in Breast Tumors | 84% |
|----|----------------|---|-----|
| | Diedst Tissues | Equally Expressed in Normals and Tumor | 16% |
| 20 | | Over-expressed in Breast Tumors but not in any Normal Tissues | 9% |
| 25 | Other Tissues | Over-expressed in Breast Tumors but Expressed in Some Normal Tissues | 30% |
| 23 | | Over-expressed in Breast Tumors but Equally Expressed in All Other Tissues | 61% |

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purpose of illustration, various modifications may be made without deviating from the spirit and scope of the invention.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (ii) TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE TREATMENT AND DIAGNOSIS OF BREAST CANCER
- (iii) NUMBER OF SEQUENCES: 297
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: SEED and BERRY LLP
 - (B) STREET: 6300 Columbia Center, 701 Fifth Avenue
 - (C) CITY: Seattle
 - (D) STATE: Washington
 - (E) COUNTRY: USA
 - (F) ZIP: 98104-7092
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE: 04-APR-1997
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Maki, David J.
 - (B) REGISTRATION NUMBER: 31,392
 - (C) REFERENCE/DOCKET NUMBER: 210121.419C2
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (206) 622-4900
 - (B) TELEFAX: (206) 682-6031
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 363 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 1..363

| (xi) | SEQUENCE | DESCRIPTION: | SEO | ID | NO:1: |
|------|----------|--------------|-----|----|-------|
|------|----------|--------------|-----|----|-------|

| TTA Leu 1 | GAG Glu | ACC Thr | CAA Gln | TTG Leu 5 | GGA Gly | CCT Pro | AAT Asn | TGG Trp | GAC Asp 10 | CCA Pro | AAT Asn | TTC Phe | TCA Ser | AGT Ser 15 | GGA Gly | 4: |
|------------------|------------------|------------------|-------------------|------------------|------------------|------------------|------------------|-------------------|------------------|------------------|------------------|------------------|-------------------|------------------|------------------|-----|
| GGG Gly | AGA Arg | ACT Thr | TTT Phe 20 | GAC Asp | GAT Asp | TTC Phe | CAC | CGG Arg 25 | TAT Tyr | CTC Leu | CTC Leu | GTG Val | GGT Gly 30 | ATT Ile | CAG Gln | 96 |
| GGA Gly | GCT Ala | GCC Ala 35 | CAG Gln | AAA Lys | CCT Pro | ATA Ile | AAC Asn 40 | TTG Leu | TCT Ser | AAG Lys | GCG Ala | ATT Ile 45 | GAA Glu | GTC Val | GTC Val | 144 |
| CAG Gln | GGG Gly 50 | CAT His | GAT Asp | GAG Glu | TCA Ser | CCA Pro 55 | GGA Gly | GTG Val | TTT Phe | TTA Leu | GAG Glu 60 | CAC His | CTC Leu | CAG Gln | GAG Glu | 192 |
| GCT Ala 65 | TAT Tyr | CGG Arg | ATT Ile | TAC Tyr | ACC Thr 70 | CCT Pro | TTT Phe | GAC Asp | CTG Leu | GCA Ala 75 | GCC Ala | CCC Pro | GAA Glu | AAT Asn | AGC Ser 80 | 240 |
| CAT His | GCT Ala | CTT Leu | AAT Asn | TTG Leu 85 | GCA Ala | TTT Phe | GTG Val | GCT Ala | CAG Gln 90 | GCA Ala | GCC Ala | CCA Pro | GAT Asp | AGT Ser 95 | AAA Lys | 288 |
| AGG Arg | AAA Lys | CTC Leu | CAA Gln 100 | AAA Lys | CTA Leu | GAG Glu | GGA Gly | TTT Phe 105 | TGC Cys | TGG Trp | AAT Asn | GAA Glu | TAC Tyr 110 | CAG Gln | TCA Ser | 336 |
| | | | | AGC Ser | | | | | | | | | · | | | 363 |

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 121 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1101 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

| TCTTAGAATC | TTCATACCCC | GAACTCTTGG | GAAAACTTTA | ATCAGTCACC | TACAGTCTAC | 60 |
|------------|------------|------------|------------|------------|------------|------|
| CACCCATTTA | GGAGGAGCAA | AGCTACCTCA | GCTCCTCCGG | AGCCGTTTTA | AGATCCCCCA | 120 |
| TCTTCAAAGC | CTAACAGATC | AAGCAGCTCT | CCGGTGCACA | ACCTGCGCCC | AGGTAAATGC | 180 |
| CAAAAAAGGT | CCTAAACCCA | GCCCAGGCCA | CCGTCTCCAA | GAAAACTCAC | CAGGAGAAAA | 240 |
| GTGGGAAATT | GACTTTACAG | AAGTAAAACC | ACACCGGGCT | GGGTACAAAT | ACCTTCTAGT | 300 |
| ACTGGTAGAC | ACCTTCTCTG | GATGGACTGA | AGCATTTGCT | ACCAAAAACG | AAACTGTCAA | 360 |
| TATGGTAGTT | AAGTTTTTAC | TCAATGAAAT | CATCCCTCGA | CGTGGGCTGC | CTGTTGCCAT | 420 |
| AGGGTCTGAT | AATGGAACGG | CCTTCGCCTT | GTCTATAGTT | TAATCAGTCA | GTAAGGCGTT | 480 |
| AAACATTCAA | TGGAAGCTCC | ATTGTGCCTA | TCGACCCAGA | GCTCTGGGCA | AGTAGAACGC | 540 |
| ATGAACTGCA | CCCTAAAAAA | ACACTCTTAC | AAAATTAATC | TTAAAAACCG | GTGTTAATTG | 600 |
| TGTTAGTCTC | CTTCCCTTAG | CCCTACTTAG | AGTTAAGGTG | CACCCCTTAC | TGGGCTGGGT | 660 |
| TCTTTACCTT | TTGAAATCAT | NTTTNGGAAG | GGGCTGCCTA | TCTTTNCTTA | ACTAAAAAAN | 720 |
| GCCCATTTGG | CAAAAATTTC | NCAACTAATT | TNTACGTNCC | TACGTCTCCC | CAACAGGTAN | 780 |
| AAAAATCTNC | TGCCCTTTTC | AAGGAACCAT | CCCATCCATT | CCTNAACAAA | AGGCCTGCCN | 840 |
| TTCTTCCCCC | AGTTAACTNT | TTTTTNTTAA | AATTCCCAAA | AAANGAACCN | CCTGCTGGAA | 900 |
| AAACNCCCCC | CTCCAANCCC | CGGCCNAAGN | GGAAGGTTCC | CTTGAATCCC | NCCCCCNCNA | 960 |
| ANGGCCCGGA | ACCNTTAAAN | TNGTTCCNGG | GGGTNNGGCC | TAAAAGNCCN | ATTTGGTAAA | 1020 |
| CCTANAAATT | TTTTCTTTTN | TAAAAACCAC | NNTTTNNTTT | TTCTTAAACA | AAACCCTNTT | 1080 |
| TNTAGNANCN | TATTTCCCNC | C | | | | 1101 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1087 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

| TCTAGAGCTG | CGCCTGGATC | CCGCCACAGT | GAGGAGACCT | GAAGACCAGA | GAAAACACAG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| | | | | | TTTTATTTTG | |
| | | | | | | 120 |
| | | | | | AAAATGACCC | 180 |
| | | | | | TTAAATTACT | 240 |
| GCCAGGTTTC | AGCTGCAGAT | ATCCCTGGAA | GGAATATTCC | AGATTCCCTG | AGTAGTTTCC | 300 |

| AGGTTAAAAT | CCTATAGGCT | TCTTCTGTTT | TGAGGAAGAG | TTCCTGTCAG | AGAAAAACAT | 360 |
|--------------|------------|------------|-------------|------------|------------|------|
| GATTTTGGAT | TTTTAACTTT | AATGCTTGTG | AAACGCTATA | AAAAAAATTT | TCTACCCCTA | 420 |
| GCTTTAAAGT | ACTGTTAGTG | AGAAATTAAA | ATTCCTTCAG | GAGGATTAAA | CTGCCATTTC | 480 |
| AGTTACCCTA | ATTCCAAATG | TTTTGGTGGT | TAGAATCTTC | TTTAATGTTC | TTGAAGAAGT | 540 |
| GTTTTATATT | TTCCCATCNA | GATAAATTCT | CTCNCNCCTT | NNTTTTNTNT | CTNNTTTTTT | 600 |
| AAAACGGANT | CTTGCTCCGT | TGTCCANGCT | GGGAATTTTN | TTTTGGCCAA | TCTCCGCTNC | 660 |
| CTTGCAANAA | TNCTGCNTCC | CAAAATTACC | NCCTTTTTCC | CACCTCCACC | CCNNGGAATT | 720 |
| ACCTGGAATT | ANAGGCCCCC | NCCCCCCCC | CGGCTAATTT | GTTTTTGTTT | TTAGTAAAA | 780 |
| ACGGGTTTCC | TGTTTTAGTT | AGGATGGCCC | ANNTCTGACC | CCNTNATCNT | CCCCTCNGC | 840 |
| | | | CCCNGNNGTT | TTTCCTCCAT | TNAAATTTTC | 900 |
| TNTGGANTCT | TGAATNNCGG | GTTTTCCCTT | TTAAACCNAT | | NNNCCCCCAN | 960 |
| TTTTNCCTCC | CCCNTNTNTA | ANGGGGGTTT | | | ANGTCCCCAA | 1020 |
| TTTTTTTTTCCC | CCCCCCCCCC | | · - · · · · | | ANGICCCCAA | 1020 |
| TTTTTCTCCC | CCCCCCTCTT | TTTTCTTTNC | CCCAAAANTC | CTATCTTTTC | CTNNAAATAT | 1080 |
| CNANTNT | | | | | | 1087 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1010 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

| TCTAGACCAA | GAAATGGGAG | GATTTTAGAG | TGACTGATGA | TTTCTCTATC | ATCTGCAGTT | - 60 |
|------------|------------|------------|------------|------------|------------|------|
| AGTAAACATT | CTCCACAGTT | TATGCAAAAA | GTAACAAAAC | CACTGCAGAT | GACAAACACT | 120 |
| AGGTAACACA | CATACTATCT | CCCAAATACC | TACCCACAAG | CTCAACAATT | TTAAACTGTT | 180 |
| AGGATCACTG | GCTCTAATCA | CCATGACATG | AGGTCACCAC | CAAACCATCA | AGCGCTAAAC | 240 |
| AGACAGAATG | TTTCCACTCC | TGATCCACTG | TGTGGGAAGA | AGCACCGAAC | TTACCCACTG | 300 |
| GGGGGCCTGC | NTCANAANAA | AAGCCCATGC | CCCCGGGTNT | NCCTTTNAAC | CGGAACGAAT | 360 |
| NAACCCACCA | TCCCCACANC | TCCTCTGTTC | NTGGGCCCTG | CATCTTGTGG | CCTCNTNTNC | 420 |
| TTTNGGGGAN | ACNTGGGGAA | GGTACCCCAT | TTCNTTGACC | CCNCNANAAA | ACCCCNGTGG | 480 |
| CCCTTTGCCC | TGATTCNCNT | GGGCCTTTTC | TCTTTTCCCT | TTTGGGTTGT | TTAAATTCCC | 540 |
| AATGTCCCCN | GAACCCTCTC | CNTNCTGCCC | AAAACCTACC | TAAATTNCTC | NCTANGNNTT | 600 |
| TTCTTGGTGT | | AGGTNACCTT | | | | 660 |
| NTATNNTGGN | | NNNATCNNCC | | | GGTTTTTCCT | 720 |
| NCTGGGGGAA | ACCCTTTAAA | TTTCCCCCTT | GGCCGGCCCC | CCTTTTTTCC | CCCCTTTNGA | 780 |
| AGGCAGGNGG | TTCTTCCCGA | ACTTCCAATT | NCAACAGCCN | TGCCCATTGN | TGAAACCCTT | 840 |
| TTCCTAAAAT | TAAAAAATAN | CCGGTTNNGG | NNGGCCTCTT | TCCCCTCCNG | GNGGGNNGNG | 900 |
| AAANTCCTTA | CCCCNAAAAA | GGTTGCTTAG | CCCCCNGTCC | CCACTCCCC | NGGAAAAATN | 960 |
| AACCTTTTCN | AAAAAAGGAA | | CCACTCCTTN | GTTCTCTTCC | NOGRAMMAIN | 1010 |
| | | | | CITCICITCC | | 1010 |

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 950 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

| TCTAGAGCT | C GCGGCCGCGA | GCTCTAATAC | GACTCACTAT | AGGGCGTCCA | CTCGATCTCA | |
|------------|----------------------|---------------------|------------|---------------|---------------------|-----|
| GCTCACTGC | ATCTCTGCCC | CCGGGGTCAT | GCGATTCTCC | COACOM | | 60 |
| CTGGGATTAC | AGGCGTGCAA | CACCACACCC | | | TTCCAAGTAG | 120 |
| GTTTTCCCTT | GTTGGCCANN | | | | TAGAGATGGG | 180 |
| NGANCTONNA | | | ACCCCTGACC | | CCCCCNCCCN | 240 |
| TNNTCCTTNC | - Greereddy | | NNNCCTCCCN | NCNCNNNNNN | | 300 |
| | - CINTALIATATATATATA | 07171 T CT4T4 T C C | NNCTTCTCNC | CNNNTNTTNT | | |
| CNNNCCNCNT | | TCNCNTNCNN | TNTCCNNCNN | NNTCNNCNNN | CTITI CTITI C CTATA | 360 |
| CCNNTACNTC | TO TATALY CTATATA T | CCNTCTNTNN | CCTCNNCNNT | | CNNNNCNTNN | 420 |
| NTNNNNNNCT | CCNNNNNTCT | CNTCNCNNCN | | Magnetication | TNTCTCCTCN | 480 |
| CTNNTTTNNN | CNNCNNNTCC | NTNCCNTTCN | | | NCCTCNCNNC | 540 |
| CCNCCNNTTC | | | NNTCCNNTNN | | NNCNTTNTTC | 600 |
| TCNNTTCNCC | | NNNTNTCNNN | | NTTTNCTCCT | NNNTCCCNNC | 660 |
| TNTCNCNTTC | | CCCCINI | CTCTCNCCCN | NNTNNNTNTN | NNNCNTCCNC | 720 |
| | TO TOTAL TIME TATE | TNCTNTCNNC | NNCNNTNCNC | Con to | CTNNNTCNCN | |
| | CCNTCCNTTN | CTNTCTCCTN | | Cm | | 780 |
| CCNNTNTNTN | TNNCNCCNNT | NCTNNNCNNC | | MCMC=== | CNTTCNCCNC | 840 |
| NNCCCNTNCC | CC-1 | | T11 CT | | NNNTNNCCTC | 900 |
| | , | IACCI | TWCIMCICCN | TCTTCCTTCC | | 950 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1086 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

| | TCTAGAGCTC | YOU DO COCO | GCTCAATTAA | CCCTCACTAA | AGGGAGTCGA | CTCGATCAGA | |
|---|-------------------|------------------|---------------|---|-------------|------------|------|
| | CTGTTACTGT | ' GTCTATGTAG | AAAGAAGTAG | | TTCCATTTTG | | 60 |
| | AGAAAAATTC | TTCTGCCTTG | | | | | 120 |
| | CACAGAGACA | | | | -c twoccccc | ACCCTGTGCT | 180 |
| | AAAAGTGCTT | | | | | GCTTTGTTAA | 240 |
| | | O. W. ICLITIMATA | | AAGTCATCAC | CATTCTCTAA | | • |
| | | AATACACTGC | GGAAGGCCGC | AGGGACCTCT | | | 300 |
| | GTCCAAGATT | TO TOCCOMIG | TGATAGCCTG | | | COCHAIL | 360 |
| | GACTGTCCCC | CAGCCCGACA | | | | | 420 |
| | GTCTGTGCTG | AGGAAGATTA | | | | CCCGAAAAGG | 480 |
| | CTCTGTCTCC | OLLIONIIA | | AAGGCTCTTT | GCATTGAAGT | AAGAAGAAGG | 540 |
| | TCTACTTACT | | | AATGTCTTGG | TGTTAAACCC | GAATGTATGT | 600 |
| | 3 | ONCHMINGGA | GAAAACATCC | TTAGGGCTGG | AGGTGAGACA | | |
| | | TTAATGCACG | AGATGTTTGT | | | | 660 |
| | $	ext{TTAACTTTT}$ | ATGANACAAA | | NCTTTTCCTG | - COMBOCCA | | 720 |
| 1 | CCTATTGGCC | | CTCCCCAAAN | ~~~~ | CGAACCTCTC | CCCCTATTAN | 780 |
| | | | | | TGTTCNTAAA | TNCGAGGGAA | 840 |
| | 7 7 677 | | GTCCCCTTTC | CAACCCCGTC | CCTGGGCCNN | TTTCCTCCCC | 900 |
| | | | TTCCCNCCCC | CTTCCCNGAN | | GTNTGANGGN | |
| | GCCCCTCAA | ATTATAACCT | TTCCNAAACA | 7 | 33000 | | 960 |
| (| | TGAGGTCCCC | | | | GNTTCCGGTG | 1020 |
| 1 | NTCCCC | | TO THE CACCEC | AATTTGGAAN | CCNGTTTTTT | TTATTGCCCN | 1080 |
| | | | | | | | 1086 |

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1177 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

| | | | | GCTGAAAAA | GCCACTGATA | 60 |
|------------|------------|------------|------------|------------|------------|------|
| AAGCATCCTG | GAGTATCAGA | GTTTACTGTT | AGATCAGCCT | CATTTGACTT | CCCCTCCCAC | 120 |
| ATGGTGTTTA | AATCCAGCTA | CACTACTTCC | TGACTCAAAC | TCCACTATTC | CTGTTCATGA | 180 |
| CTGTCAGGAA | CTGTTGGAAA | CTACTGAAAC | TGGCCGACCT | GATCTTCAAA | ATGTGCCCCT | 240 |
| AGGAAAGGTG | GATGCCACCG | TGTTCACAGA | CAGTACCNCC | TTCCTCGAGA | AGGGACTACG | 300 |
| AGGGGCCGGT | GCANCTGTTA | CCAAGGAGAC | TNATGTGTTG | TGGGCTCAGG | | 360 |
| AAACACCTCA | NCNCNNAAGG | CTGAATTGAT | CGCCCTCACT | CAGGCTCTCG | GATGGGGTAA | 420 |
| GGGATATTAA | CGTTAACACT | GACAGCAGGT | ACGCCTTTGC | TACTGTGCAT | GTACGTGGAG | 480 |
| CCATCTACCA | GGAGCGTGGG | CTACTCACTC | GGCAGGTGGC | TGTNATCCAC | TGTAAANGGA | 540 |
| CATCAAAAGG | AAAACNNGGC | TGTTGCCCGT | GGTAACCANA | AANCTGATCN | NCAGCTCNAA | 600 |
| GATGCTGTGT | TGACTTTCAC | TCNCNCCTCT | TAAACTTGCT | GCCCACANTC | TCCTTTCCCA | 660 |
| ACCAGATCTG | CCTGACAATC | CCCATACTCA | AAAAAAAAAN | AANACTGGCC | CCGAACCCNA | 720 |
| ACCAATAAAA | ACGGGGANGG | TNGGTNGANC | NNCCTGACCC | AAAAATAATG | GATCCCCCGG | 780 |
| GCTGCAGGAA | TTCAATTCAN | CCTTATCNAT | ACCCCCAACN | NGGNGGGGG | GGCCNGTNCC | 840 |
| CATTNCCCCT | NTATTNATTC | TTTNNCCCCC | CCCCCGGCNT | CCTTTTTNAA | CTCGTGAAAG | 900 |
| GGAAAACCTG | NCTTACCAAN | TTATCNCCTG | GACCNTCCCC | TTCCNCGGTN | GNTTANAAAA | 960 |
| AAAAGCCCNC | ANTCCCNTCC | NAAATTTGCA | | AGGAATTTAA | CCTTTATTTT | 1020 |
| TTNNTCCTTT | ANTTTGTNNN | CCCCCTTTTA | | | TTAANAAAA | 1080 |
| AAANAGAANG | TTTATTTTTC | CTTNGAACCA | TCCCAATANA | | NGGGGAACGG | 1140 |
| GGNGGNAGGC | CNCTCACCCC | CTTTNTGTNG | GNGGGNC | | | 1177 |
| | | | | | | 11// |

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1146 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

| NCCNNTTNNT | GATGTTGTCT | TTTTGGCCTC | TCTTTGGATA | CTTTCCCTCT | CTTCAGAGGT | 60 |
|------------|------------|------------|------------|------------|------------|------|
| GAAAAGGGTC | AAAAGGAGCT | GTTGACAGTC | ATCCCAGGTG | GGCCAATGTG | TCCAGAGTAC | 120 |
| AGACTCCATC | AGTGAGGTCA | AAGCCTGGGG | CTTTTCAGAG | AAGGGAGGAT | TATGGGTTTT | 180 |
| CCAATTATAC | AAGTCAGAAG | TAGAAAGAAG | GGACATAAAC | CAGGAAGGGG | GTGGAGCACT | 240 |
| CATCACCCAG | AGGGACTTGT | GCCTCTCTCA | GTGGTAGTAG | AGGGGCTACT | TCCTCCCACC | 300 |
| ACGGTTGCAA | CCAAGAGGCA | ATGGGTGATG | AGCCTACAGG | GGACATANCC | GAGGAGACAT | 360 |
| GGGATGACCC | TAAGGGAGTA | GGCTGGTTTT | AAGGCGGTGG | GACTGGGTGA | GGGAAACTCT | 420 |
| CCTCTTCTTC | AGAGAGAAGC | AGTACAGGGC | GAGCTGAACC | GGCTGAAGGT | CGAGGCGAAA | 480 |
| ACACGGTCTG | GCTCAGGAAG | ACCTTGGAAG | TAAAATTATG | AATGGTGCAT | GAATGGAGCC | 540 |
| ATGGAAGGGG | TGCTCCTGAC | CAAACTCAGC | CATTGATCAA | TGTTAGGGAA | ACTGATCAGG | 600 |
| GAAGCCGGGA | ATTTCATTAA | CAACCCGCCA | CACAGCTTGA | ACATTGTGAG | GTTCAGTGAC | 660 |
| CCTTCAAGGG | GCCACTCCAC | TCCAACTTTG | GCCATTCTAC | TTTGCNAAAT | TTCCAAAACT | 720 |
| TCCTTTTTTA | AGGCCGAATC | CNTANTCCCT | NAAAAACNAA | AAAAAATCTG | CNCCTATTCT | 780 |
| GGAAAAGGCC | CANCCCTTAC | CAGGCTGGAA | GAAATTTTNC | CTTTTTTTT | TTTTTGAAGG | 840 |
| CNTTTNTTAA | ATTGAACCTN | AATTCNCCCC | CCCAAAAAA | AACCCNCCNG | GGGGGCGGAT | 900 |
| TTCCAAAAAC | NAATTCCCTT | ACCAAAAAAC | AAAAACCCNC | CCTTNTTCCC | TTCCNCCCTN | 960 |
| TTCTTTTAAT | TAGGGAGAGA | TNAAGCCCCC | CAATTTCCNG | GNCTNGATNN | GTTTCCCCCC | 1020 |
| CCCCCATTTT | CCNAAACTTT | TTCCCANCNA | GGAANCCNCC | CTTTTTTTNG | GTCNGATTNA | 1080 |
| NCAACCTTCC | AAACCATTTT | TCCNNAAAAA | NTTTGNTNGG | NGGGAAAAAN | ACCTNNTTTT | 1140 |
| | | | | | | |

| ATAGAN | 1146 |
|--|---|
| (2) INFORMATION FOR SEQ ID NO:10: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 545 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10: | |
| CTTCATTGGG TACGGGCCC CTCGAGGTCG ACGGTATCGA TAAGCTTGAT ATCGAATTCC TGCAGCCCGG GGGATCCACT AGTTCTAGAG TCAGGAAGAA CCACCAACCT TCCTGATTTT TATTGGCTCT GAGTTCTGAG GCCAGTTTTC TTCTTCTGTT GAGTATGCGG GATTGTCAGG CAGATCTGGC TGTGGAAAGG AGACTGTGGG CAGCAAGTTT AGAGGCGTGA CTGAAAGTCA CACTGCATCT TGAGCTGCTG AATCAGCTTT CTGGTTACCA CGGGCAACAG CCGTGTTTTC CTTTTGATGT CCTTTACAGT GGATTACAGC CACCTGCTGA GGTGAGTAGC CCACGCTCCT GGTAGATGGC TCCACGTACA TGCACAGTAG CAAAGGCGTA CCTGCTGTCA GTGTTAACGT TAATATCCTT ACCCCATCGG AGAGCCTGAG TGAGGGCGAT CAATTCAGCC CTTTTGTGCT GAGGTGTTTG CTGGTTAAGC CCTGAACCCA CAACACATCT GTCTCCATGG TAACAGCTGC ACCGG | 60 120 180 240 300 360 420 480 540 545 |
| (2) INFORMATION FOR SEQ ID NO:11: | 242 |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 196 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11: | |
| TCTCCTAGGC TGGGCACAGT GGCTCATACC TGTAATCCTG ACCGTTTCAG AGGCTCAGGT GGGGGGATCG CTTGAGCCCA AGATTTCAAG ACTAGTCTGG GTAACATAGT GAGACCCTAT CTCTACGAAA AAATAAAAAA ATGAGCCTGG TGTAGTGGCA CACACCAGCT GAGGAGGAG AATCGAGCCT AGGAGA | 60 120 180 196 |
| (2) INFORMATION FOR SEQ ID NO:12: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 388 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12: | |
| TCTCCTAGGC TTGGGGGCTC TGACTAGAAA TTCAAGGAAC CTGGGATTCA AGTCCAACTG TGACACCAAC TTACACTGTG GNCTCCAATA AACTGCTTCT TTCCTATTCC CTCTCTATTA AATAAAATAA GGAAAACGAT GTCTGTGTAT AGCCAAGTCA GNTATCCTAA AAGGAGATAC TAAGTGACAT TAAATATCAG AATGTAAAAC CTGGGAACCA GGTTCCCAGC CTGGGATTAA | 60 120 180 240 |

| ACTGACAGCA | AGAAGACTGA | ACAGTACTAC | TGTGAAAAGC | CCGAAGNGGC | AATATGTTCA | 300 |
|------------|------------|------------|------------|------------|------------|-----|
| CTCTACCGTT | GAAGGATGGC | TGGGAGAATG | AATGCTCTGT | CCCCCAGTCC | CAAGCTCACT | 360 |
| TACTATACCT | CCTTTATAGC | CTAGGAGA | | | | 388 |

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 337 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

| TAGTAGTTGC CTATAATCAT | | | | | 60 |
|-----------------------|------------|------------|------------|------------|-----|
| TACCCTGAAA AATATGAGGG | AAATATATGA | AACAGGGAGG | CAATGTTCAG | ATAATTGATC | 120 |
| ACAAGATATG ATTTCTACAT | CAGATGCTCT | TTCCTTTCCT | GTTTATTTCC | TTTTTATTTC | 180 |
| GGTTGTGGGG TCGAATGTAA | TAGCTTTGTT | TCAAGAGAGA | GTTTTGGCAG | TTTCTGTAGC | 240 |
| TTCTGACACT GCTCATGTCT | CCAGGCATCT | ATTTGCACTT | TAGGAGGTGT | CGTGGGAGAC | 300 |
| TGAGAGGTCT ATTTTTCCA | TATTTGGGCA | ACTACTA | | | 337 |

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 571 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

| TAGTAGTTGC | CATACAGTGC | CTTTCCATTT | ATTTAACCCC | CACCTGAACG | GCATAAACTG | 60 |
|------------|------------|------------|------------|------------|------------|-------|
| AGTGTTCAGC | TGGTGTTTTT | TACTGTAAAC | AATAAGGAGA | CTTTGCTCTT | CATTTAAACC | 120 |
| AAAATCATAT | TTCATATTTT | ACGCTCGAGG | GTTTTTACCG | GTTCCTTTTT | ACACTCCTTA | 180 |
| | | | | TCCTGGCAGC | | 240 |
| | | | | TCACAGTTGC | | 300 |
| | | | | AACTGGACCG | | . 360 |
| | | | | GCACCTCCTT | | 420 |
| | | | | ANAGTCACAG | | 480 |
| CTTTTGGNNA | CTGAGCTAAA | AAGGGCTGNT | TTTCGGGTGG | GGGCAGATGA | AGGCTCACAG | 540 |
| GAGGCCTTTC | TCTTAGAGGG | GGGAACTNCT | A | | | 571 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 548 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

| TATATATTTA | ATAACTTAAA | TATATTTTGA | TCACCCACTG | GGGTGATAAG | ACAATAGATA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TAAAAGTATT | TCCAAAAAGC | ATAAAACCAA | AGTATCATAC | CAAACCAAAT | TCATACTGCT | 120 |
| TCCCCCACCC | GCACTGAAAC | TTCACCTTCT | AACTGTCTAC | CTAACCAAAT | TCTACCCTTC | 180 |
| AAGTCTTTGG | TGCGTGCTCA | CTACTCTTTT | TTTTTTTTT | TTTNTTTTGG | AGATGGAGTC | 240 |
| TGGCTGTGCA | GCCCAGGGGT | GGAGTACAAT | GGCACAACCT | CAGCTCACTG | NAACCTCCGC | 300 |
| CTCCCAGGTT | CATGAGATTC | TCCTGNTTCA | GCCTTCCCAG | TAGCTGGGAC | TACAGGTGTG | 360 |
| CATCACCATG | CCTGGNTAAT | CTTTTTTNGT | TTTNGGGTAG | AGATGGGGGT | TTTACATGTT | 420 |
| GGCCAGGNTG | GTNTCGAACT | CCTGACCTCA | AGTGATCCAC | CCACCTCAGG | CTCCCAAAGT | 480 |
| GCTAGGATTA | CAGACATGAG | CCACTGNGCC | CAGNCCTGGT | GCATGCTCAC | TTCTCTAGGC | 540 |
| AACTACTA | | | | | | 548 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:16:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 638 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

| ${\tt TTCCGTTATG}$ | CACATGCAGA | ATATTCTATC | GGTACTTCAG | CTATTACTCA | TTTTGATGGC | 60 |
|--------------------|------------|------------|------------|------------|------------|-----|
| GCAATCCGAG | CCTATCCTCA | AGATGAGTAT | TTAGAAAGAA | TTGATTTAGC | GATAGACCAA | 120 |
| | • | CACGAAATTG | | ATGGATTTAT | GACAGTTGAT | 180 |
| | | TGATTATTTT | | | | 240 |
| | | AGAAATAGAA | | | | 300 |
| CCAACTGATA | TTGAAGAGCC | TATAGTAGAA | AATGAATTAG | CTGCATTTAT | TAGCCTTACA | 360 |
| | | | | | CCTGATGGGC | 420 |
| | | CTGGGTGCGG | | | | 480 |
| TGGATATNAC | AAAATATAAC | TCGATTGCAT | TTGGATGATG | GAATACTAAA | TCTGGCAAAA | 540 |
| GTAACTTTGG | AGCTACTAGT | AACCTCTCTT | TTTGAGATGC | AAAATTTTCT | TTTAGGGTTT | 600 |
| CTTATTCTCT | ACTTTACGGA | TATTGGAGCA | TAACGGGA | | | 638 |

(2) INFORMATION FOR SEQ ID NO:17:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 286 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

| ACTGATGGAT | GTCGCCGGAG | GCGAGGGGCC | TTATCTGATG | CTCGGCTGCC | TGTTCGTGAT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GTGCGCGGCG | ATTGGGCTGT | TTATCTCAAA | CACCGCCACG | GCGGTGCTGA | TGGCGCCTAT | |
| | | | | | TGGTGGTGGC | 180 |
| | | | | | CCCTGGTGCT | 240 |
| TGGCCCTGGC | AAGTACTCAT | TTAGCGATTT | TGTCAAAATA | GGCGTG | | 286 |
| | | | | | | 200 |

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 262 base pairs

| (B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
|--|--------------------------------|
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18: | |
| TCGGTCATAG CAGCCCCTTC TTCTCAATTT CATCTGTCAC TACCCTGGTG TAGTATCTCA TAGCCTTACA TTTTTATAGC CTCCTCCTG GTCTGTCTT TGATTTTCCT GCCTGTAATC CATATCACAC ATAACTGCAA GTAAACATTT CTAAAGTGTG GTTATGCTCA TGTCACTCCT GTGNCAAGAA ATAGTTTCCA TTACCGTCTT AATAAAATTC GGATTTGTTC TTTNCTATTN TCACTCTTCA CCTATGACCG AA | 60 120 180 240 262 |
| (2) INFORMATION FOR SEQ ID NO:19: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 261 base pairs (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19: | |
| TCGGTCATAG CAAAGCCAGT GGTTTGAGCT CTCTACTGTG TAAACTCCTA AACCAAGGCC ATTTATGATA AATGGTGGCA GGATTTTAT TATAAACATG TACCCATGCA AATTTCCTAT AACTCTGAGA TATATTCTTC TACATTTAAA CAATAAAAAT AATCTATTTT TAAAAGCCTA ATTTGCGTAG TTAGGTAAGA GTGTTTAATG AGAGGGTATA AGGTATAAAT CACCAGTCAA CGTTTCTCTG CCTATGACCG A | 60 120 180 240 261 |
| (2) INFORMATION FOR SEQ ID NO:20: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 294 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20: | |

| TACAACGAGG | CGACGTCGGT | AAAATCGGAC | ATGAAGCCAC | CGCTGGTCTT | TTCGTCCGAG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CGATAGGCGC | CGGCCAGCCA | GCGGAACGGT | TGCCCGGATG | GCGAAGCGAG | CCGGAGTTCT | 120 |
| TCGGACTGAG | TATGAATCTT | GTTGTGAAAA | TACTCGCCGC | CTTCGTTCGA | CGACGTCGCG | 180 |
| TCGAAATCTT | CGANCTCCTT | ACGATCGAAG | TCTTCGTGGG | CGACGATCGC | GGTCAGTTCC | 240 |
| GCCCCACCGA | AATCATGGTT | GAGCCGGATG | CTGNCCCCGA | AGNCCTCGTT | TGTN | 294 |

- (2) INFORMATION FOR SEQ ID NO:21:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 208 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

| (xi) | SEQUENCE | DESCRIPTION: | SEQ | ID | NO:21: | |
|------|----------|--------------|-----|----|--------|--|
| | | | | | | |

| | TTGGTAAAGG | GCATGGACGC | AGACGCCTGA | CGTTTGGCTG | AAAATCTTTC | ATTGATTCGT | • 6 | 0.0 |
|---|------------|------------|------------|------------|------------|------------|-----|-----|
| - | ATCAATGAAT | AGGAAAATTC | CCAAAGAGGG | AATGTCCTGT | TGCTCGCCAG | TTTTTNTGTT | 12 | |
| (| GTTCTCATGG | ANAAGGCAAN | GAGCTCTTCA | GACTATTGGN | ATTNTCGTTC | GGTCTTCTGC | 18 | _ |
| | | NCTTGCNANG | | | | | 20 | _ |

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 287 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

| NCCNTTGAGC TGAGTGATTG | AGATNTGTAA | TGGTTGTAAG | GGTGATTCAG | GCGGATTAGG | 60 |
|-----------------------|------------|------------|------------|-------------|-----|
| GTGGCGGGTC ACCCGGCAGT | GGGTCTCCCG | ACAGGCCAGC | AGGATTTGGG | GCAGGTACGG | 120 |
| NGTGCGCATC GCTCGACTAT | ATGCTATGGC | AGGCGAGCCG | TGGAAGGNGG | ATCAGGTCAC | 180 |
| GGCGCTGGAG CTTTCCACGG | TCCATGNATT | GNGATGGCTG | TTCTAGGCGG | CTGTTGCCAA | 240 |
| GCGTGATGGT ACGCTGGCTG | GAGCATTGAT | TTCTGGTGCC | AAGGTGG | GIGIIGCCIII | 287 |

(2) INFORMATION FOR SEQ ID NO:23:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 204 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

| GGGCCAAGCT GTCGCCGGGG ATGGTGGAGA ACTGAAGCGG GACCTCCTCG AGGTCCTCCG 120 | TTGGGTAAAG | GGAGCAAGGA | GAAGGCATGG | AGAGGCTCAN | GCTGGTCCTG | GCCTACGACT | 60 |
|---|------------|------------|------------|------------|------------|------------|-----|
| | GGGCCAAGCT | GTCGCCGGGG | ATGGTGGAGA | ACTGAAGCGG | GACCTCCTCG | AGGTCCTCCG | 120 |
| NCGTTACTTC NCCGTCCAGG AGGAGGGTCT TTCCGTGGTC TNGGAGGAGC GGGGGGAGAA 180 | | | | | | | |
| GATNCTCCTC ATGGTCNACA TCCC 204 | | | | | | COCCOCACA | |

(2) INFORMATION FOR SEQ ID NO:24:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 264 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

| TOCATTOCTO | ACCAGGGGG | 3 C3 C5CCC | | | | |
|-------------|----------------------|---|------------|------------|--------------------------|-------|
| 100A11GG1C | AGGAGCGGGT | AGAGTGGCAC | CATTGAGGGG | ATATTCAAAA | ATATTATTTT | 60 |
| CTCCTAAATC | A TRA CITITIO CITICO | A COMMONICANIA | | | | • • • |
| OTCCIMATG | ATAGITGCIG. | AGIIIIICII. | TGACCCATGA | GTTATATTGG | AGTTTATTTT | 120 |
| ጥጥ እ ለጥጥጥረላ | A A MOGOA MOG | 3 C 3 C C C C C C C C C C C C C C C C C | | | | |
| TIMMCTITCC | AAICGCAIGG | ACATGITAGA | CTTATTTTCT | GTTAATGATT | אריים ייים אריים אריים א | 7 0 0 |

| TTAAATTGGA TTTGAGAAAT TGGTTNTTAT TATATCAATT TTTGGTATTT GTTGAGTTTG ACATTATAGC TTAGTATGTG ACCA | 240 264 |
|--|--|
| (2) INFORMATION FOR SEQ ID NO:25: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 376 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | · |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:25: | |
| TTACAACGAG GGGAAACTCC GTCTCTACAA AAATTAAAAA ATTAGCCAGG TGTGGTGGTG TGCACCCGCA ATCCCAGCTA CTTGGGAGGT TGAGACACAA GANTCACCTA NATGTGGGAG GTCAAGGTTG CATGAGTCAT GATTGTGCCA CTGCACTCCA GCCTGGGTGA CAGACCGAGA CCCTGCCTCA ANAGANAANG AATAGGAAGT TCAGAAATCN TGGNTGTGGN GCCCAGCAAT CTGCATCTAT NCAACCCCTG CAGGCAANGC TGATGCAGCC TANGTTCAAG AGCTGCTGTT TCTGGAGGCA GCAGTTNGGG CTTCCATCCA GTATCACGGC CACACTCGCA CNAGCCATCT GTCCTCCGTN TGTNAC (2) INFORMATION FOR SEO ID NO:26: | 60 120 180 240 300 360 376 |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 372 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:26: | |
| TTACAACGAG GGGAAACTCC GTCTCTACAA AAATTAAAAA ATTAGCCAGG TGTGGTGGTG TGCACCTGTA ATCCCAGCTA CTTGGGCGGC TGAGACACAA GAACCACCTA AATGTGGGAG GGTCAAGGTT GCATGAGTCA TGATCGCGCC ACTGCACTCC AGCCTGGGTG ACAGACTGAG ACCCTGCCTC AAAAGAAAAA GAATAGGAAG TTCAGAAACC CTGGGTGTGG NGCCCAGCAA TCTGCATTTA AACAATCCCT GCAGGCAATG CTGATGCAGC CTAAGTTCAA GAGCTGCTGT TCTGGAGGCA GNAGTAAGGG CTTCCATCCA GCATCACGGN CAACACTGCA AAAGCACCTG TCCTCGTTGG TA | 60 120 180 240 300 360 372 |
| (2) INFORMATION FOR SEQ ID NO:27: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 477 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27: | |
| TTCTGTCCAC ATCTACAAGT TTTATTTATT TTGTGGGTTT TCAGGGTGAC TAAGTTTTTC CCTACATTGA AAAGAGAAGT TGCTAAAAGG TGCACAGGAA ATCATTTTT TAAGTGAATA TGATAATATG GGTCCGTGCT TAATACAACT GAGACATATT TGTTCTCTGT TTTTTTAGAG | 60 120 180 |

| TCACCTCTTA | AAGTCCAATC | CCACAATGGT | GAAAAAAAA | TAGAAAGTAT | TTGTTCTACC | 240 |
|------------|------------|------------|------------|------------|------------|-----|
| TTTAAGGAGA | CTGCAGGGAT | TCTCCTTGAA | AACGGAGTAT | GGAATCAATC | TTAAATAAAT | 300 |
| | | | | | AAATTCACCT | 360 |
| GACTTTTTT | GGGAAAAAAT | AGTCGAAAAT | GTCAATTTGG | TCCATAAAAT | ACATGTTACT | 420 |
| ATTAAAAGAT | ATTTAAAGAC | AAATTCTTTC | AGAGCTCTAA | GATTGGTGTG | GACAGAA | 477 |

(2) INFORMATION FOR SEQ ID NO:28:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 438 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

| TOTALON ACCES CEMONICES | | | | | |
|-------------------------|-------------|---------------------|-------------|--------------|-----|
| TCTNCAACCT CTTGANTGTC | AAAAACCTTN | TAGGCTATCT | CTAAAAGCTG | ACTGGTATTC | 60 |
| ATTCCAGCAA AATCCCTCTA | GTTTTTCCAC | ሲ ሲሲርር ሲሲሲሲሲ | CTA TOTOGGG | ama aamaa aa | |
| 63.6333.0000 | OTITIOGAG | TITCCITITA | CIAICIGGG | CTGCCTGAGC | 120 |
| CACAAATGCC AAATTAAGAG | CATGGCTATT | TTCGGGGGCT | GACAGGTCAA | AAGGGGTGTA | 180 |
| AATCCCATAA CCCTCCTCCA | aamaamama . | | | .1010000117 | 100 |
| AATCCGATAA GCCTCCTGGA | GGTGCTCTAA | AAACACTCCT | GGTGACTCAT | CATGCCCCTG | 240 |
| GACGACTTCA ATCGNCTTAG | አሮአአርመመው አመ | N C C TTTT C TO C | 0010cmcc- | | |
| SHOULDITCH MICONCIING | ACAAGIIIAI | AGGIIICIGG | GCAGCTCCCT | GAATACCCAC | 300 |
| GAGGAGATAC CGGTGGAAAT | CGTCAAAAGT | TCTCCCTCCA | CTTCACAAAM | mmccamaaa. | |
| | 00101111101 | TCTCCCTCCA | CIIGAGAAAI | TIGGGTCCCA | 360 |
| ATTAGGTCCC AATTGGGTCT | CTAATCACTA | TTCCTCTAGC | TTCCTCCTCC | CONCENTRACO | 420 |
| WHICH HOMON C. CHINAS | | | 1100100100 | GGNCIATIGG | 420 |
| TTGATGTGAG GTTGAAGA | | | | | 438 |
| | | | | | 420 |

(2) INFORMATION FOR SEQ ID NO:29:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 620 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

| AAGAGGGTAC CAGCCCCAAG | CCTTGACAAC | TTCCATAGGG | TGTCAAGCCT | GTGGGTGCAC | 60 |
|-----------------------|------------|------------|------------|------------|-------|
| AGAAGTCAAA AATTGAGTTT | TGGGATCCTC | AGCCTAGATT | TCAGAGGATA | TAAAGAAACA | 120 |
| CCTAACACCT AGATATTCAG | ACAAAAGTTT | ACTACAGGGA | TGAAGCTTTC | ACGGAAAACC | . 180 |
| TCTACTAGGA AAGTACAGAA | GAGAAATGTG | GGTTTGGAGC | CCCCAAACAG | AATCCCCTCT | 240 |
| AGAACACTGC CTAATGAAAC | TGTGAGAAGA | TGGCCACTGT | CATCCAGACA | CCAGAATGAT | 300 |
| AGACCCACCA AAAACTTATG | CCATATTGCC | TATAAAACCT | ACAGACACTC | AATGCCAGCC | 360 |
| CCATGAAAAA AAAACTGAGA | AGAAGACTGT | NCCCTACAAT | GCCACCGGAG | CAGAACTGCC | 420 |
| CCAGGCCATG GAAGCACAGC | TCTTATATCA | ATGTGACCTG | GATGTTGAGA | CATGGAATCC | 480 |
| NANGAAATCN TTTTAANACT | | | | | 540 |
| ATCCNGGCCT GTGACCTCTT | TGCTTTGGCC | ATTCCCCCTT | TTTGGAATGG | CTNTTTTTT | 600 |
| CCCATGCCTG TNCCCTCTTA | | | | | 620 |

(2) INFORMATION FOR SEQ ID NO:30:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 100 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

| TTACAACGAG | GGGGTCAATG | TCATAAATGT | CACAATAAAA | CAATCTCTTC | TTTTTTTTT | 60 |
|------------|------------|------------|------------|------------|-----------|-----|
| TTTTTTTTT | TTTTTTTTT | TTTTTTTTT | TTTTTTTTT | | | 100 |

(2) INFORMATION FOR SEQ ID NO:31:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 762 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

| TAGTCTATGC GCCGGACAGA | GCAGAATTAA | ATTGGAAGTT | GCCCTCCGGA | CTTTCTACCC | 60 |
|-----------------------|------------|------------|------------|------------|-----|
| ACACTCTTCC TGAAAAGAGA | AAGAAAAGAG | GCAGGAAAGA | GGTTAGGATT | TCATTTTCAA | 120 |
| GAGTCAGCTA ATTAGGAGAG | CAGAGTTTAG | ACAGCAGTAG | GCACCCCATG | ATACAAACCA | 180 |
| TGGACAAAGT CCCTGTTTAG | TAACTGCCAG | ACATGATCCT | GCTCAGGTTT | TGAAATCTCT | 240 |
| CTGCCCATAA AAGATGGAGA | GCAGGAGTGC | CATCCACATC | AACACGTGTC | CAAGAAAGAG | 300 |
| TCTCAGGGAG ACAAGGGTAT | CAAAAAACAA | GATTCTTAAT | GGGAAGGAAA | TCAAACCAAA | 360 |
| AAATTAGATT TTTCTCTACA | TATATATAAT | ATACAGATAT | TTAACACATT | ATTCCAGAGG | 420 |
| TGGCTCCAGT CCTTGGGGCT | TGAGAGATGG | TGAAAACTTT | TGTTCCACAT | TAACTTCTGC | 480 |
| TCTCAAATTC TGAAGTATAT | CAGAATGGGA | CAGGCAATGT | TTTGCTCCAC | ACTGGGGCAC | 540 |
| AGACCCAAAT GGTTCTGTGC | CCGAAGAAGA | GAAGCCCGAA | AGACATGAAG | GATGCTTAAG | 600 |
| GGGGGTTGGG AAAGCCAAAT | TGGTANTATC | TTTTCCTCCT | GCCTGTGTTC | CNGAAGTCTC | 660 |
| CNCTGAAGGA ATTCTTAAAA | CCCTTTGTGA | GGAAATGCCC | CCTTACCATG | ACAANTGGTC | 720 |
| CCATTGCTTT TAGGGNGATG | GAAACACCAA | GGGTTTTGAT | CC | | 762 |

- (2) INFORMATION FOR SEQ ID NO:32:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 276 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

| TAGTCTATGC GTGTATTAAC CTCCCC | TCCC TCAGTAACAA CCAAAGAGGC AGGAGCTGTT | 60 |
|-------------------------------|---------------------------------------|-----|
| ATTACCAACC CCATTTTACA GATGCAT | TCAA TAATGACAGA GAAGTGAAGT GACTTGCGCA | 120 |
| CACAACCAGT AAATTGGCAG AGTCAGA | ATTT GAATCCATGG AGTCTGGTCT GCACTTTCAA | 180 |
| TCACCGAATA CCCTTTCTAA GAAACG | TGTG CTGAATGAGT GCATGGATAA ATCAGTGTCT | 240 |
| ACTCAACATC TTTGCCTAGA TATCCC | GCAT AGACTA | 276 |

(2) INFORMATION FOR SEQ ID NO:33:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 477 base pairs
 - (B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

| TAGTAGTTGC | CAAATATTTG | AAAATTTACC | CAGAAGTGAT | TGAAAACTTT | TTGGAAACAA | 60 |
|------------|------------|------------|------------|------------|--|-----|
| AAACAAATAA | AGCCAAAAGG | TAAAATAAAA | ATATCTTTGC | ACTCTCGTTA | ТТАССТАТСС | 120 |
| ATAACTTTTT | CACCGTAAGC | TCTCCTGCTT | GTTAGTGTAG | TGTGGTTATA | ው ተመተመረ ላይ ነው። ተመመረ ነው የተመመረ ነው | 180 |
| TAGTTATTAT | TTTTTATTCA | CTTTTCCACT | AGAAAGTCAT | TATTGATTTA | GCACACATGT | 240 |
| TGATCTCATT | TCATTTTTTC | TTTTTATAGG | CAAAATTTGA | TGCTATGCAA | САААААТАСТ | 300 |
| CAAGCCCATT | ATCTTTTTTC | CCCCCGAAAT | CTGAAAATTG | CAGGGGACAG | AGGGAAGTTA | 360 |
| TCCCATTAAA | AAATTGTAAA | TATGTTCAGT | TTATGTTTAA | AAATGCACAA | AACATAAGAA | 420 |
| AATTGTGTTT | ACTTGAGCTG | CTGATTGTAA | GCAGTTTTAT | CTCAGGGGCA | ACTACTA | 477 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:34:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 631 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

| TAGTAGTTGC | CAATTCAGAT | GATCAGAAAT | GCTGCTTTCC | TCAGCATTGT | CTTGTTAAAC | 60 |
|---------------|-----------------|--------------------|--|-------------|--|-------|
| CGCATGCCAT | TTGGAACTTT | GGCAGTGAGA | AGCCAAAAGG | AAGAGGTGAA | ТСАСАТАТАТ | 120 |
| ATATATATAT | ATTCAATGAA | AGTAAAATGT | ΑΤΑΤΙΚΟΤΙΟΣΤ | ATACTTTCTA | CCCATATAL | |
| TCACTTAACC | mmma maaaa m | Tagaana | | AIACITICIA | GITATCAGAA | 180 |
| IGAGITAAGC | TTTATGCCAT | TGGGCTGCTG | CATATTTTAA | TCAGAAGATA | AAAGAAAATC | 240 |
| TGGGCATTTT | TAGAATGTGA | TACATCTTTT | יייי א א א מיייר מיייר א א א א מיייר מיייר | TTAAATTA | ###################################### | |
| MCMCma a ca a | | | TITAAAACIG | TIAAATATTA | TTTCGATATT | 300 |
| TGTCTAAGAA | CCGGAATGTT | CTTAAAATTT | ACTAAAACAG | TATTGTTTGA | GGAAGAGAAA | 360 |
| ACTGTACTGT | ጥጥርርርርአጥጥአጥ | TACACTICCTA | GA A GEOGRAPHIC | TCAAGTCACC | CC. L. C. I.C. L. L. | |
| | TIOCCALIAI | IACAGICGIA | CAAGTGCATG | TCAAGTCACC | CACTCTCTCA | 420 |
| GGCATCAGTA | TCCACCTCAT | AGCTTTACAC | ATTTTGACGG | GGAATATTGC. | አርርአሞርርሞርአ | 400 |
| CCCCTCACAT | GMGGGG 3 3 3 GG | | | GOARIATIGC. | AGCAICCICA | 480 |
| GGCCIGACAI | CIGGGAAAGG | CTCAGATCCA | CCTACTGCTC | CTTGCTCGTT | GATTTGTTTT | 540 |
| AAAATATTGT | GCCTGGTGTC | እርጥጥጥጥ አር ር | CACACCCCTC | CCTAAAAGCC | | |
| 30330000 | 0001001010 | ACTITION | CACAGCCCIG | CCTAAAAGCC | AGCAGAGAAC | 600 |
| AGAACCCGCA | CCATTCTATA | GGCAACTACT | A | • | | 631 |
| | | | - <u>-</u> | | | O 2 T |

(2) INFORMATION FOR SEQ ID NO:35:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 578 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

| TAGTAGTTGC | CATCCCATAT | TACAGAAGGC | TCTGTATACA | ተርያ ርታታል ተታታ | GGAAGTGATC | 60 |
|-------------|------------|------------|------------|-----------------|------------|---------|
| TGTTTTCTCT | CCAAACCCAT | ТТАТССТААТ | TTCACCACTC | TOTICITATI | CTTGGTTTCC | • • |
| ACTGATACCA | TCAAACCTAC | TIMICOLAMI | TICACCAGIC | 1 TGGATCAAT | CTTGGTTTCC | 120 |
| ACCEPTANCEA | IGAAACCIAC | TIGGAGCAGA | CATTGCACAG | TTTTCTGTGG | TAAAAACTAA | 180 |
| AGGTTTATTT | GCTAAGCTGT | CATCTTATGC | TTAGTATTTT | TTTTTTACAG | TGGGGAATTG | 240 |
| CTGAGATTAC | ATTTTGTTAT | TCATTAGATA | CTTTGGGATA | ACTTGACACT | Chahahaha | 300 |
| TTTCGCTTTT | AATTGCTATC | ATCATGCTTT | TCANACANCA | y Cy Cy may can | CCTCAAGTAT | • • • • |
| | | | IGAAACAAGA | ACACATTAGT | CCTCAAGTAT | 360 |

| TACATAAGCT | TGCTTGTTAC | GCCTGGTGGT | TTAAAGGACT | ATCTTTGGCC | TCAGGTTCAC | 420 |
|------------|------------|------------|--------------|------------|------------|-----|
| AAGAATGGGC | AAAGTGTTTC | CTTATGTTCT | GTAGTTCTCA | ΔΥΔΔΔΔΔΑΤΤ | GCCAGGGGCC | |
| GGGTACTGTG | GCTCGCACTG | TAATCCCAGC | A CTTTCCCA A | COMONOCOMO | GCGGATCATG | 480 |
| TTACCCCACC | TCTTCCAAAA | CACCECCAGC | ACTITIGGGAA | GCTGAGGCTG | GCGGATCATG | 540 |
| TIAGGGCAGG | IGIICGAAAC | CAGCCTGGGC | AACTACTA | | | 578 |

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 583 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

| TAGTAGTTGC | CTGTAATCCC | AGCAACTCAG | GAGGCTGGGG | CAGGAGAATC | AGTTGAACCT | 60 |
|------------|------------|------------|------------|------------|------------|-------|
| GGGAGGCAGA | AGTTGTAATT | AGCAAAGATC | GCACCATTGC | ACTTCAGCCT | GGGCAACAAG | 120 |
| AGTGAGATTC | CATCTCAAAA | ACAAAAAAA | GAAAAAGAAA | AGAAAAGGAA | AAAACGTATA | 180 |
| AACCCAGCCA | AAACAAAATG | ATCATTCTTT | TAATAAGCAA | GACTAATTTA | ATGTGTTTAT | 240 |
| TTAATCAAAG | CAGTTGAATC | TTCTGAGTTA | TTGGTGAAAA | TACCCATGTA | GTTAATTTAG | 300 |
| GGTTCTTACT | TGGGTGAACG | TTTGATGTTC | ACAGGTTATA | AAATGGTTAA | CAAGGAAAAT | 360 |
| GATGCATAAA | GAATCTTATA | AACTACTAAA | AATAAATAAA | ATATAAATGG | ATAGGTGCTA | 420 |
| TGGATGGAGT | TTTTGTGTAA | TTTAAAATCT | TGAAGTCATT | TTGGATGCTC | ATTGGTTGTC | ` 480 |
| TGGTAATTTC | CATTAGGAAA | AGGTTATGAT | ATGGGGAAAC | TGTTTCTGGA | AATTGCGGAA | 540 |
| TGTTTCTCAT | CTGTAAAATG | CTAGTATCTC | AGGGCAACTA | CTA | | 583 |

(2) INFORMATION FOR SEQ ID NO:37:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 716 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

| GATCTACTAG | TCATNTGGAT | TCTATCCATG | GCAGCTAAGC | CTTTCTGAAT | GGATTCTACT | 60 |
|--|----------------------|------------------------|------------|------------|------------|-----|
| GCTTTCTTGT | TCTTTAATCC | AGACCCTTAT | ATATGTTTAT | GTTCACAGGC | AGGGGAATGT | 120 |
| TTAGTGAAAA | CAATTCTAAA | Դ արդար Հարարար | TCCATTTCA | TGCTAATTTC | AGGGCAAIGI | |
| CACCACCCOM | CCTCCCAACAA | m,, cc, c, | TOCKTITICA | IGCIAAIIIC | CGTCACACTC | 180 |
| CAGCAGGCII | CCTGGGAGAA | TAAGGAGAAA | TACAGCTAAA | GACATTGTCC | CTGCTTACTT | 240 |
| ACAGCCTAAT | GGTATGCAAA | ACCACTTCAA | TAAAGTAACA | GGAAAAGTAC | TAACCAGGTA | 300 |
| GAATGGACCA | AAACTGATAT | AGAAAAATCA | GAGGAAGAGA | GGAACAAATA | TTTACTGAGT | 360 |
| CCTAGAATGT | ACAAGGCTTT | TTAATTACAT | ATTTTATGTA | AGGCCTGCAA | AAAACAGGTG | 420 |
| AGTAATCAAC | ATTTGTCCCA | TTTTACATAT | AAGGAAACTG | AAGCTTAAAT | TGAATAATTT | 480 |
| AATGCATAGA | ጥጥጥ ልጥ ለርጥጥ | A C A C C A TI C TI TI | CACCMCCCMA | TGTTATACTT | TORRINATII | |
| MC > > = = = = = = = = = = = = = = = = = | TITATAGIT | AGACCAIGII | CAGGICCCTA | TGTTATACTT | ACTAGCTGTA | 540 |
| TGAATATGAG | AAAATAATTT | TGTTATTTTC | TTGGCATCAG | TATTTTCATC | TGCAAAATAA | 600 |
| AGCTAAAGTT | ATTTAGCAAA | CAGTCAGCAT | AGTGCCTGAT | ACATAGTAGG | TCCTCCNAAC | 660 |
| ΔΤ C Δ ΤΤ Δ ĊΝΟ | שיא אנייי א שייאניים | TO THE STATE OF THE | 355555555 | ACATAGIAGG | IGCICCAAAC | 660 |
| ···· | THUTHINGG | IAIIANAAAA | ATCCAATATA | GGCNTGGATA | AAACCG | 716 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 688 base pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

| TTCTCTCCC | 2 | | | | • | |
|------------|---------------|----------------|------------|--|--|-----|
| TICIGICCAC | ATATCATCCC | ACTTTAATTG | TTAATCAGCA | 7 7 7 COOM | TGAAAAATCA | |
| TCCATTTTAA | CCAGGATCAC | ACCAGGAAAG | TONSTONOCA | AAACTTTCAA | ТGАААААТСА ССТТАААААА | 60 |
| ΑΔΑΔΑΔΑΔΑ | ACCA AACAAA | TECHGGAAAC | TGAAGGTGTA | TTTTTTTTA | CCTTAAAAAA | 120 |
| | | | | | | |
| | | | | | | 180 |
| AACAGAGAAA | CTTGATGAAN | y Culticus cum | TAGIICITAA | GTCTGTTAAA | AAAATTTACA TCTTGGCATT TTTTGTCTAA | 240 |
| | | | | | | |
| | | | | | | 300 |
| | | | | | | 360 |
| TGTAGGGACC | ጥጥሮል ሮአ አ ሮሞሞ | CAMCCACTAT | GATAAGATGA | TGGAACATCC TGCATCACAT TTGAAGAGGA | ATGCATTACA | 420 |
| | | | | | | |
| | | | | | | 480 |
| TTTAGAAGAC | CATGTGTGAA | TGGTTTCACC | COMORCANIG | CAGAAGTGGC TTGCCACCAA | ACTGTTGAAA | 540 |
| CGAGAAATTT | Commercer | TOGITICAGG | CCTGGGATGT | TTGCCACCAA | GAAGTGCCTC | 600 |
| | | | GGTGGCTTGA | | | |
| ACGAAGAAAA | TGAAATTCTG | CCCTTTCC | | IACGGI | GGGTGACCCA | 660 |
| | | | • | | | 688 |

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 585 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

| TGACAAATGC TTTGGCCGGG | ATATNCCTCT CGTGGTGGGC | ATAATCCACA | ACTGATTAAA | GTGCATANTT AAGCTATTAC | AATTAAAAAG | 60 120 180 |
|--|--|--|--|--|--|---|
| GGCACGCGGA TCTCTACTAA TACTCCGGAG | TCACGAGGTC AAATACGAAA GCTGAGGCAG TCACTGCCCT TACTNATANT | GGGAGTTCAA AAATTACCCC GAGAATGGCG CCAGCCTGGG | GCCTGTAATC GACCATCCTG GGCGTGGTGG TGAACCCAGG GGACAGGAAC | CCAGCACTTT GCTAACACGG CGGGCGCCTG ACACGGAGCT AAGANTCCCG | GGGAGGCCGA TGAAAGTCCA TAGTCCCAGC TGCAGTGTGC TCCTCANAAA | 180 240 300 360 420 480 540 |

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 475 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

| TCTGTCCACA | CCAATCTTAG | AACCTCTCAA | 77677 | | CTTTTAATAG | |
|--|--------------|------------|------------|------------|--------------------------|-----|
| TAACATGTAT | TTTT TTT TTT | AMOUTUTGAA | AAGAATTTGT | CTTTAAATAT | CTTTTAATAC | - |
| or Lie | TITATGGACC | AAATTGACAT | TTTCGACTGT | THEFT | CTTTTAATAG AAAGTCAGGT | 60 |
| | | | | TITICCAAA | AAAGTCAGGT | 120 |

| GAATTTCAGC | ACACTGAGTT | GGGAATTTCT | TATCCCAGAA | GACCAACCAA | TTTCATATTT | 180 |
|------------|------------|------------|------------|------------|------------|-----|
| ATTTAAGATT | GATTCCATAC | TCCGTTTTCA | AGGAGAATCC | CTGCAGTCTC | CTTAAAGGTA | 240 |
| GAACAAATAC | TTCCTATTTT | TTTTTCACCA | TTGTGGGATT | GGACTTTAAG | AGGTGACTCT | 300 |
| AAAAAAACAG | AGAACAAATA | TGTCTCAGTT | GTATTAAGCA | CGGACCCATA | TTATCATATT | 360 |
| CACTTAAAAA | AATGATTTCC | TGTGCACCTT | TTGGCAACTT | CTCTTTTCAA | TGTAGGGAAA | 420 |
| AACTTAGTCA | CCCTGAAAAC | CCACAAAATA | AATAAAACTT | GTAGATGTGG | ACAGA | 475 |

(2) INFORMATION FOR SEQ ID NO:41:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 423 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

| TAAGAGGGTA CATCGGGTAA GAA | CGTAGGC ACATCTAGAG | CTTAGAGAAG | TCTGGGGTAG | 60 |
|---------------------------|--------------------|------------|------------|-----|
| GAAAAAATC TAAGTATTTA TAA | GGGTATA GGTAACATTT | AAAAGTAGGG | CTAGCTGACA | 120 |
| TTATTTAGAA AGAACACATA CGO | | | | 180 |
| AATATTTAGT GATCACTTCC ATT | | | | 240 |
| AAGATTTTTG GCCATGATTA GTT | | | | 300 |
| TTGTTTTAAG ATCCTTGTTA GTG | CTTTAAT AAAGTCATGT | TATATCAAAC | GCTCTAAAAC | 360 |
| ATTGTAGCAT GTTAAATGTC ACA | ATATACT TACCATTTGT | TGTATATGGC | TGTACCCTCT | 420 |
| CTA | | / | | 423 |

(2) INFORMATION FOR SEQ ID NO:42:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 527 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

| | | | | TTAAAAATTT | | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AAAAAGCTTA | TAGAATAAGA | ATATGAAGAA | AGAAAATATT | TTTGTACATT | TGCACAATGA | 120 |
| GTTTATGTTT | TAAGCTAAGT | GTTATTACAA | AAGAGCCAAA | AAGGTTTTAA | AAATTAAAAC | 180 |
| | | | | AAGAAAGAAA | | 240 |
| | | | | TCTGGCAGTG | | 300 |
| | | | | ACTTCCAGTC | | 360 |
| | | | | TACAGTATTT | | 420 |
| | | | | GGTTACTATN | GCCCNACAGG | 480 |
| TAATTCCAGT | AACACGGCCT | GTATACGTCT | GGTANCCCTA | GNGAAGA | | 527 |

(2) INFORMATION FOR SEQ ID NO:43:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 331 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

| CTCTAGTTGG AAAATTAGAG AAATCATGTT TTTAATTTTG TGTTATTTCACAA GTTTCTCTTC 12 TCAAACACTT GTAAACATTA AGCTTCTGTT CAATCCCCTG GGAAGAGGAT TCATTCTGAT 24 TTCCTACTAC TATTATATAA TAAATAATAA C | CTCTAGTTGC FCAAACACTT ATTTACGGTT | CTT GTAAACATTA GTT CAAAAGAAGT | AAAAAAGAAG AAATCATGTT AGCTTCTGTT TGTAATATTG | AAAAAAGAAC TTTAATTTTG CAATCCCCTG | TTTTCCACAA TGTTATTTCA | GTTTCTCTTC GATCACAAAT | 60 120 180 240 300 |
|---|--|----------------------------------|--|--|--------------------------|--------------------------|--------------------------------|
|---|--|----------------------------------|--|--|--------------------------|--------------------------|--------------------------------|

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 592 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

| CAGAGTGACC ATATAAGCAG CGGAAGGAAT TTCTGCTTTT | CTTGAGGAGA AAATCTGGAG ATAGAGTTGG GATGTTGCAG | TGTGCTACAC AAGAGTCATA ATCAGGCTGG CTCAGGGAGT | AAGTCCCAGC TAGAAAAGAA GGAATGGATA ACTTATTGAT | AGACCCCTAG CTGCTTGAGT TTAAGGGTGT TTGAACCCAC | CCCAACACCC AGGTGAGGTT TTTCTAATTT GAGATAATGG TAAGTAGAGA CTAATAGTTT | 60 120 180 240 300 |
|--|--|---|--|--|--|--------------------------------|
| | ONDO TO THE E | AAGAGTTATA | | CTC 2 2 2 2 2 2 2 2 | | |
| CGGAAGGAAT | ATAGAGTTGG | ATCAGGCTGG | ACTITION TO THE | TIMAGGGTGT | GAGATAATGG | 240 |
| TTCTGCTTTT | GATGTTGCAG | CTCACCCACT | ACTIATIGAT | TTGAACCCAC | TAAGTAGAGA | 300 |
| ATTTGCTTGC | TTACCTOCAG | CICAGGGAGT | TAAAAAAGGT | TTTAATGGTT | CTAATAGTTT | 360 |
| | TINGCIGNAM | IAIGGATAAA | ACATCCCCCA | OMOMOS des | | |
| | CICAGIIIAA | TGTAGAGGAA | CCCATCCAAA | 3.000 | | 420 |
| CTGGRAKTGG | ATTGGTCACT | TTGPGACCTA | CCChmagas | AGTITAGGGA | GANTTGGATG | 480 |
| CTGGRAKTGG CACCCTTGAC | CAACCCTTTC | TIONOMCEIA | CCCWTCCCAG | CTGGGAGGGT | CCAGAAGATA | 540 |
| CACCCTTGAC | CAACGCTTTG | CGAAATGGAT | TTGTGATGGC | GGCAACTACT | AA | 592 |

(2) INFORMATION FOR SEQ ID NO:45:

- (i) SEQUENCE CHAPACTERISTICS:
 - (A) LENGTH: 567 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

(2) INFORMATION FOR SEQ ID NO:46:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 908 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

| | | | | • | | |
|------------|------------|------------|------------|------------|------------|-----|
| GAGCGAAAGA | CCGAGGGCAG | NGNNTANGNG | CGANGAAGCG | GAGAGGCCA | AAAAGCAACC | 60 |
| GCTTTCCCCG | GGGGGTGCCG | ATTCATTAAG | GCAGGTGGAG | GACAGGTTTC | CCGATGGAAG | 120 |
| GCGGCAGGGG | CGCAAGCAAT | TAATGTGAGT | AGGCCATTCA | TTAGCACCCG | GGCTTAACAT | 180 |
| TTAAGCTTCG | GGTTGGTATG | TGGTGGGAAT | TGTGAGCGGA | TAACAATTTC | ACACAGGAAA | 240 |
| CAGCTATGAC | CATGATTACG | CCAAGCTATT | TAGGTGACAT | TATAGAATAA | CTCAAGTTAT | 300 |
| GCATCAAGCT | TGGTACCGAG | TTCGGATCCA | CTAGTAACGG | CCGCCAGTGT | GTGGAATTCG | 360 |
| GCTTAGTAGT | TGCCGACCAT | GGAGTGCTAC | CTAGGCTAGA | ATACCTGAGY | TCCTCCCTAG | 420 |
| CCTCACTCAC | ATTAAATTGT | ATCTTTTCTA | CATTAGATGT | CCTCAGCGCC | TTATTTCTGC | 480 |
| TGGACWATCG | ATAAATTAAT | CCTGATAGGA | TGATAGCAGC | AGATTAATTA | CTGAGAGTAT | 540 |
| GTTAATGTGT | CATCCCTCCT | ATATAACGTA | TTTGCATTTT | AATGGAGCAA | TTCTGGAGAT | 600 |
| AATCCCTGAA | GGCAAAGGAA | TGAATCTTGA | GGGTGAGAAA | GCCAGAATCA | GTGTCCAGCT | 660 |
| GCAGTTGTGG | GAGAAGGTGA | TATTATGTAT | GTCTCAGAAG | TGACACCATA | TGGGCAACTA | 720 |
| CTAAGCCCGA | ATTCCAGCAC | ACTGGCGGGC | GTTACTAATG | GATCCGAGCT | CGGTACCAAG | 780 |
| CTTGATGCAT | AGCTTGAGTA | TCTATAGTGT | CACTAAATAG | CCTGGCGTTA | TCATGGTCAT | 840 |
| AGCTGTTTCC | TGTGTGAAAT | TGTTATCCGC | TCCCAATTCC | CCCCACCATA | CGAGCCGGAA | 900 |
| CATAAAGT | | | | | | 908 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:47:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 480 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

| | | AATTTCCCCT | | | | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GGTTTTTAAG | GTTGTTTTCT | GTCAAATAAC | TCTAACTTTA | AGCCAAACAG | TATATGGAAG | 120 |
| CACAGATAKA | ATATTACACA | GATAAAAGAG | GAGTTGATCT | AAAGTARAGA | TAGTTGGGGG | 180 |
| CTTTAATTTC | TGGAACCTAG | GTCTCCCCAT | CTTCTTCTGT | GCTGAGGAAC | TTCTTGGAAG | 240 |
| CGGGGATTCT | AAAGTTCTTT | GGAAGACAGT | TTGAAAACCA | CCATGTTGTT | CTCAGTACCT | 300 |
| | | AACATTTTGA | | | | 360 |
| | | TTTTAGCTGA | | | | 420 |
| | | SCACATGCTC | | | | 480 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:48:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 591 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

| AAGAGGGTAC | CGAGTGGAAT | TTCCGCTTCA | CTAGTCTGGT | GTGGCTAGTC | GGTTTCGTGG | 60 |
|--------------------|------------|-------------|-----------------|------------|------------|-----|
| TGGCCAACAT | TACGAACTTC | CAACTCAACC | CTTTCTTTCT A | CEMON | GAGTACCGGC | 60 |
| CACCAMCOMO | | CHACICAACC | GITCITGGAC | GTTCAAGCGG | GAGTACCGGC | 120 |
| GAGGATGGTG | GCGTGAATTC | TGGCCTTTCT | TTGCCGTGGG | ATCGGTAGCC | GCCATCATCG | 180 |
| GTATGTTTAT | CAAGATCTTC | TTTACTAACC | CCACCTCTCC | | CCCGAGCCGT | |
| COMMEN A CON | 2222222 | TIMETANCE | CGACCICICC | GATTTACCTG | CCCGAGCCGT | 240 |
| GGITIAACGA | GGGGAGGGGG | ATCCAGTCAC | GCGAGTACTG | GTCCCAGATC | TTCGCCATCG | 300 |
| TCGTGACAAT | GCCTATCAAC | TTCGTCGTCA | A TO A COMPOSIO | 63.66 | ACGGTGAAGC | 300 |
| A CTCCCCA A A A | CCMCCCCCC | TICOTCOTCA | ATAAGTIGIG | GACCTTCCGA | ACGGTGAAGC | 360 |
| ACICCGAAAA | CGTCCGGTGG | CTGCTGTGCG | GTGACTCCCA | AAATCTTGAT | AACAACAAGG | 420 |
| TAACCGAATC | GCGCTAAGGA | ACCCCGGCAT | CTCCCCTTACT | CTGCATATGC | TOTOTOTOTO | |
| A C C C C A A TIMO | Grace co | | CICGGGIACI | CIGCATATGC | GTACCCCTTA | 480 |
| AGCCGAATIC | CAGCACACTG | GCGGCCGTTA | CTAATTGGAT | CCGAACTCCG | TAACCAAGCC | 540 |
| TGATGCGTAA | CTTGAGTTAT | тстатастст | CCCTTAAAATTA | ACCTGGCGTT | CAAGCC | 540 |
| | | 202111AGIGI | CCCIAAAAIA | ACCIGGCGTT | A | 591 |

(2) INFORMATION FOR SEQ ID NO:49:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 454 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

| AAGAGGGTAC | CTGCCTTGAA | A THURA A A HIGH | CERROCE | | | |
|-------------------|-----------------|------------------|---------------|------------|------------|-----|
| CMCMGGGGGG | CICCIIGAA | ATTIMAMIGI | CTAAGGAAAR | TGGGAGATGA | TTAAGAGTTG | 60 |
| GIGIGGCYTA | GTCACACCAA | AATGTATTTA | TTACATCCTG | CTCCTTTCTA | GTTGACAGGA | 100 |
| AAGAAAGCTG | CTGTGGGGAA | ACCACCA MA | 3353655 | CICCILICIA | GIIGACAGGA | 120 |
| 63.55.55 | CIGIGGGAA | AGGAGGGATA | AATACTGAAG | GGATTTACTA | AACAAATGTC | 180 |
| CATCACAGAG | TTTTCCTTTT | TTTTTTTTTG | AGACAGAGTC | TTCCTCTCTC | ACCCAGGCTG | |
| GAATGAAGWG | CTATCATCTC | A COURCE A RESC | 1101101101101 | riderergre | ACCCAGGCTG | 240 |
| | GIAIGAICIC | AGTTGAATGC | AACCTCTACC | TCCTAGGTTC | AAGCGATTCT | 300 |
| CATGCCTCAG | CCTCCTGAGC | AGCTGGGACT | ATAGGCGCAT | CCTACCAMCO | CAGGCTAATT | |
| היהיהיה עיה עהריה | TA TITA CA CA C | 2222222 | MINGGEGERI | GCIACCATGC | CAGGCTAATT | 360 |
| TITALATILL | IATTAGAGAC | GGGGTGTTGC | CATGTTGGCC | AGGCAGGTCT | CGAACTCCTG | 420 |
| GGCCTCAGAT | GATCTGCCCC | ACCGTACCCT | ריתיי א | | | 420 |
| | | cctraccc1 | CIIM | | | 454 |

(2) INFORMATION FOR SEQ ID NO:50:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 463 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

| AAGAGGGTAC | CAAAAAAAAG | AAAAAGGAAA | AAAAGAAAA | CAACTTGTAT | AAGGCTTTCT | 60 |
|------------|---------------------|--------------|------------|-----------------------------|------------|-----|
| GCTGCATACA | GCTTTTTTTT | TTTAAATAAA | TGGTGCCAAC | λλησητητητή Δλησουσητήτη | GCATTCACAC | |
| CAATTGCTGG | שיי ע ע באיניינייני | CTACTOTO | 22000000 | AAAIGIIIII | GCATTCACAC | 120 |
| Amacacacan | TITIOAAAIC | GIACICITCA | AAGGTATTTG | TGCAGATCAA | TCCAATAGTG | 180 |
| ATGCCCCGTA | GGTTTTGTGG | ACTGCCCACG | TTGTCTACCT | TCTCATGTAG | GAGCCATTGA | 240 |
| GAGACTGTTT | GGACATGCCT | GTGTTCATGT | AGCCGTGATG | TOCOCOCOCO | GTGTACATCA | |
| TGTTACCGTG | CCCTCCCCC | WCC1 PROGRAM | ACCCGIGATG | TCCGGGGGCC | GTGTACATCA | 300 |
| 00335555 | 99919991 | IGCATTGGCT | GCTGGGCATA | TGGCTGGGTG | CCCATCATGC | 360 |
| CCATCTGCAT | CTGCATAGGG | TATTGGGGCG | TTTGATCCAT | ATAGCCATGA | TTGCTGTGGT | 420 |
| AGCCACTGTT | CATCATTGGC | TGGGACATGC | TOTAL | mma | 1100101001 | 420 |
| - | | TOOCHCAIGC | IGITACCCIC | TTA | | 463 |

(2) INFORMATION FOR SEQ ID NO:51:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 399 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

| CTTCAACCTC | CCAAAGTGCT | GGGATTACAG | GACTGAGCCA | CCACGCTCAG | CCTAAGCCTC | |
|------------------|------------|--------------|-----------------|-------------------------|------------|-----|
| TTTTTCACTA | CCCTCTAAGC | GATCTACCAC | A CEC A EC A CO | CCACOCICAG | CAGTGCAATT | 60 |
| ጥር እጥጥ አ ረ እ እ ጠ | 770001100 | CATCIACCAC | AGIGAIGAGG | GGCTAAAGAG | CAGTGCAATT | 120 |
| IGATTACAAT | AATGGAACTT | AGATTTATTA | ATTAACAATT | TTTCCTTAGC | ATGTTGGTTC | 180 |
| CATAATTATT | AAGAGTATGG | ACTTACTTAG | AAATGAGCTT | ער א מייניינייני א א כי | AATTTCATCT | |
| TTGACCTTCT | СТАТТАСТСТ | CACCACTATIC | 7.07.007.00.11 | TCATTTTAAG | AATTTCATCT | 240 |
| COMMONOCON | CIMITAGICI | GAGCAGIAIG | ACACTATACG | TATTTTATTT | AACTAACCTA | 300 |
| CCTTGAGCTA | TTACTTTTTA | AAAGGCTATA | TACATGAATG | TGTATTGTCA | ACTGTAAAGC | 360 |
| CCCACAGTAT | TTAATTATAT | CATGATGTCT | TTCACCTTC | | erorande | |
| | | 0.110.110101 | TIGAGGIIG | | | 399 |

(2) INFORMATION FOR SEQ ID NO:52:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 392 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

| CTTCAACCTC | AATCAACCTT | GGTAATTGAT | AAAATCATCA | CTTAACTTTC | ma a ma a ma | |
|-----------------------|--------------|----------------|------------|------------|---------------|-----|
| GCAATAATTA | TOTONONNA | 7 7 7 ACTOCATO | MUMICATCA | CITAACTTIC | TGATATAATG | 60 |
| TERRITATIA | ICIGAGAAAA | AAAAGTGGTG | AAAGATTAAA | CTTGCATTTC | TCTCAGAATC | 120 |
| TTGAAGGATA | TTTGAATAAT | TCAAAAGCGG | AATCAGTAGT | ATCAGCCGAA | GAAACTCACT | 180 |
| TAGCTAGAAC | GTTGGACCCA | TGGATCTAAG | TCCCTGCCCT | TCCACTAACC | 2.00002000 | |
| ע ע ההטרטיטיטיטיטיטיט | A COMOGRA CA | 20000000000 | 1000100001 | ICCACTAACC | AGCTGATTGG | 240 |
| TITIGIGIAA | ACCTCCTACA | CGCTTGGGCT | TGGTCGCCTC | ATTTGTCAAA | GTAAAGGCTG | 300 |
| AAATAGGAAG | ATAATGAACC | GTGTCTTTTT | GGTCTCTTTT | CCATCCATTA | CECEC A SESSE | |
| ACAAAGAGGC | CTCTATTCCC | CTGGTGAGGT | | CCATCCATTA | CICIGATTT | 360 |
| | CIGIALICCC | CIGGIGAGGT | TG | | | 392 |

(2) INFORMATION FOR SEQ ID NO:53:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 179 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

| TTCGGGTGAT | GCCTCCTCAG | GCTACAGTGA | ACACTCCATT | 7070777000 | GCCAGCGAGA | |
|----------------------------|-------------|--------------|------------|---------------|------------|-----|
| תתתרא כא מיזי ר | CTCTTAAACCT | CT11.010101 | MONCIGGAII | ACAGAAAGGT | GCCAGCGAGA | 60 |
| TITCAGATIC | CIGIAAACCT | CTAAAGAAAA | GGAGTCGCGC | CTCAACTGAT | GTAGAAATGA | 120 |
| CTAGTTCAGC | ATACNGAGAC | ACMTCTGACT | CCCATTCTAC | 7.007.0007.00 | GACCTGCAN | 120 |
| | | **C**ICIONCI | CCGATICIAG | AGGACTGAGT | GACCTGCAN | 179 |

(2) INFORMATION FOR SEQ ID NO:54:

| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 112 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
|---|-------------------------|
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:54: | • |
| TTCGGGTGAT GCCTCCTCAG GCTACATCAT NATAGAAGCA AAGTAGAANA ATCNNGTTTG TGCATTTTCC CACANACAAA ATTCAAATGA NTGGAAGAAA TTGGGANAGT AT | 6: |
| (2) INFORMATION FOR SEQ ID NO:55: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 225 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:55: | |
| TGAGCTTCCG CTTCTGACAA CTCAATAGAT AATCAAAGGA CAACTTTAAC AGGGATTCAC AAAGGAGTAT ATCCAAATGC CAATAAACAT ATAAAAAGGA ATTCAGCTTC ATCATCATCA GAAGWATGCA AATTAAAACC ATAATGAGAA ACCACTATGT CCCACTAGAA TAGATAAAAT CTTAAAAAGAC TGGTAAAACC AAGTGTTGGT AAGGCAAGAG GAGCA (2) INFORMATION FOR SEQ ID NO:56: | 60 120 180 225 |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 175 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:56: | |
| CTCCTCTTG CCTTACCAAC ACATTCTCAA AAACCTGTTA GAGTCCTAAG CATTCTCCTG TAGTATTGG GATTTTACCC CTGTCCTATA AAGATGTTAT GTACCAAAAA TGAAGTGGAG GCCATACCC TGAGGGAGGG GAGGGATCTC TAGTGTTGTC AGAAGCGGAA GCTCA | 60 120 175 |
| 2) INFORMATION FOR SEQ ID NO:57: | 2,3 |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 223 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:57: | |

AGCCATTTAC CACCCATGGA TGAATGGATT TTGTAATTCT AGCTGTTGTA TTTTGTGAAT

| TTGTTAATTT TGTTGTTTTT CTGTGAAACA CATACATTGG ATATGGGAGG TAAAGGAGTG TCCCAGTTGC TCCTGGTCAC TCCCTTTATA GCCATTACTG TCTTGTTTCT TGTAACTCAG GTTAGGTTTT GGTCTCTTT GCTCCACTGC AAAAAAAAAA | 120 180 223 |
|--|-------------------------|
| (2) INFORMATION FOR SEQ ID NO:58: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 211 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:58: | |
| GTTCGAAGGT GAACGTGTAG GTAGCGGATC TCACAACTGG GGAACTGTCA AAGACGAATT AACTGACTTG GATCAATCAA ATGTGACTGA GGAAACACCT GAAGGTGAAG AACATCATCC AGTGGCAGAC ACTGAAAATA AGGAGAATGA AGTTGAAGAG GTAAAAGAGG AGGGTCCAAA AGAGATGACT TTGGATGGGT GGTAAATGGC T | 60 120 180 211 |
| (2) INFORMATION FOR SEQ ID NO:59: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 208 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:59: | |
| GCTCCTCTTG CCTTACCAAC TTTGCACCCA TCATCAACCA TGTGGCCAGG TTTGCAGCCC AGGCTGCACA TCAGGGGGACT GCCTCGCAAT ACTTCATGCT GTTGCTGCTG ACTGATGGTG CTGTGACGGA TGTGGAAGCC ACACGTGAGG CTGTGGTGCG TGCCTCGAAC CTGCCCATGT CAGTGATCAT TATGGGTGGT AAATGGCT | 60 120 180 208 |
| (2) INFORMATION FOR SEQ ID NO:60: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 171 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:60: | |
| AGCCATTTAC CACCCATACT AAATTCTAGT TCAAACTCCA ACTTCTTCCA TAAAACATCT AACCACTGAC ACCAGTTGGC AATAGCTTCT TCCTTCTTTA ACCTCTTAGA GTATTTATGG TCAATGCCAC ACATTTCTGC AACTGAATAA AGTTGGTAAG GCAAGAGGAG C | 60 120 171 |
| (2) INFORMATION FOR SEQ ID NO:61: | |

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 134 base pairs

(B) TYPE: nucleic acid

| (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
|---|--------------------------------|
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:61: | |
| CGGGTGATGC CTCCTCAGGC TTTGGTGTGT CCACTCNACT CACTGGCCTC TTCTCCAGCA ACTGGTGAAN ATGTCCTCAN GAAAANCNCC ACACGCNGCT CAGGGTGGGG TGGGAANCAT CANAATCATC NGGC | 6 12 1 3 |
| (2) INFORMATION FOR SEQ ID NO:62: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 145 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:62: | |
| AGAGGGTACA TATGCAACAG TATATAAAGG AAGAAGTGCA CTGAGAGGAA CTTCATCAAG GCCATTTAAT CAATAAGTGA TAGAGTCAAG GCTCAACCCA GGTGTGACGG ATTCCAGGTC CCAAGCTCCT TACTGGTACC CTCTT | 60 120 145 |
| (2) INFORMATION FOR SEQ ID NO:63: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 297 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:63: | |
| GCACTGAGA GGAATTCAAA GGGTTTATGC CAAAGAACAA ACCAGTCCTC TGCAGCCTAA CTCATTTGTT TTTGGGCTGC GAAGCCATGT AGAGGGCGAT CAGGCAGTAG ATGGTCCCTC CCACAGTCAG CGCCATGGTG GTCCGGTAAA GCATTTGGTC AGGCAGGCCT CGTTTCAGGT AGACGGGCAC ACATCAGCTT TCTGGAAAAA CTTTTGTAGC TCTGGAGCTT TGTTTTTCCC AGCATAATCA TACACTGTGG AATCGGAGGT CAGTTTAGTT GGTAAGGCAA GAGGAGC | 60 120 180 240 297 |
| (2) INFORMATION FOR SEQ ID NO:64: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 300 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:64: | |

GCACTGAGAG GAACTTCCAA TACTATGTTG AATAGGAGTG GTGAGAGAGG GCATCCTTGT

| CTTGTGCCGG TTTTCAAAGG GAATGCTTCC AGCTTTTGCC CATTCAGTAT AATATTAAAG AATGTTTTAC CATTTTCTGT CTTGCCTGTT TTTCTGTGTT TTTGTTGGTC TCTTCATTCT CCATTTTTAG GCCTTTACAT GTTAGGAATA TATTTCTTTT AATGATACTT CACCTTTGGT ATCTTTTGTG AGACTCTACT CATAGTGTGA TAAGCACTGG GTTGGTAAGG CAAGAGGAGC | 120 180 240 300 |
|--|--------------------------|
| (2) INFORMATION FOR SEQ ID NO:65: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 203 base pairs(B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:65: | |
| GCTCCTCTTG CCTTACCAAC TCACCCAGTA TGTCAGCAAT TTTATCRGCT TTACCTACGA | 60 |
| AACAGCCTGT ATCCAAACAC TTAACACACT CACCTGAAAA GTTCAGGCAA CAATCGCCTT | 120 |
| CTCATGGGTC TCTCTGCTCC AGTTCTGAAC CTTTCTCTTT TCCTAGAACA TGCATTTARG TCGATAGAAG TTCCTCTCAG TGC | 180 |
| · · · · · · · · · · · · · · · · · · · | 203 |
| (2) INFORMATION FOR SEQ ID NO:66: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 344 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:66: | |
| TACGGGGACC CCTCCATTCA CAAAGGGACA CTCCATTCATCATCATCATCATCATCATCATCATCATCAT | |
| TACGGGGACC CCTGCATTGA GAAAGCGAGA CTCACTCTGA AGCTGAAATG CTGTTGCCCT TGCAGTGCTG GTAGCAGGAG TTCTGTGCTT TGTGGGCTAA GGCTCCTGGA TGACCCCTGA | 60 |
| CATGGAGAG GCAGAGTTGT GTGCCCCTTC TCATGGCCTC GTCAAGGCAT CATGGACTGC | 120 |
| CACACAAAA ATGCCGTTTT TATTAACGAC ATGAAATTGA AGGAGAGAAC ACAATTCACT | 180 |
| GATGTGGCTC GTAACCATGG ATATGGTCAC ATACAGAGGT GTGATTATGT AAAGGTTAAT | 240 300 |
| TCCACCCACC TCATGTGGAA ACTAGCCTCA ATGCAGGGGT CCCA | 344 |
| (2) INFORMATION FOR SEQ ID NO:67: | 311 |
| | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 157 base pairs (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SPONENCE DESCRIPTION, GRO TO TO TO | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:67: | |
| GCACTGAGAG GAACTTCGTA GGGAGGTTGA ACTGGCTGCT GAGGAGGGGG AACAACAGGG | 60 |
| TAACCAGACT GATAGCCATT GGATGGATAA TATGGTGGTT GAGGAGGGAC ACTACTTATA | 120 |
| GCAGAGGGTT GTGTATAGCC TGAGGAGGCA TCACCCG | 157 |

| (2) INFORMATION FOR SEQ ID NO:68: | |
|---|-------------------------|
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 137 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:68: | |
| GCACTGAGAG GAACTTCTAG AAAGTGAAAG TCTAGACATA AAATAAAATA | 60 120 137 |
| (2) INFORMATION FOR SEQ ID NO:69: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 137 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:69: | |
| CGGGTGATGC CTCCTCAGGC TGTATTTTGA AGACTATCGA CTGGACTTCT TATCAACTGA AGAATCCGTT AAAAATACCA GTTGTATTAT TTCTACCTGT CAAAATCCAT TTCAAATGTT GAAGTTCCTC TCAGTGC | 60 120 137 |
| (2) INFORMATION FOR SEQ ID NO:70: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 220 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:70: | |
| AGCATGTTGA GCCCAGACAC GCAATCTGAA TGAGTGTGCA CCTCAAGTAA ATGTCTACAC GCTGCCTGGT CTGACATGGC ACACCATCNC GTGGAGGGCA CASCTCTGCT CNGCCTACWA CCAAGGTMYA SGGACMASGG TGGGAYTYCA YCACWCATCT | 60 120 180 220 |
| (2) INFORMATION FOR SEQ ID NO:71: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 353 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single | |

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

| CCTTACCCTC | mcma maca am | ~~~ | | | | |
|---------------|--------------|------------|---|------------|------------|-----|
| CGITAGGGIC | TCTATCCACT | GCTAAACCAT | ACACCTGGGT | AAACAGGGAC | CATTTAACAT | |
| TCCCANCTAA | ATATCCCA AC | TCACMMONGA | ~~~~ | CIIGOOAC | CATTIAACAT | 60 |
| - COC. LICITA | ATAIGCCAAG | IGACTICACA | TGTTTATCTT | AAAGATGTCC | AAAACGCAAC | 120 |
| TGATTTTCTC | CCCTAAACCT | GTGATGGTGG | CATICATIONALA | CCEC CEC | CTACAGCAAG | 120 |
| mm3 3 cm = | | GIGHIGGIGG | GAIGAIIAAN | CCTGAGTGGT | CTACAGCAAG | 180 |
| TTAAGTGCAA | GGTGCTAAAT | GAANGTGACC | TGAGATACAG | CATCTACAAC | GCAGTACCTC | |
| TCAACNCACC | CCNACEMERG | | - GIIGIIIICAG | CATCIACAAG | GCAGTACCTC | 240 |
| I CAACIVCAGG | GCAACTTTGC | TTCTCANAGG | GCATTTAGCA | GTGTCTGAAG | TAATTTCTGT | 200 |
| ATTACAACTC | Accecece | CCCTCAATA | ~====================================== | -101010140 | TARTITUIGI | 300 |
| | ACGGGGGGG | GGGTGAATAT | CTANTGGANA | GNAGACCCTA | ACG | 353 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:72:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 343 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

| GCACTGAGAG | GAACTTCCAA | TACYATKATC | AGAGTGAACA | PCCAPCCVAC | AGAACAGGAG | |
|---------------------|--------------|-------------|------------|------------|------------|-----|
| AAAATGTTYG | СУУТСТСТСС | ATCTCA CAAA | AGGGTANGA | NGCARCCIAC | AGAACAGGAG | 60 |
| 77777770 | ZMATCICICC | AICIGACAAA | AGGCTAATAT | CCAGAWTCTA | AWAGGAACTT | 120 |
| AAACAAATTT. | ATGAGAAAAG | AACARACAAC | CTCAWCAAAA | AGTGGGTGAA | GGAWATGCTS | 180 |
| AAARGAAGAC | ATYTATTCAG | CCAGTAAACA | ΥΑΤGΑΔΑΔΑ | ACCCTCATCA | TCACTGAWCA | |
| TTAGAGAAAT | GCAAATCAAA | ACCACAATCA | Cymacarman | AUGCICAISA | AGAAYGGTGA | 240 |
| ת כא ביייים אים אים | CECTALICITY. | ACCACAAIGA | GATACCATCT | YAYRCCAGTT | AGAAYGGTGA | 300 |
| TCATTAAAAR | STCAGGAAAC | AACAGATGCT | GGACAAGGTG | TCA | | 343 |

(2) INFORMATION FOR SEQ ID NO:73:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 321 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

| GCACTGAGAG | GAACTTCAGA | GAGAGAGAGA | CACEECCAC | | | • |
|---------------|--------------|------------|--|------------------|------------|-----|
| 36336555 | C.E.C.I.CAGA | GAGAGAGAGA | GAGTTCCACC | CTGTACTTGG | GGAGAGAAAC | 60 |
| AGAAGGTGAG | AAAGTCTTTG | GTTCTGAAGC | AGCTTCTAAG | እጥርጥጥጥጥር እጥ | TTGCTTCATT | |
| TCAAACTTCC | CATCOMOGOA | 11000000 | | AICITICAL | TIGCTICATT | 120 |
| z chandiicc | CAIGCIGCCA | AAGTGCCATC | CTTTGGGGTA | CTGTTTTCTG | AGCTCCAGTG | 180 |
| ATAACTCATT | TATACAAGGG | AGATACCCAG | 11111111111111111111111111111111111111 | 7007778000 | AAAAAGGTGG | |
| CTTC A CTTC A | | | AVMAMANG I G | AGCAAATCTT | AAAAAGGTGG | 240 |
| CIIGAGIICA | GCCTTAAATA | CCATCTTGAA | ATGACACAGA | GAAAGAANGA | TGTTGGGTGG | 200 |
| GAGTGGATAG | AGACCCTAAC | C | | HOME DESIGNATION | 1011000100 | 300 |
| | ACACCCIAAC | G | | | | 321 |

(2) INFORMATION FOR SEQ ID NO:74:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 321 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

| TCAAAGTTCC ATAACTCATT CTTGAGTTCA | CATGCTGCCA TATACAAGGG | AAGTGCCATC AGATACCCAG CCATCTTGAA | AGCTTCTAAG CTTTGGGGTA | ATCTTTTCAT CTGTTTTCTG | GGAGAGAAAC TTGCTTCATT AGCTCCAGTG AAAAAGGTGG TGTTGGGTGG | 60 120 180 240 300 321 |
|--|--------------------------|--|--------------------------|--------------------------|--|---------------------------------------|
| (0) | _ | | | | | |

(2) INFORMATION FOR SEQ ID NO:75:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 317 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

| 31 <i>7</i> | AGTCAGATAA TTGTTTTGAG | CCTTAGCTTC GATTAGAAAA AATTAAACAA | CTCATATGCA | AGGTGTTTAC AAATGAGAAT | CAGCTACACA GAAAAGTACT | TGAAGTCTGG ACCTTAAGCA CATCGCTGAA TATTCATTTT CCAGAAATGG | 60 120 180 240 300 |
|-------------|--------------------------|--|------------|--------------------------|--------------------------|--|--------------------------------|
|-------------|--------------------------|--|------------|--------------------------|--------------------------|--|--------------------------------|

- (2) INFORMATION FOR SEQ ID NO:76:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 244 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7 ϵ :

| TTGCCATGGT | GGTTTGCTGC | ACCCATCAGT | CATGCGCAGG | TTTGTTGCAT | TTATTTTAT AGGTATACAC TTCTCCTAAT GTTCCTCTCA | 60 120 180 240 244 |
|------------|------------|------------|------------|------------|---|--------------------------------|
|------------|------------|------------|------------|------------|---|--------------------------------|

- (2) INFORMATION FOR SEQ ID NO:77:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 254 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

CGTTAGGGTC TCTATCCACT GAAATCTGAA GCACAGGAGG AAGAGAAGCA GTYCTAGTGA

120

| GATGGCAAGT TCWTTTACCA CACTCTTTAA CATTTYGTTT AGTTTTAACC TTTATTTATG GATAATAAAG GTTAATATTA ATAATGATTT ATTTTAAGGC ATTCCCRAAT TTGCATAATT CTCCTTTTGG AGATACCCTT TTATCTCCAG TGCAAGTCTG GATCAAAGTG ATASAMAGAA GTTCCTCTCA GTGC | 12 18 24 25 |
|--|--|
| (2) INFORMATION FOR SEQ ID NO:78: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 355 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:78: | |
| TTCGATACAG GCAAACATGA ACTGCAGGAG GGTGGTGACG ATCATGATGT TGCCGATGGT CCGGATGGNC ACGAAGACGC ACTGGANCAC GTGCTTACGT CCTTTTGCTC TGTTGATGGC CCTGAGGGGA CGCAGGACCC TTATGACCCT CAGAATCTTC ACAACGGGAG ATGGCACTGG ATTGANTCCC ANTGACACCA GAGACACCCC AACCACCAGN ATATCANTAT ATTGATGTAG TTCCTGTAGA NGGCCCCCTT GTGGAGGAAA GCTCCATNAG TTGGTCATCT TCAACAGGAT CTCAACAGTT TCCGATGGCT GTGATGGCCA TAGTCATANT TAACCNTGTN TCGAA | 60 120 180 240 300 355 |
| (2) INFORMATION FOR SEQ ID NO:79: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 406 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:79: | |
| TAAGAGGGTA CCAGCAGAAA GGTTAGTATC ATCAGATAGC ATCTTATACG AGTAATATGC CTGCTATTTG AAGTGTAATT GAGAAGGAAA ATTTTAGCGT GCTCACTGAC CTGCCTGTAG CCCCAGTGAC AGCTAGGATG TGCATTCTCC AGCCATCAAG AGACTGAGTC AAGTTGTTCC TTAAGTCAGA ACAGCAGACT CAGCTCTGAC ATTCTGATTC GAATGACACT GTTCAGGAAT CGGAATCCTG TCGATTAGAC TGGACAGCTT GTGGCAAGTG AATTTGCCTG TAACAAGCCA GATTTTTAAA AATTTATATT GTAAATAATG TGTGTGTG | 60 120 180 240 300 360 406 |
| (2) INFORMATION FOR SEQ ID NO:80: | 400 |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 327 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:80: | |

TTTTTTTTT TTTACTCGGC TCAGTCTAAT CCTTTTTGTA GTCACTCATA GGCCAGACTT

AGGGCTAGGA TGATGATTAA TAAGAGGGAT GACATAACTA TTAGTGGCAG GTTAGTTGTT

| • | |
|--|------------|
| TGTAGGGCTC ATGGTAGGGG TAAAAGGAGG GCAATTTCTA GATCAAATAA TAAGAAGGTA | 180 |
| TORROBALLI LA HALLACIA A A COCOLOGO CONTRA LA | |
| THE PROCESS OF THE CONTRACT OF THE PROCESS OF THE P | 300 |
| ATAATTATTA GTAGTAAGCC TAGGAGA | 327 |
| TGTAGGGCTC ATGGTAGGGG TAMAAGGAGG GCAATTTCTA GATCAAATAA TAAGAAGGTA ATAACTACTA AGAAGAATTT TATGGAGAAA GGGACGGGG CGGGGGATAT AGGGTCGAAG CCGCACTCCT AAGGGGTGGA TITTTCTATAT TAGCCGTTGA GTTGTGGTAG TCAAAATGTA ATAATTATTA GTAGTAAGCC TAGGAGA (2) INFORMATION FOR SEQ ID NO:81: (1) SEQUENCE CHARACTERISTICS: | 52, |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 318 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEO ID NO.81. | |
| \cdot | |
| ATTGCATTCA TAATTTATTA TOO MOONTO TO TOTAL TO ATTTGCT TO TOTAL TAATTTATTA TOO TO TOTAL TOTAL TO TOTAL TOTAL TO TOTAL TOTAL TO TOTAL TO TOTA | 60 |
| TOTAL TARTER TOTAL TRACES OF THE CONTROL OF THE CON | |
| CAATAAATAT TAACACAGTC TACATTTATT TOOTGAATAT | 180 |
| AGCACATTAA GTAACAAAGG CAAGTGAGAA GAATCAAAAG CAGTACTGAA | 240 |
| ATGATTGCGC ATAGACTA | |
| | 318 |
| (2) INFORMATION FOR SEQ ID NO:82: | |
| (i) SEOHENCE CHARACTERISTICS | |
| (A) LENGTH: 338 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:82: | |
| TCTTCAACCT CTACTCCCAC TAATAGCTTT TTGATGACTT CTACGAACGAACGA | |
| ACM ACTION OF CHARLES AND ACTION OF CHARLES | |
| TACACTOL TACTOR ACTOR ACTOR ACTOR ACTOR ACTOR ACTOR | 120 |
| TIACCACAA CACAA CACAAA CACAAAA CACAAA CACAAAA CACAAAAA CACAAAAA CACAAAAAA | 180 |
| ACACGAGAAA ACACCCTCAT GTTCATACAC CTATGCGGGA TOTAL | 240 300 |
| ATCCCTCAAC CCCGACATCA TTACCGGGTT TTCCTCTT | 338 |
| (2) INFORMATION FOR SEQ ID NO:83: | 330 |
| (i) SEQUENCE CHARACTERISTICS. | |
| (A) LENGTH: 111 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SECUENCE DECORPORA | |
| | |
| AGCCATTTAC CACCCATCCA CAAAAAAAAA AAAAAAAAA | 60 |
| ATAGACTTTG AACAAAAGG AACATTTGCT GGCCTGAGGA GGCATCACCC G | 60 111 |
| | |

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 224 base pairs
- (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:

| TCGGGTGATG | CCTCCTCAGG | CCAAGAAGAT | AAAGCTTCAG | ACCCCTAACA | CATTTCCAAA | 60 |
|------------|------------|-------------|------------|------------|------------|-----|
| AAGGAAGAAA | GGAGAAAAA | GGGCATCATC | CCCGTTCCGA | ACCOUNTAGE | AGGAGGAAAT | - • |
| TGAGGTGGAT | TCACGAGTTG | CGGACAACTC | CTTTCATCCC | ADGOLAGGG | CAGCCGGAGA | 120 |
| CTGGGGAGAG | CCACCCAATC | ACCEMENTO A | CTITGATGCC | AAGCGAGGTG | CAGCCGGAGA | 180 |
| CIGGGGAGAG | CGAGCCAAIC | AGGTTTTGAA | GTTCCTCTCA | GTGC | | 224 |

(2) INFORMATION FOR SEQ ID NO:85:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 348 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:

| GCACTGAGAG | GAACTTCGTT | GGAAACGGGT | TTTTTTCATG | TAAGGCTAGA | CAGAAGAATT | 60 |
|-------------|-----------------|------------|-----------------|------------|------------|-----|
| CTCAGTAACT | тсстатата | CTCTCTATTC | A A CTC A CA CA | CEMCALCOL | CCTTTACACA | |
| CACCACACOOM | CERRORE | GIGIGIATIC | AACICACASA | GTTGAACGAT | CCTTTACACA | 120 |
| GAGCAGACTT | GTAACACTCT | TWTTGTGGAA | TTTGCAAGTG | GAGATTTCAG | SCGCTTTGAA | 180 |
| GTSAAAGGTA | GAAAAGGAAA | TATCTTCCTA | TAAAAACTAG | ACAGAATGAT | TCTCAGAAAC | 240 |
| TCCTTTGTGA | TGTGTGCGTT | CAACTCACAG | AGTTTAACCT | TTCWTTTCAT | AGAAGCAGTT | 300 |
| AGGAAACACT | ריינייייינייי א | AGTCTGCAAG | TCC3 T3 C3 C3 | 2227112 | | |
| | CIGILIGIAA | AGICIGCAAG | IGGATAGAGA | CCCTAACG | | 348 |

(2) INFORMATION FOR SEQ ID NO:86:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 293 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:

| GCACTGAGAG | GAACTTCYTT | GTGWTGTKTG | YATTCAACTC | ACAGAGTTGA | ASSWTSMTTT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| ACABAGWKCA | GGCTTKCAAA | CACTCTTTTT | GTMGAATYTG | CAAGWGGAKA | TTTSRRCCRC | 120 |
| TTTGWGGYCW | WYSKTMGAAW | MGGRWATATC | ΤΤΟΜΥΑΤΜΡΑ | AMCTAGACAG | AAKSATTCTC | 180 |
| AKAAWSTYYY | YTGTGAWGWS | TGCRTTCAAC | TCACAGAGKT | KAACMWTVCT | KYTSATRGAG | |
| CAGTTWKGAA | ACTCTMTTTC | ТТТССАТТСТ | GCAAGTGGAT | VCVCVCCOMX | NIISAIRGAG | 240 |
| | | | OCUMOTOGNI | ACACACCTA | ACG | 293 |

(2) INFORMATION FOR SEQ ID NO:87:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 base pairs

(B) TYPE: nucleic acid

| (C) STRANDEDNESS: singl (D) TOPOLOGY: linear | .e | | | |
|--|-------------|----|---|------|
| (xi) SEQUENCE DESCRIPTION: SE | Q ID NO:87: | | | |
| CTCCTAGGCT | | | | . 10 |
| (2) INFORMATION FOR SEQ ID NO:88: | | | | 10 |
| (i) SEQUENCE CHARACTERISTICS (A) LENGTH: 10 base pair (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | rs | ÷. | | |
| (xi) SEQUENCE DESCRIPTION: SEQ | Q ID NO:88: | | | |
| AGTAGTTGCC | | | | 10 |
| (2) INFORMATION FOR SEQ ID NO:89: | | ٠, | | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 11 base pair (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | :s | | | |
| (xi) SEQUENCE DESCRIPTION: SEQ | ID NO:89: | | | |
| TTCCGTTATG C | | | | 11 |
| (2) INFORMATION FOR SEQ ID NO:90: | • | | | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | s | | | |
| (xi) SEQUENCE DESCRIPTION: SEQ | ID NO:90: | | | |
| TGGTAAAGGG | | | | 10 |
| (2) INFORMATION FOR SEQ ID NO:91: | | · | | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | | | • | |

| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:91: | |
|--|----|
| TCGGTCATAG | 10 |
| (2) INFORMATION FOR SEQ ID NO:92: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | · |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:92: | |
| TACAACGAGG | 10 |
| (2) INFORMATION FOR SEQ ID NO:93: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:93: | |
| TGGATTGGTC | 10 |
| (2) INFORMATION FOR SEQ ID NO:94: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:94: | |
| CTTTCTACCC | 10 |
| (2) INFORMATION FOR SEQ ID NO:95: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:95: | |

| TTTTGGCTCC | · · · · · · · · · · · · · · · · · · · | 10 |
|--|---------------------------------------|----|
| (2) INFORMATION FOR SEQ ID NO:96: | | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:96: | | |
| GGAACCAATC | | 10 |
| (2) INFORMATION FOR SEQ ID NO:97: | | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | | - |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:97: | | |
| TCGATACAGG | | 10 |
| (2) INFORMATION FOR SEQ ID NO:98: | | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:98: | | |
| GGTACTAAGG | | 10 |
| (2) INFORMATION FOR SEQ ID NO:99: | | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:99: | | |
| GTCTATGCG | | 10 |

| (2) | INFORMATION FOR SEQ ID NO:100: | |
|------|--|----|
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:100: | |
| CTAI | rccatgg (| 10 |
| (2) | INFORMATION FOR SEQ ID NO:101: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:101: | |
| TCTO | STCCACA | 10 |
| (2) | INFORMATION FOR SEQ ID NO:102: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:102: | |
| AAGA | AGGGTAC | 10 |
| (2) | INFORMATION FOR SEQ ID NO:103: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:103: | |
| CTTC | PAACCTC | 10 |
| (2) | INFORMATION FOR SEQ ID NO:104: | |
| | (i) SEQUENCE CHARACTERISTICS: | |

| | (A) LENGTH: 20 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
|-------|--|----|
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:104: | |
| GC: | CCTCTTG CCTTACCAAC | 20 |
| . (2) | INFORMATION FOR ONE TO VO | 20 |
| (2) | INFORMATION FOR SEQ ID NO:105: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:105: | |
| GTA | AAGTCGAG CAGTGTGATG | 20 |
| (2) | INFORMATION FOR SEQ ID NO:106: | |
| ,, | | |
| | (i) SEQUENCE CHARACTERISTICS: | |
| | (A) LENGTH: 20 base pairs(B) TYPE: nucleic acid | • |
| | | |
| | <pre>(C) STRANDEDNESS: single (D) TOPOLOGY: linear</pre> | |
| | (b) Topologi: Tillear | • |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:106: | · |
| GTA | AGTCGAG CAGTCTGATG | 20 |
| (2) | INFORMATION FOR SEQ ID NO:107: | |
| | (1) | |
| | (i) SEQUENCE CHARACTERISTICS: | |
| | (A) LENGTH: 20 base pairs | |
| | (B) TYPE: nucleic acid | |
| | (C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| | (b) lopologi: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:107: | · |
| GAC' | TTAGTGG AAAGAATGTA | 20 |
| (2) | INFORMATION FOR SEQ ID NO:108: | |
| | (i) SEQUENCE CHARACTERISTICS: | |
| | (A) LENGTH: 20 base pairs | |
| | (B) TYPE: nucleic acid | |
| | (C) STRANDEDNESS: single | |

| (D) TOPOLOGY: linear | |
|--|----|
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:108: | |
| GTAATTCCGC CAACCGTAGT | 20 |
| (2) INFORMATION FOR SEQ ID NO:109: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:109: | |
| ATGGTTGATC GATAGTGGAA | 20 |
| (2) INFORMATION FOR SEQ ID NO:110: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:110: | |
| ACGGGGACCC CTGCATTGAG | 20 |
| (2) INFORMATION FOR SEQ ID NO:111: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:111: | |
| TATTCTAGAC CATTCGCTAC | 20 |
| (2) INFORMATION FOR SEQ ID NO:112: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid | |

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:112: | |
|--|----|
| ACATAACCAC TTTAGCGTTC | 20 |
| (2) INFORMATION FOR SEQ ID NO:113: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:113: | |
| CGGGTGATGC CTCCTCAGGC | 20 |
| (2) INFORMATION FOR SEQ ID NO:114: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:114: | |
| AGCATGTTGA GCCCAGACAC | 20 |
| (2) INFORMATION FOR SEQ ID NO:115: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:115: | |
| GACACCTTGT CCAGCATCTG | 20 |
| (2) INFORMATION FOR SEQ ID NO:116: | 20 |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:116: | |
| TACGCTGCAA CACTGTGGAG | 20 |

| (2) INFORMATION FOR SEQ ID NO:117: | |
|--|----|
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:117: | |
| CGTTAGGGTC TCTATCCACT | 20 |
| (2) INFORMATION FOR SEQ ID NO:118: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:118: | |
| AGACTGACTC ATGTCCCCTA | 20 |
| (2) INFORMATION FOR SEQ ID NO:119: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:119: | |
| TCATCGCTCG GTGACTCAAG | 20 |
| (2) INFORMATION FOR SEQ ID NO:120: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:120: | |
| CAAGATTCCA TAGGCTGACC | 20 |
| (2) INFORMATION FOR SEQ ID NO:121: | |
| | |

| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
|--|----|
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:121: | |
| ACGTACTGGT CTTGAAGGTC | 2 |
| (2) INFORMATION FOR SEQ ID NO:122: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:122: | |
| GACGCTTGGC CACTTGACAC | 20 |
| (2) INFORMATION FOR SEQ ID NO:123: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:123: | |
| GTATCGACGT AGTGGTCTCC | 20 |
| (2) INFORMATION FOR SEQ ID NO:124: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:124: | |
| TAGTGACATT ACGACGCTGG | 20 |
| (2) INFORMATION FOR SEQ ID NO:125: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 20 base pairs(B) TYPE: nucleic acid | |

(C) STRANDEDNESS: single

| | (D) TOPOLOGY: linear | |
|------|--|-----|
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:125: | |
| CGG | GTGATGC CTCCTCAGGC | 20 |
| (2) | INFORMATION FOR SEQ ID NO:126: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:126: | |
| ATG | GCTATTT TCGGGGGCTG ACA | 23 |
| (2) | INFORMATION FOR SEQ ID NO:127: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 22 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:127: | |
| CCG | GTATCTC CTCGTGGGTA TT | 22 |
| (2.) | INFORMATION FOR SEQ ID NO:128: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:128: | |
| CTG | CCTGAGC CACAAATG | 18. |
| (2) | INFORMATION FOR SEQ ID NO:129: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:129:

CCGGAGGAGG AAGCTAGAGG AATA

24

- (2) INFORMATION FOR SEQ ID NO:130:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 14 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:130:

TTTTTTTTTT TTAG

14

- (2) INFORMATION FOR SEQ ID NO:131:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:131:

Ser Ser Gly Gly Arg Thr Phe Asp Asp Phe His Arg Tyr Leu Leu Val 1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:132:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:132:

Gln Gly Ala Ala Gln Lys Pro Ile Asn Leu Ser Lys Xaa Ile Glu Val 1 5 10 15 Val Gln Gly His Asp Glu

- (2) INFORMATION FOR SEQ ID NO:133:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 amino acids
 - (B) TYPE: amino acid

77

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:133:

Ser Pro Gly Val Phe Leu Glu His Leu Gln Glu Ala Tyr Arg Ile Tyr 1 5 10 15

Thr Pro Phe Asp Leu Ser Ala 20

- (2) INFORMATION FOR SEQ ID NO:134:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:134:

Tyr Leu Leu Val Gly Ile Gln Gly Ala 1 5

- (2) INFORMATION FOR SEQ ID NO:135:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:135:

Gly Ala Ala Gln Lys Pro Ile Asn Leu 1 5

- (2) INFORMATION FOR SEQ ID NO:136:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:136:

Asn Leu Ser Lys Xaa Ile Glu Val Val 1

(2) INFORMATION FOR SEQ ID NO:137:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:137:

Glu Val Val Gln Gly His Asp Glu Ser 1 5

- (2) INFORMATION FOR SEQ ID NO:138:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:138:

His Leu Gln Glu Ala Tyr Arg Ile Tyr

- (2) INFORMATION FOR SEQ ID NO:139:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:139:

Asn Leu Ala Phe Val Ala Gln Ala Ala 1 5

- (2) INFORMATION FOR SEQ ID NO:140:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:140:

Phe Val Ala Gln Ala Ala Pro Asp Ser 1 5

(2) INFORMATION FOR SEQ ID NO:141:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 9388 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:141:

| | | TTAACCCTCA | | | | 60 |
|------------|------------|------------|------------|------------|------------|------|
| | | GTAGACATAA | | | | 120 |
| | | TGTTAATCTG | | | | 180 |
| | | AAGGTTCAAT | | | | 240 |
| | | TTAAAAGTCA | | | | 300 |
| | | CCGCAGGGAC | | | | 360 |
| | | CCTGAGATAT | | | | 420 |
| | | AGCCCGACAT | | | | 480 |
| | | GAGGAAGGCC | | | | 540 |
| | | GCAATAGAAT | | | | 600 |
| | | ACATCCTTAG | | | | 660 |
| | | ATGTTTGTAT | | | | 720 |
| TAAACTTATT | TATGACACAG | AGACCTTTGT | TCACGTTTTC | CTGCTGACCC | TCTCCCCACT | 780 |
| | | CATCCCCCTC | | | | 840 |
| TACTGAGGGA | ACTCAGAGAC | CAGTGTCCCT | GTAGGTCCTC | CGTGTGCTGA | GCGCCGGTCC | 900 |
| CTTGGGCTCA | CTTTTCTTTC | TCTATACTTT | GTCTCTGTGT | CTCTTTCTTT | TCTCAGTCTC | 960 |
| | | TACCCACAGG | | | | 1020 |
| TTACTAGCCT | GTTCGCTGAC | AACAAGACTG | GTGGTGCAGA | AGGTTGGGTC | TTGGTGTTCA | 1080 |
| CCGGGTGGCA | GGCATGGGCC | AGGTGGGAGG | GTCTCCAGCG | CCTGGTGCAA | ATCTCCAAGA | 1140 |
| AAGTGCAGGA | AACAGCACCA | AGGGTGATTG | TAAATTTTGA | TTTGGCGCGG | CAGGTAGCCA | 1200 |
| TTCCAGCGCA | AAAATGCGCA | GGAAAGCTTT | TGCTGTGCTT | GTAGGCAGGT | AGGCCCCAAG | 1260 |
| CACTTCTTAT | TGGCTAATGT | GGAGGGAACC | TGCACATCCA | TTGGCTGAAA | TCTCCGTCTA | 1320 |
| TTTGAGGCTG | ACTGAGCGCG | TTCCTTTCTT | CTGTGTTGCC | TGGAAACGGA | CTGTCTGCCT | 1380 |
| AGTAACATCT | GATCACGTTT | CCCATTGGCC | GCCGTTTCCG | GAAGCCCGCC | CTCCCATTTC | 1440 |
| CGGAAGCCTG | GCGCAAGGTT | GGTCTGCAGG | TGGCCTCCAG | GTGCAAAGTG | GGAAGTGTGA | 1500 |
| GTCCTCAGTC | TTGGGCTATT | CGGCCACGTG | CCTGCCGGAC | ATGGGACGCT | GGAGGGTCAG | 1560 |
| CAGCGTGGAG | TCCTGGCCTT | TTGCGTCCAC | GGGTGGGAAA | TTGGCCATTG | CCACGGCGGG | 1620 |
| | | CCCGGCCGTT | | | | 1680 |
| CGCACTGGCG | CTGATGTAGT | TTCCTGACCT | CTGACCCGTA | TTGTCTCCAG | ATTAAAGGTA | 1740 |
| AAAACGGGGC | TTTTTCAGCC | CACTCGGGTA | AAACGCCTTT | TGATTTCTAG | GCAGGTGTTT | 1800 |
| | | GTGACCCGCA | | | | 1860 |
| | | AGCACCCCAA | | | | 1920 |
| | | CTGATAAGGA | | | | 1980 |
| TAATTAAACC | AATTTTTAGT | TTTGGTGTTT | GTCCTAATAG | CAACAACTTC | TCAGGCTTTA | 2040 |
| | | | | | TTTGGAATTG | 2100 |
| | | TGGTTTTGAT | | | | 2160 |
| | | CTCTCCCTTT | | | | 2220 |
| | | AGAGCGCCAG | | | | 2280 |
| | | ACTTGTGCAA | | | | 2340 |
| | | CAAGCTATAT | | | | 2400 |
| | | CTATCACCTT | | | | 2460 |
| | | ATTTATCCTT | | | | 2520 |
| | | CCCTCCCCTT | | | | 2580 |
| | | AATTTTGAGC | | | | 2640 |
| | | CAAAGTGTGG | | | | 2700 |
| | | | | | COINCONCAI | 2/00 |

| TTGGAGGCC | C CAGCGAGAA | A CGTCACCGG | G AGAAACGTC | A CCGGGCGAG | A GCCGGGCCCG | 2760 |
|------------|--------------|--------------|--------------|-------------------------------|-------------------|--------|
| CIGIGIGCT | C CCCCGGAAG | G ACAGCCAGC' | T TGTAGGGGG | AGTGCCACC | תממממממם ז | 2820 |
| TTTCCAGGT | C CCCAAAGGG' | T GACCGTCTT | C CGGAGGACAC | G CGGATCGACT | T ACCATGCTCC | 2880 |
| TGCCCACCA | A AATTCCACC | T CTGAGTCCT | C AACTGCTGAC | CCCGGGGTC | GGTAGGTCAG | 2940 |
| ATTTGACTT | r ggttctgc: | A GAGGGAAGC | G ACCCTGATGA | A GGGTGTCCCT | CTTTTCACTC | 3000 |
| TGCCCATTT | TCTAGGATG | C TAGAGGGTA | AGCCCTGGT | TTCTGTTAGZ | CCCCTCTCTC | 3060 |
| TCTCTGTCTC | GGAGGGAAG | I GGCCCTGAC | A GGGGCCATCC | CTTGAGTCAG | TCCACATCCC | 3120 |
| AGGATGCTG | GGGACTGAG | r cctggtttc: | GGCAGACTGC | TCTCTCTCTC | ሲርጥርጥጥጥጥጥር | 3180 |
| TATCTCTAAT | CTTTCCTTG: | T TCAGGTTTCT | TGGAGAATCI | CTGGGAAAGZ | מממממממ מ | 3240 |
| ACTGTTATA | A ACTCTGTGTG | 3 AATGGTGAAT | GAATGGGGGA | GGACAAGGG | TTCCCCTTTCT | 3300 |
| CCTCCAGTT | GTAGCTCCA(| C GGCGAAAGCT | T ACGGAGTTCA | AGTGGGCCCT | CACCTCCCCT | 3360 |
| TUCGTGGCGA | A CCTCATAAGO | G CTTAAGGCAG | CATCCGGCAT | AGCTCGATCC | GAGCCGGGGG | 3420 |
| TTTATACCGC | CCTGTCAATO | G CTAAGAGGAC | CCCAAGTCCC | CTAAGGGGGA | GCGGCCAGCC | |
| GGGCATCTGA | A CTGATCCCAI | CACGGGACCC | CCTCCCCTTG | TTTGTCTAAA | ממממהמממ מ | 3480 |
| GAAGAAACTO | TCATAACTGT | TTACATGCCC | TAGGGTCAAC | ։ ԴՇ ՊԴ ԻՐԵՐԻ Պ | ATGTTTATTG | 3540 |
| TTCTGTTCGG | G TGTCTATTGT | CTTGTTTAGT | GGTTGTCAAG | GTTTTGCATC | TCAGGACGTC | 3600 |
| GATATTGCCC | AAGACGTCTC | GGTAAGAACT | TCTGCAAGGT | CCTTAGTGCT | GATTTTTTGT | 3660 |
| CACAGGAGGT | TAAATTTCTC | ATCAATCATT | TAGGCTGGCC | CCIACACTCC | TGTCTTTTCT | 3720 |
| GCCAGAAGCA | AGTCAGGTGT | TGTTACGGGA | ATGAGTGTAA | ACACACICC | CCCTCATTCT | 3780 |
| GATTTCTGGC | ACCATGATGO | TTGTATTTAG | ATTGTCATAC | CCCACATCCA | GCCTGATTGG | 3840 |
| ACCTCCTCTA | AACTAAACTG | GTGGTGGGTT | CAAAACAGCC | ACCCTCCACA | GGIIGAIIGG | 3900 |
| CACCTCTTTG | GTCATTCTGT | AACTTTTCCT | GTGCCCTTAA | ATAGCACACA | CTCCTTGCT | 3960 |
| ACCTACCCTC | GTACTGCTTT | ACTTCGTTTA | GATTCTTACT | CTGTTCCTCT | GIGIAGGGAA | 4020 |
| TCCCATCTTA | AAAACGATCC | AAGTGGTCCT | TTTCCTCCTC | COTGCCCCCC | DOGGCIACTO | 4080 |
| TCTCGTTTTC | CAGTGCGACA | GCAAGTTCAG | CGTCTCCAGG | ACTTCCCTCT | ACCCCACACA | 4140 |
| CTTGAACCCT | TAAAAGAAAA | AGCTGGGTTT | GAGCTATTTG | CCTTTCACTC | DECCACACAC | 4200 |
| AAAAGGTATT | TAGGGTACAG | ATCTAGAAGA | AGAGAGAGAA | CACCTACATC | AIGGAGACAC | 4260 |
| AGGAGATCTC | GGGCTGGCCT | CTAGTCCTCC | TCCCTCAATC | TTANACCTAC | AGECAEGG | 4320 |
| CAAGTGGTAT | TTAGCTGTTG | TGGTTTTTCT | GCTCTTTCTG | GTCATGTTCA | AGIGAIGIGG | 4380 |
| TCGATACTCC | AGCCCCCCAG | GGAGTGAGTT | TCTCTGTCTG | TGCTGCCTTT | CAMARGRAMG | 4440 |
| TTCAAATCTT | ATTAAATTGC | CTTCAAAAA | ΔΑΔΑΔΑΔΑ | GGGAAACACT | GATATCTATG | 4500 |
| CTTGTAAGGG | TTGGAGCCCT | CTCCAGTATA | TGCTGCAGAA | TTTTTTCTCTC | COTTTO | 4560 |
| AGGATTATGG | AGTCCGCCTT | AAAAAAGGCA | AGCTCTGGAC | ACTCTCCAAA | CTACAAMCCC | 4620 |
| CAAAGTTTGG | AGTTGAGTGG | CCCCTTGAAG | GGTCACTGAA | CCTCACAAA | CTTCA ACCTC | 4680 |
| TGTGGCGGGT | TGTTACTGAA | ACTCCCGGCC | TCCCTGATCA | GTTTCCCTAC | ATTCAMGCIG | 4740 |
| GGCTGAGTTT | GGTCAGGAGC | ACCCCTTCCA | TGGCTCCACT | CATCCACCAC | MONTH ATTORICANT | 4800 |
| ACCTCCAAGG | TCCTCCTGAG | CCAGACCGTG | TTTTCGCCTC | CATGCACCAT | TCATAATTTT | 4860 |
| CGCCCTGTAC | TGCCTCTCTC | TGAAGAAGAG | GAGAGTCTCC | CTCACCCACT | CGGTTCAGCT | 4920 |
| TAAAACCAGC | CTACTCCCTT | AGGGTCATCC | CATGTCTCCT | CCCCTATION | CCCACCGCCT | 4980 |
| TCATCACCCA | TTGCCTCTTG | GTTGCAACCG | TGGTGGGAGG | AACTACCCC | CCCTGTAGGC | 5040 |
| CTGAGAGAGG | CACAAGTCCC | TCTGGGTGAT | GAGTGCTCCA | CCCCCTTCCT | COMMENTACIO | 5100 |
| CCTTCTTTCT | ACTTCTGACT | TGTATAATTG | GAAAACCCAT | AATCCTCCT | GGTTTATGTC | 5160 |
| GCCCCAGGCT | TTGACCTCAC | TGATGGAGTC | TGTACTCTCC | AAICCICCCT | TCTCTGAAAA | 5220 |
| TGACTGTCAA | CAGCTCCTTT | TGACCCTTTT | CACCTCTGAA | CACACATIGGC | CCACCTGGGA | 5280 |
| AGAGGCCAAA | AAGTACAACC | TCACATCAAC | CAATAGGCCC | CACCACCAAA | GTATCCAAAG | 5340 |
| AGTGATTAGA | GACCCAATTG | GGACCTAATT | GGGACCGAAA | UMUGAGGAAG | CTAGAGGAAT | 5400 |
| CTTTTGACGA | TTTCCACCGG | TATCTCCTCG | TOCOTATECA | CCCLCCAAGT | GGAGGGAGAA | 5460 |
| TAAACTTGTC | TAAGGCGACT | GAAGTCGTCC | AGGGGCATCA | GGGAGCTGCT | CAGAAACCTA | . 5520 |
| TAGAGCACCT | CCAGGAGGCT | TATCGGATTT | ACACCCCTTTM | TGAGTCACCA | GGAGTGTTTT | 5580 |
| ATAGCCATGC | TCTTAATTTC | GCATTTGTGG | CTCACCCCTTT | CCCACAGA | GCCCCGAAA | 5640 |
| TCCAAAAACT | AGAGGGATTT | TGCTGGAATG | AATACCACTC | ACCOMMUNE S | AAAAGGAAAC | 5700 |
| AAGGTTTTTG | ACAGTCAAGA | GGTTGAAAAA | TACCAGIC | AGCTTTTAGA | GATAGCCTAA | 5760 |
| AGCCACTGAT | AAAGCATCCT | GGAGTATCAG | AGTTTACTO | CAGCTCAGGC | AGCTGAAAA | 5820 |
| TCCCCTCCCA | CATGGTGTTT | AAATCCAGCT | ACTITACTGT | TAGATCAGCC | TCATTTGACT | 5880 |
| CCTGTTCATG | ACTGTCAGGA | ACTGTTGGAA | ACMCIACTIC | CTGACTCAAA | CTCCACTATT | 5940 |
| | | A | ACIMCIGAAA | CIGGCCGACC | TGATCTTCAA | 6000 |

| AATGTGCCCC | TAGGAAAGGT | GGATGCCACC | GTGTTCACAG | ACAGTAGCAG | CTTCCTCGAG | 6060 |
|--------------------|------------|------------|------------|------------|------------|------|
| AAGGGACTAC | GAAAGGCCGG | TGCAGCTGTT | ACCATGGAGA | CAGATGTGTT | GTGGGCTCAG | 6120 |
| GCTTTACCAG | CAAACACCTC | AGCACAAAAG | GCTGAATTGA | TCGCCCTCAC | TCAGGCTCTC | 6180 |
| ${\tt CGATGGGGTA}$ | AGGATATTAA | CGTTAACACT | GACAGCAGGT | ACGCCTTTGC | TACTGTGCAT | 6240 |
| ${\tt GTACGTGGAG}$ | CCATCTACCA | GGAGCGTGGG | CTACTCACCT | CAGCAGGTGG | CTGTAATCCA | 6300 |
| | | | | GGTAACCAGA | | 6360 |
| | | | | AACTTGCTGC | | 6420 |
| | | | | ACAGAAGAAG | | 6480 |
| | | | | TTCTTCCTGA | | 6540 |
| | | | | TACAGTCTAC | | 6600 |
| GGAGGAGCAA | AGCTACCTCA | GCTCCTCCGG | AGCCGTTTTA | AGATCCCCCA | TCTTCAAAGC | 6660 |
| CTAACAGATC | AAGCAGCTCT | CCGGTGCACA | ACCTGCGCCC | AGGTAAATGC | CAAAAAAGGT | 6720 |
| | | | | CAGGAGAAAA | | 6780 |
| GACTTTACAG | AAGTAAAACC | ACACCGGGCT | GGGTACAAAT | ACCTTCTAGT | ACTGGTAGAC | 6840 |
| ACCTTCTCTG | GATGGACTGA | AGCATTTGCT | ACCAAAAACG | AAACTGTCAA | TATGGTAGTT | 6900 |
| AAGTTTTTAC | TCAATGAAAT | CATCCCTCGA | CGTGGGCTGC | CTGTTGCCAT | AGGGTCTGAT | 6960 |
| AATGGACCGG | CCTTCGCCTT | GTCTATAGTT | TAGTCAGTCA | GTAAGGCGTT | AAACATTCAA | 7020 |
| TGGAAGCTCC | ATTGTGCCTA | TCGACCCCAG | AGCTCTGGGC | AAGTAGAACG | CATGAACTGC | 7080 |
| ACCCTAAAAA | ACACTCTTAC | AAAATTAATC | TTAGAAACCG | GTGTAAATTG | TGTAAGTCTC | 7140 |
| CTTCCTTTAG | CCCTACTTAG | AGTAAGGTGC | ACCCCTTACT | GGGCTGGGTT | CTTACCTTTT | 7200 |
| GAAATCATGT | ATGGGAGGGC | GCTGCCTATC | TTGCCTAAGC | TAAGAGATGC | CCAATTGGCA | 7260 |
| AAAATATCAC | AAACTAATTT | ATTACAGTAC | CTACAGTCTC | CCCAACAGGT | ACAAGATATC | 7320 |
| ATCCTGCCAC | TTGTTCGAGG | AACCCATCCC | AATCCAATTC | CTGAACAGAC | AGGGCCCTGC | 7380 |
| CATTCATTCC | CGCCAGGTGA | CCTGTTGTTT | GTTAAAAAGT | TCCAGAGAGA | AGGACTCCCT | 7440 |
| CCTGCTTGGA | AGAGACCTCA | CACCGTCATC | ACGATGCCAA | CGGCTCTGAA | GGTGGATGGC | 7500 |
| ATTCCTGCGT | GGATTCATCA | CTCCCGCATC | AAAAAGGCCA | ACGGAGCCCA | ACTAGAAACA | 7560 |
| TGGGTCCCCA | GGGCTGGGTC | AGGCCCCTTA | AAACTGCACC | TAAGTTGGGT | GAAGCCATTA | 7620 |
| GATTAATTCT | TTTTCTTAAT | TTTGTAAAAC | AATGCATAGC | TTCTGTCAAA | CTTATGTATC | 7680 |
| TTAAGACTCA | ATATAACCCC | CTTGTTATAA | CTGAGGAATC | AATGATTTGA | TTCCCCAAAA | 7740 |
| ACACAAGTGG | GGAATGTAGT | GTCCAACCTG | GTTTTTACTA | ACCCTGTTTT | TAGACTCTCC | 7800 |
| CTTTCCTTTA | ATCACTCAGC | CTTGTTTCCA | CCTGAATTGA | CTCTCCCTTA | GCTAAGAGCG | 7860 |
| CCAGATGGAC | TCCATCTTGG | CTCTTTCACT | GGCAGCCGCT | TCCTCAAGGA | CTTAACTTGT | 7920 |
| GCAAGCTGAC | TCCCAGCACA | TCCAAGAATG | CAATTAACTG | ATAAGATACT | GTGGCAAGCT | 7980 |
| ATATCCGCAG | TTCCCAGGAA | TTCGTCCAAT | TGATTACACC | CAAAAGCCCC | GCGTCTATCA | 8040 |
| CCTTGTAATA | ATCTTAAAGC | CCCTGCACCT | GGAACTATTA | ACGTTCCTGT | AACCATTTAT | 8100 |
| CCTTTTAACT | TTTTTGCCTA | CTTTATTTCT | GTAAAATTGT | TTTAACTAGA | CCCCCCTCT | 8160 |
| CCTTTCTAAA | CCAAAGTATA | AAAGCAAATC | TAGCCCCTTC | TTCAGGCCGA | GAGAATTTCG | 8220 |
| AGCGTTAGCC | GTCTCTTGGC | CACCAGCTAA | ATAAACGGAT | TCTTCATGTG | TCTCAAAGTG | 8280 |
| | | | | ATTTTCCCCA | | 8340 |
| | | | | AGTTAAGGAG | | 8400 |
| | | | | ATTTATTTAT | | 8460 |
| | | | | TGCGATCTTG | | 8520 |
| | | | | CTCGAGAGTA | | 8580 |
| | | | | GTAAAGATGG | | 8640 |
| | | | | CTGCCCGCCT | | 8700 |
| | | | | ATTTATATGT | | 8760 |
| CATTCCTCTA | ACCAAAATGT | AGTGTTTCCT | TCCATCTTGA | ATATAGGCTG | TAGACCCCGT | 8820 |
| | | | | TATGTCATCT | | 8880 |
| | | | | TCCAAATAAC | | 8940 |
| | | | | TGGCTGTTAC | | 9000 |
| | | | | ATCATTTTAT | | 9060 |
| | | | | GGTAGCCCAC | | 9120 |
| | | | | GGTCTGGGAC | | 9180 |
| | | | | AGAGGGGGTG | | 9240 |
| GAGTGCCTAT | ATGTAGTGTT | TCCATATGGC | CTTGACTTCC | TTACAGCCTG | GCAGCCTCAG | 9300 |
| | | | | | | |

| GGTAGTCAGA ATTCTTAGGA GGCACAGGGC TCCAGGGCAG ATGCTGAGGG GTCTTTTATG AGGTAGCACA GCAAATCCAC CCAGGATC | 9360 |
|--|-----------|
| AGGIAGCACA GCAAATCCAC CCAGGATC | 9388 |
| (2) INFORMATION FOR SEQ ID NO:142: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 419 base pairs | |
| (B) TYPE: nucleic acid | * |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:142: | |
| | |
| TGTAAGTCGA GCAGTGTGAT GGAAGGAATG GTCTTTGGAG AGAGCATATC CATCTCCTCC | 60 |
| TCACTGCCTC CTAATGTCAT GAGGTACACT GAGCAGAATT AAACAGGGTA GTCTTAACCA | 120 |
| CACTATTTT AGCTACCTTG TCAAGCTAAT GGTTAAAGAA CACTTTTGGT TTACACTTGT TGGGTCATAG AAGTTGCTTT CCGCCATCAC GCAATAAGTT TGTGTGTAAT CAGAAGGAGT TACCTTATGG TTTCACTGTC ATTCCCTTATAGA TACACTGTC ATTCCCTTATAGA TACACTAGA | 180 |
| TACCTTATGG TTTCAGTGTC ATTCTTTAGT TAACTTGGGA GCTGTGTAAT TTAGGCTTTG | 240 |
| TOTAL TITLE CACTICIGIT CICCACTTAT GAACTCATTC TOTAL TOTAL TOTAL | 300 |
| TGCGCATGTG CTTCCGGCAG TTAACATAAG CAAATACCCA ACATCACACT GCTCGACTT | 360 |
| | 419 |
| (2) INFORMATION FOR SEQ ID NO:143: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 402 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (11) | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:143: | |
| TGTAAGTCGA GCAGTGTGAT GTCCACTGCA GTGTGTTGCT GGGAACAGTT AATGAGCAAA | |
| TOTAL A TOUCHAUTAC ATTGACCGGG ATTTGTTGAA COTTGTTGAA COTTGTTGAA | 60 120 |
| TOTAL ACTAGICIAL GCACATGGCT CTGGTCAACT ACCCGGTCTC | 180 |
| TAITE CO CONTROLL IN TAITE TO TO TAIN A TAITE TO THE TAIN A TAITE TO THE TAIL TAITE TO THE TAIL TAITE TO THE TAIL TAIL TAIL TAIL TAIL TAIL TAIL TAIL | 240 |
| OUTTOTIAA IGCIIIGIIC TAGACTTTCC CTTTTCCCCTT TTCCCCTT | 300 |
| TCTTTGCATA GATTGTAAAT TCAAATGCCC TCAGGGTGCA GGCAGTTCAT GTAAGGGAGG GAGGCTAGCC AGTGAGATCT GCATCACACT GCTCGACTTA CA | 360 |
| AGIGAGAICI GCAICACACT GCTCGACTTA CA | 402 |
| (2) INFORMATION FOR SEQ ID NO:144: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 224 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (X1) SEQUENCE DESCRIPTION | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:144: | |
| TCGGGTGATG CCTCCTCAGG CCAAGAAGAT AAAGCTTCAG ACCCCTAACA CATTTCCAAA | 60 |
| | 60 120 |
| TGAGGTGGAT TCACGAGTTG CGGACAACTC CTTTGATGCC AAGCGAGGTG CAGCCGGAGA | 180 |

| CTGGGGAGAG CGAGCCAATC AGGTTTTGAA GTTCCTCTCA GTGC | 224 |
|---|-----------|
| (2) INFORMATION FOR SEQ ID NO:145: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 111 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:145: | |
| AGCCATTTAC CACCCATCCA CAAAAAAAAA AAAAAAAAG AAAAATATCA AGGAATAAAA ATAGACTTTG AACAAAAAGG AACATTTGCT GGCCTGAGGA GGCATCACCC G | 60 111 |
| (2) INFORMATION FOR SEQ ID NO:146: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 585 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:146: | |
| TAGCATGTTG AGCCCAGACA CTTGTAGAGA GAGGAGGACA GTTAGAAGAA GAAGAAAAGT | 60 |
| TTTTAAATGC TGAAAGTTAC TATAAGAAAG CTTTGGCTTT GGATGAGACT TTTAAAGATG | 120 |
| CAGAGGATGC TTTGCAGAAA CTTCATAAAT ATATGCAGGT GATTCCTTAT TTCCTCCTAG | 180 |
| AAATTTAGTG ATATTTGAAA TAATGCCCAA ACTTAATTTT CTCCTGAGGA AAACTATTCT | 240 |
| ACATTACTTA AGTAAGGCAT TATGAAAAGT TTCTTTTTAG GTATAGTTTT TCCTAATTGG | 300 |
| GTTTGACATT GCTTCATAGT GCCTCTGTTT TTGTCCATAA TCGAAAGTAA AGATAGCTGT | 360 |
| GAGAAAACTA TTACCTAAAT TTGGTATGTT GTTTTGAGAA ATGTCCTTAT AGGGAGCTCA | 420 |
| CCTGGTGGTT TTTAAATTAT TGTTGCTACT ATAATTGAGC TAATTATAAA AACCTTTTTG | 480 |
| AGACATATTT TAAATTGTCT TTTCCTGTAA TACTGATGAT GATGTTTTCT CATGCATTTT | 540 |
| CTTCTGAATT GGGACCATTG CTGCTGTGTC TGGGCTCACA TGCTA | 585 |
| (2) INFORMATION FOR SEQ ID NO:147: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 579 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:147: | |
| TAGCATGTTG AGCCCAGACA CTGGGCAGCG GGGGTGGCCA CGGCAGCTCC TGCCGAGCCC | 60 |
| AAGCGTGTTT GTCTGTGAAG GACCCTGACG TCACCTGCCA GGCTAGGGAG GGGTCAATGT | 120 |
| GGAGTGAATG TTCACCGACT TTCGCAGGAG TGTGCAGAAG CCAGGTGCAA CTTGGTTTGC | 180 |
| TTGTGTTCAT CACCCCTCAA GATATGCACA CTGCTTTCCA AATAAAGCAT CAACTGTCAT | 240 |
| CTCCAGATGG GGAAGACTTT TTCTCCAACC AGCAGGCAGG TCCCCATCCA CTCAGACACC | 300 |
| AGCACGTCCA CCTTCTCGGG CAGCACCACG TCCTCCACCT TCTGCTGGTA CACGGTGATG | 360 |

| ATGTCAGCAA AGCCGTTCTG CANGACCAGC TGCCCCGTGT GCTGTGCCAT CTCACTGGCC | |
|--|-----|
| | 420 |
| TOTOTOTAGA NGACITTATO COM MORES | 480 |
| CTGTGGTATT AATTGTTCGT GTCTGGGCTC AACATGCTA | 540 |
| (2) INFORMATION FOR SEQ ID NO:148: | 579 |
| TON BLO ID NO:148: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 249 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:148: | |
| | |
| TGACACCTTG TCCAGCATCT GCAAGCCAGG AAGAGAGTCC TCACCAAGAT CCCCACCCCG | 60 |
| THE TOTAL CALCULAGE OF CALCULAGE OF THE | 120 |
| | 180 |
| CCCATAAGAG TTACATACTC ATTAATCTCC GTCTCTATCC CCAGGTCTCA GATGCTGGAC AAGGTGTCA | 240 |
| | 249 |
| (2) INFORMATION FOR SEQ ID NO:149: | |
| (i) SECURITY CONTRACTOR | |
| (i) SEQUENCE CHARACTERISTICS: | t |
| (A) LENGTH: 255 base pairs (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (2) Iolobodi. Iillear | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:149: | |
| TGACACCTTG TCCAGCATCT GCTATTTTGT GACTTTTTAA TAATAGCCAT TCTGACTGGT | |
| | 60 |
| TO THE TOTAL TO ALL ALL ALL ALL ALL ALL ALL ALL ALL AL | 120 |
| THE TARE TAREST AND A PROPERTY OF THE PROPERTY | 180 |
| CTGGACAAGG TGTCA | 240 |
| (2) TITODUS | 255 |
| (2) INFORMATION FOR SEQ ID NO:150: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 318 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |
| (ni) anama | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:150: | |
| TTACGCTGCA ACACTGTGGA GGCCAAGCTG GGATCACTTC TTCATTCTAA CTGGAGAGGA | |
| | 60 |
| TO THE TOUCH AND GLACICAL ALL ALL AND ALL ALL ALL ALL ALL ALL ALL ALL ALL AL | 120 |
| | 180 |
| TTCTTGGTCT TCCTGCACTT CCCTGTTCTG TTAGAGACT CCCATCTTTG AAGCACGGCC TTCTTGGTCT TCCTGCACTT CCCTGTTCTC TTAGAGACCT GGTTATAGAC AAGGCTTCTC | 240 |
| | 300 |

| CACAGTGTTG CAGCGTAA | 318 |
|---|---------------------------------------|
| (2) INFORMATION FOR SEQ ID NO:151: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 323 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:151: | |
| TNACGCNGCN ACNNTGTAGA GANGGNAAGG CNTTCCCCAC ATTNCCCCTT CATNANAGAA TTATTCNACC AAGNNTGACC NATGCCNTTT ATGACTTACA TGCNNACTNC NTAATCTGTN TCNNGCCTTA AAAGCNNNTC CACTACATGC NTCANCACTG TNTGTGTNAC NTCATNAACT GTCNGNAATA GGGGCNCATA ACTACAGAAA TGCANTTCAT ACTGCTTCCA NTGCCATCNG CGTGTGGCCT TNCCTACTCT TCTTNTATTC CAAGTAGCAT CTCTGGANTG CTTCCCCACT CTCCACATTG TTGCAGCNAT AAT | 60 120 180 240 300 323 |
| (2) INFORMATION FOR SEQ ID NO:152: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 311 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:152: | |
| TCAAGATTCC ATAGGCTGAC CAGTCCAAGG AGAGTTGAAA TCATGAAGGA GAGTCTATCT GGAGAGAGCT GTAGTTTGA GGGTTGCAAA GACTTAGGAT GGAGTTGGTG GGTGTGTA GTCTCTAAGG TTGATTTTGT TCATAAATTT CATGCCCTGA ATGCCTTGCT TGCCTCACCC TGGTCCAAGC CTTAGTGAAC ACCTAAAAGT CTCTGTCTTC TTGCTCTCCA AACTTCTCCT GAGGATTCC TCAGATTGTC TACATTCAGA TCGAAGCCAG TTGGCAAACA AGATGCAGTC CAGAGGGTCA G | 60 120 180 240 300 311 |
| (2) INFORMATION FOR SEQ ID NO:153: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 332 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:153: | |
| CAAGATTCCA TAGGCTGACC AGGAGGCTAT TCAAGATCTC TGGCAGTTGA GGAAGTCTC TTAAGAAAAT AGTTTAAACA ATTTGTTAAA ATTTTTCTGT CTTACTTCAT TTCTGTAGCA GTTGATATCT GGCTGCCTT TTTATAATGC AGAGTGGGAA CTTTCCCTAC CATGTTTGAT AAATGTTGTC CAGGCTCCAT TGCCAATAAT GTGTTGTCCA AAATGCCTGT TTAGTTTTTA AAGACGGAAC TCCACCCTTT GCTTGGTCTT AAGTATGTAT GGAATGTTAT GATAGGACAT AGTAGTAGCG GTGGTCAGCC TATGGAATCT TG | 60 120 180 240 300 332 |

(2) INFORMATION FOR SEQ ID NO:154:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 345 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:154:

| TCAAGATTCC ATAGGCTGAC | CTGGACAGAG | ATCTCCTGGG | TCTGGCCCAG | GACAGCAGGC | 60 |
|-------------------------|------------|------------|------------|------------|-----|
| TCAAGCTCAG TGGAGAAGGT | | | | | 120 |
| ACATTGCATC TCCTCAGAGA | GGGAGGAGAT | GTANGTCTGG | GCTTCCACAG | GGACCTGGTA | 180 |
| TTTTAGGATC AGGGTACCGC | TGGCCTGAGG | CTTGGATCAT | TCANAGCCTG | GGGGTGGAAT | 240 |
| GGCTGGCAGC CTGTGGCCCC A | ATTGAAATAG | GCTCTGGGGC | ACTCCCTCTG | TTCCTANTTG | 300 |
| AACTTGGGTA AGGAACAGGA | ATGTGGTCAN | CCTATGGAAT | CTTGA | | 345 |

(2) INFORMATION FOR SEQ ID NO:155:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 295 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:155:

| GACGCTTGGC | CACTTGACAC | ATTAAACAGT | TTTGCATAAT | CACTANCATG | TATTTCTAGT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| | | | | | AAGCATAATC | |
| | | | | | | 120 |
| | | | | | ATCTTTCACA | 180 |
| | | | | | AATGTATTCC | 240 |
| AATATCCTTT | ANGGCCAATA | TATTTNATGT | CCCTTAATTA | AGAGCTACTG | TCCGT | 295 |

(2) INFORMATION FOR SEQ ID NO:156:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 406 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:156:

| GACGCTTGGC | CACTTGACAC | TGCAGTGGGA | AAACCAGCAT | GAGCCGCTGC | CCCCAAGGAA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CCTCGAAGCC | CAGGCAGAGG | ACCAGCCATC | CCAGCCTGCA | GGTAAAGTGT | GTCACCTGTC | 120 |
| AGGTGGGCTT | GGGGTGAGTG | GGTGGGGGAA | GTGTGTGTGC | AAAGGGGGTG | TNAATGTNTA | 180 |
| TGCGTGTGAG | CATGAGTGAT | GGCTAGTGTG | ACTGCATGTC | AGGGAGTGTG | AACAAGCGTG | 240 |
| CGGGGGTGTG | TGTGCAAGTG | CGTATGCATA | TGAGAATATG | TGTCTGTGGA | TGAGTGCATT | 300 |
| | | | | ANTGACTGCG | CAGGATGTGT | 360 |
| GAGTGTGCAT | GGAACACTCA | NTGTGTGTGT | CAAGTGGCCN | ANCGTC | | 406 |

| (2) | INFORMATION | FOR | SEQ | ID | NO: | :15 | 7 : |
|-----|-------------|-----|-----|----|-----|-----|-----|
|-----|-------------|-----|-----|----|-----|-----|-----|

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 208 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:157:

| TGACGCTTGG | CCACTTGACA | CACTAAAGGG | TGTTACTCAT | CACTTTCTTC | TCTCCTCGGT | 60 |
|------------|------------|--------------------|------------|------------|------------|-----|
| GGCATGTGAG | TGCATCTATT | CACTTGGCAC | TCATTTGTTT | GGCAGTGACT | GTAANCCANA | 120 |
| TCTGATGCAT | ACACCAGCTT | ${\tt GTAAATTGAA}$ | TAAATGTCTC | TAATACTATG | TGCTCACAAT | 180 |
| ANGGTANGGG | TGAGGAGAAG | GGGAGAGA | | | | 208 |

- (2) INFORMATION FOR SEQ ID NO:158:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 547 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:158:

| CTTCAACCTC | CTTCAACCTC | CTTCAACCTC | CTGGATTCAA | ACAATCATCC | CACCTCAGAC | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TCCTTAGTAG | CTGAGACTAC | AGACTCACGC | CACTACATCT | GGCTAAATTT | TTGTAGAGAT | 120 |
| AGGGTTTCAT | CATGTTGCCC | TGGCTGGTCT | CAAACTCCTG | ACCTCAAGCA | ATGTGCCCAC | 180 |
| CTCAGCCTCC | CAAAGTGCTG | GGATTACAGG | CATAAGCCAC | CATGCCCAGT | CCATNTTTAA | 240 |
| TCTTTCCTAC | CACATTCTTA | CCACACTTTC | TTTTATGTTT | AGATACATAA | ATGCTTACCA | 300 |
| TTATGATACA | ATTGCCCACA | GTATTAAGAC | AGTAACATGC | TGCACAGGTT | TGTAGCCTAG | 360 |
| GAACAGTAGG | CAATACCACA | TAGCTTAGGT | GTGTGGTAGA | CTATACCATC | TAGGTTTGTG | 420 |
| | | | ACAAAACCAT | | | 480 |
| ATGTATCCTT | GTCAGTAAGC | TATGATGTAC | AGGGAACACT | GCCCAAGGAC | ACAGATATTG | 540 |
| TACCTGT | | | | | | 547 |

- (2) INFORMATION FOR SEQ ID NO:159:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 203 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:159:

| GCTCCTCTTG | CCTTACCAAC | TCACCCAGTA | TGTCAGCAAT | TTTATCRGCT | TTACCTACGA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AACAGCCTGT | ATCCAAACAC | TTAACACACT | CACCTGAAAA | GTTCAGGCAA | CAATCGCCTT | 120 |
| CTCATGGGTC | TCTCTGCTCC | AGTTCTGAAC | CTTTCTCTTT | TCCTAGAACA | TGCATTTARG | 180 |
| TCGATAGAAG | TTCCTCTCAG | TGC | | | | 203 |

(2) INFORMATION FOR SEQ ID NO:160:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 402 base pairs

(A) LENGTH: 294 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single

| (B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
|--|--|
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:160: | |
| TGTAAGTCGA GCAGTGTGAT GGGTGGAACA GGGTTGTAAG CAGTAATTGC AAACTGTATT TAAACAATAA TAATAATATT TAGCATTTAT AGAGCACTTT ATATCTTCAA AGTACTTGCA AACATTAYCT AATTAAATAC CCTCTCTGAT TATAATCTGG ATACAAATGC ACTTAAAACTC AGGACAGGGT CATGAGARAA GTATGCATTT GAAAGTTGGT GCTAGCTATG CTTTAAAAAC CTATACAATG ATGGGRAAGT TAGAGTTCAG ATTCTGTTGG ACTGTTTTTG TGCATTTCAG TTCAGCCTGA TGGCAGAATT AGATCATATC TGCACTCGAT GACTYTGCTT GATAACTTAT CACTGAAATC TGAGTGTTGA TCATCACACT GCTCGACTTA CA (2) INFORMATION FOR SEQ ID NO:161: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 193 base pairs | 6 12 18 24 30 36 402 |
| (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:161: | |
| AGCATGTTGA GCCCAGACAC TGACCAGGAG AAAAACCAAC CAATAGAAAC ACGCCCAGAC ACTGACCAGG AGAAAAACCA ACCAATAAAA ACAGGCCCGG ACATAAGACA AATAATAAAA TTAGCGGACA AGGACATGAA AACAGCTATT GTAAGAGCG ATATAGTGGT GTGTGTCTGG GCTCAACATG CTA | 60 120 180 193 |
| (2) INFORMATION FOR SEQ ID NO:162: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 147 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:162: | |
| TGTTGAGCCC AGACACTGAC CAGGAGAAAA ACCAACCAAT AAAAACAGGC CCGGACATAA GACAAATAAT AAAATTAGCG GACAAGGACA TGAAAACAGC TATTGTAAGA GCGGATATAG TGGTGTGTGT CTGGGCTCAA CATGCTA | 60 120 147 |
| (2) INFORMATION FOR SEQ ID NO:163: | |
| (i) SEQUENCE CHARACTERISTICS: | |

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:163:

| TAGCATGTTG | AGCCCAGACA | CAAATCTTTC | CTTAAGCAAT | AAATCATTTC | TGCATATGTT | 60 |
|--------------------|------------|------------|------------|------------|------------|-----|
| ${\tt TTTAAAACCA}$ | CAGCTAAGCC | ATGATTATTC | AAAAGGACTA | TTGTATTGGG | TATTTTGATT | 120 |
| TGGGTTCTTA | TCTCCCTCAC | ATTATCTTCA | TTTCTATCAT | TGACCTCTTA | TCCCAGAGAC | 180 |
| TCTCAAACTT | TTATGTTATA | CAAATCACAT | TCTGTCTCAA | AAAATATCTC | ACCCACTTCT | 240 |
| CTTCTGTTTC | TGCGTGTGTA | TGTGTGTGTG | TGTGTGTCTG | GGCTCAACAT | GCTA | 294 |

(2) INFORMATION FOR SEQ ID NO:164:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 412 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:164:

| CGGGATTGGC | TTTGAGCTGC | AGATGCTGCC | TGTGACCGCA | CCCGGCGTGG | AACAGAAAGC | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CACCTGGCTG | CAAGTGCGCC | AGAGCCGCCC | TGACTACGTG | CTGCTGTGGG | GCTGGGGCGT | 120 |
| GATGAACTCC | ACCGCCCTGA | AGGAAGCCCA | GGCCACCGGA | TACCCCCGCG | ACAAGATGTA | 180 |
| CGGCGTGTGG | TGGGCCGGTG | CGGAGCCCGA | TGTGCGTGAC | GTGGGCGAAG | GCGCCAAGGG | 240 |
| CTACAACGCG | CTGGCTCTGA | ACGGCTACGG | CACGCAGTCC | AAGGTGATCC | ANGACATCCT | 300 |
| GAAACACGTG | CACGACAAGG | GCCAGGGCAC | GGGGCCCAAA | GACGAAGTGG | GCTCGGTGCT | 360 |
| GTACACCCGC | GGCGTGATCA | TCCAGATGCT | GGACAAGGTG | TCAATCACTA | AT | 412 |

(2) INFORMATION FOR SEQ ID NO:165:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 361 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:165:

| TTGACACCTT | GTCCAGCATC | TGCATCTGAT | GAGAGCCTCA | GATGGCTACC | ACTAATGGCA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GAAGGCAAAG | GAGAACAGGC | ATTGTATGGC | AAGAAAGGAA | GAAAGAGAGA | GGGGAGAAAG | 120 |
| GTGCTAGGTT | CTTTTCAACA | ACCAGTTCTT | GATGGAACTG | AGAGTAAGAG | CTCAAGGCCA | 180 |
| GGTGTGGTGA | CTCCAACCAG | TAATCCCAAC | ATTTTAGGAG | GCTGAGGCAG | GCAGATGTCT | 240 |
| TGACCCCATG | AGTTTGTGAC | CAGCCTGAAC | AACATCATGA | GACTCCATCT | CTACAATAAT | 300 |
| TACAAAAATT | AATCAGGCAT | TGTGGTATGC | CCTGTAGTCC | CAGATGCTGG | ACAAGGTGTC | 360 |
| A | | | | | | 361 |

(2) INFORMATION FOR SEQ ID NO:166:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 427 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:166:

| TWGACTGACT | CATGTCCCCT | ACACCCAACT | ATCTTCTCCA | GGTGGCCAGG | CATGATAGAA | 60 |
|------------|------------|-------------|------------------|------------|---|-----|
| TCTGATCCTG | ACTTAGGGGA | ATATTTTCTT | TTTACTTCCC | ATCTTGATTC | CCTGCCGGTG | 120 |
| AGTTTCCTGG | TTCAGGGTAA | GAAAGGAGCT | CAGGCCAAAG | TAATGAACAA | ATCCATCCTC | 180 |
| ACAGACGTAC | AGAATAAGAG | AACWTGGACW | TAGCCAGCAG | AACMCAAKTG | AAAMCAGAAC | 240 |
| MCTTAMCTAG | GATRACAAMC | MCRRARATAR | KTGCYCMCMC | WTATAATAGA | AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA | 300 |
| GTATCTAATT | AAATATTTAT | CCACYGTCAG | GGCATTAGTG | GTTTTGATAA | ATACCARACII | 360 |
| GCTAGGATTC | CTGAGGTTAG | AATGGAARAA | CAATTGCAMC | GAGGGTAGGG | CACATCACTC | |
| AKTCTAA | | | C. I. I. I COPPA | ODODATOOOA | GACAIGAGIC | 420 |
| | | | | • | | 427 |

(2) INFORMATION FOR SEQ ID NO:167:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 500 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:167:

| AACGTCGCAT | GCTCCCGGCC | GCCATGGCCG | CGGGATAGAC | TGACTCATGT | CCCCTAAGAT | 60 |
|------------|------------|--------------|------------|------------|------------|-------|
| AGAGGAGACA | CCTGCTAGGT | GTAAGGAGAA | GATGGTTAGG | TCTACGGAGG | CTCCAGGGTG | 120 |
| GGAGTAGTTC | CCTGCTAAGG | GAGGGTAGAC | TGTTCAACCT | GTTCCTGCTC | CGGCCTCCAC | 180 |
| TATAGCAGAT | GCGAGCAGGA | GTAGGAGAGA | GGGAGGTAAG | AGTCAGAAGC | TTATCTTCTT | . 240 |
| TATGCGGGGA | AACGCCRTAT | CGGGGGCAGC | CRAGTTATTA | GGGGACANTR | TACUVADOC | |
| AGNTAGCATC | CAAAGCGNGG | GAGTTNTCCC | ATATCCTTCC | ACCTGCAGGC | GGGGGGATTA | 300 |
| GTGATTAGCA | TGTGAGCCCC | ACACACCCAM | AIRIGGIIGG | ACCTAAACTC | GGCCGCATTA | 360 |
| CTCATTACTT | AACATCAATT | AGRICALGICAL | AGCAACAAGG | ACCTAAACTC | AGATCCTGTG | 420 |
| TTACCTO | AACAIGAAII | ATTGTATTA | TTTAACAACT | TTGAGTTATG | AGGCATATTA | 480 |
| TTAGGTCCAT | ATTACCTGGA | | | | | 500 |

(2) INFORMATION FOR SEQ ID NO:168:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 358 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:168:

| ~~~~~ | | | | | | |
|------------|------------|------------|------------|------------|------------|-----|
| TTCATCGCTC | GGTGACTCAA | GCCTGTAATC | CCAGAACTTT | GGGAGGCCGA | GGGGAGCAGA | 60 |
| TCACCTGAGG | TTGGGAGTTT | GAGACCAGCC | TGGCCAACAT | GGTGACAACC | CGTCTCTGCT | 120 |
| AAAAATACAA | AAATTAGCCA | AGCATGGTGG | CATGCACTTG | TAATCCCAGC | TACTCGGGAG | 180 |
| GCTGAGGCAG | CACAATCACT | TONCOCCACO | 200020200 | TARICCCAGC | CAGAGGTTGA | 180 |
| CAMCAMOOR | GROAMICACI | TGAGGCCAGG | AGGCAGAGGT | TGCAGTGAGG | CAGAGGTTGA | 240 |
| GATCATGCCA | CTGCACTCCA | GCCTGGGCAA | CAGAGTAAGA | CTCCATCTCA | AAAAAAAAA | 300 |
| AAAAAAAGAA | TGATCAGAGC | CACAAATACA | GAAAACCTTG | AGTCACCGAG | CGATGAAA | 358 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:169:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1265 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:169:

| TTCTGTCCAC | ACCAATCTTA | GAGCTCTGAA | AGAATTTGTC | TTTAAATATC | TTTTAATAGT | 60 |
|------------|------------|-----------------------|------------|------------|------------|------|
| AACATGTATT | TTATGGACCA | AATTGACATT | TTCGACTATT | TTTTCCCAAA | AAAAGTCAGG | 12,0 |
| TGAATTTCAG | CACACTGAGT | TGGGAATTTC | TTATCCCAGA | AGWCGGCACG | AGCAATTTCA | 180 |
| TATTTATTTA | AGATTGATTC | CATACTCCGT | TTTCAAGGAG | AATCCCTGCA | GTCTCCTTAA | 240 |
| AGGTAGAACA | AATACTTTCT | $\mathbf{ATTTTTTTTT}$ | CACCATTGTG | GGATTGGACT | TTAAGAGGTG | 300 |
| ACTCTAAAAA | AACAGAGAAC | AAATATGTCT | CAGTTGTATT | AAGCACGGAC | CCATATTATC | 360 |
| ATATTCACTT | AAAAAAATGA | TTTCCTGTGC | ACCTTTTGGC | AACTTCTCTT | TTCAATGTAG | 420 |
| GGAAAAACTT | AGTCACCCTG | AAAACCCACA | AAATAAATAA | AACTTGTAGA | TGTGGGCAGA | 480 |
| ARGTTTGGGG | GTGGACATTG | TATGTGTTTA | AATTAAACCC | TGTATCACTG | AGAAGCTGTT | 540 |
| GTATGGGTCA | GAGAAAATGA | ATGCTTAGAA | GCTGTTCACA | TCTTCAAGAG | CAGAAGCAAA | 600 |
| CCACATGTCT | CAGCTATATT | ATTATTTATT | TTTTATGCAT | AAAGTGAATC | ATTTCTTCTG | 660 |
| TATTAATTTC | CAAAGGGTTT | TACCCTCTAT | TTAAATGCTT | TGAAAAACAG | TGCATTGACA | 720 |
| ATGGGTTGAT | ATTTTTCTTT | AAAAGAAAAA | TATAATTATG | AAAGCCAAGA | TAATCTGAAG | 780 |
| CCTGTTTTAT | TTTAAAACTT | TTTATGTTCT | GTGGTTGATG | TTGTTTGTTT | GTTTGTTTCT | 840 |
| ATTTTGTTGG | TTTTTTACTT | TGTTTTTTGT | TTTGTTTTGT | TTTGGTTTDG | CATACTACAT | 900 |
| GCAGTTTCTT | TAACCAATGT | CTGTTTGGCT | AATGTAATTA | AAGTTGTTAA | TTTATATGAG | 960 |
| TGCATTTCAA | CTATGTCAAT | GGTTTCTTAA | TATTTATTGT | GTAGAAGTAC | TGGTAATTTT | 1020 |
| TTTATTTACA | ATATGTTTAA | AGAGATAACA | GTTTGATATG | TTTTCATGTG | TTTATAGCAG | 1080 |
| AAGTTATTTA | TTTCTATGGC | ATTCCAGCGG | ATATTTTGGT | GTTTGCGAGG | CATGCAGTCA | 1140 |
| ATATTTTGTA | CAGTTAGTGG | ACAGTATTCA | GCAACGCCTG | ATAGCTTCTT | TGGCCTTATG | 1200 |
| AAAATAAATT | AGACCTGTTT | GGGATGTAAA | AAAAAAAAA | AAAAAAAA | AAAAAAAA | 1260 |
| AAAAA | | • | | • | | 1265 |

(2) INFORMATION FOR SEQ ID NO:170:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 383 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:170:

| TGTAAGTCGA | GCAGTGTGAT | GACGATATTC | TTCTTATTAA | TGTGGTAATT | GAACAAATGA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TCTGTGATAC | TGATCCTGAG | CTAGGAGGCG | CTGTTCAGTT | AATGGGACTT | CTTCGTACTC | 120 |
| TAATTGATCC | AGAGAACATG | CTGGCTACAA | CTAATAAAAC | CGAAAAAAGT | GAATTTCTAA | 180 |
| ATTTTTTCTA | CAACCATTGT | ATGCATGTTC | TCACAGCACC | ACTTTTGACC | AATACTTCAG | 240 |
| AAGACAAATG | TGAAAAGGAT | AATATAGTTG | GATCAAACAA | AAACAACACA | ATTTGTCCCG | 300 |
| ATAATTATCA | AACAGCACAG | CTACTTGCCT | TAATTTTAGA | GTTACTCACA | TTTTGTGTGG | 360 |
| AACATCACAC | TGCTCGACTT | ACA | | | | 383 |

(2) INFORMATION FOR SEQ ID NO:171:

| (j | () | SEQUENCE | CHARACTERISTICS: |
|----|-----|----------|------------------|
| ١. | -, | PECCENCE | CUMMACIENTALICS: |

- (A) LENGTH: 383 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:171:

| TGGGCACCTT CAATATCGCA | AGTTAAAAAT | AATGTTGAGT | TTATTATACT | TTTGACCTGT | 60 |
|-----------------------|------------|------------|------------|------------|-----|
| TTAGCTCAAC AGGGTGAAGG | CATGTAAAGA | ATGTGGACTT | CTGAGGAATT | TTCTTTTAAA | 120 |
| AAGAACATAA TGAAGTAACA | TTTTAATTAC | TCAAGGACTA | CTTTTGGTTG | AAGTTTATAA | 180 |
| TCTAGATACC TCTACTTTTT | GTTTTTGCTG | TTCGACAGTT | CACAAAGACC | TTCAGCAATT | 240 |
| TACAGGGTAA AATCGTTGAA | | | | | 300 |
| TACTATAGGG AAAGAGGCTG | AGCTTAGAAT | CTTTTGGTTG | TTCATGTGTT | CTGTGCTCTT | 360 |
| ATCATCACAC TGCTCGACTT | ACA | | | | 383 |

(2) INFORMATION FOR SEQ ID NO:172:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 699 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:172:

| TCGGGTGATG CCTCCTCAGG | CTTGTCGTTA | GTGTACACAG | AGCTGCTCAT | GAAGCGACAG | 60 |
|-----------------------|------------|------------|------------|------------|-----|
| CGGCTGCCCC TGGCACTTCA | GAACCTCTTC | CTCTACACTT | TTGGTGCGCT | TCTGAATCTA | 120 |
| | | | AAAGTTTCTC | | 180 |
| GCACTCGTGG TGCTGAGCCA | | | | | 240 |
| GGCAGCAGCA TCACACGCCT | | | | | 300 |
| TCAGCAGTCC TGCTACGGCT | | | | | 360 |
| GGCCTGGCCA TGCGCCTGTA | | | | | 420 |
| CCGGACCCTG TAGATTGGGC | | | | | 480 |
| CATCAGCGGC CCTGTAACAA | | | | | 540 |
| TTATTCTCTG GAGGTTGGTG | | | | | 600 |
| GTTAAGGAAA TGCTTACCAT | | | NTTCCAGACT | AAAGAATTAA | 660 |
| GGTAACATCA ATACCTAGGC | CTGAGGAGGC | ATCACCCGA | | | 699 |

(2) INFORMATION FOR SEQ ID NO:173:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 701 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:173:

| TCGGGTGATG CCTCCTCAGG | CCAGATCAAA | CTTGGGGTTG | AAAACTGTGC | AAAGAAATCA | 60 |
|-----------------------|------------|------------|------------|------------|-----|
| ATGTCGGAGA AAGAATTTTG | CAAAAGAAAA | ATGCCTAATC | AGTACTAATT | TAATAGGTCA | 120 |

| CATTAGCAGT | GGAAGAAGAA | ATGTTGATAT | TTTATGTCAG | CTATTTTATA | ATCACCAGAG | 180 |
|------------|------------|------------|------------|------------|------------|-----|
| | | | | AAGAACAATT | | 240 |
| GAAAGAACTT | TTCAATTTAT | AGCATCTTAA | TTGCTCAGGA | TTTTAAATTT | TGATAAAGAA | 300 |
| AGCTCCACTT | TTGGCAGGAG | TAGGGGGCAG | GGAGAGAGGA | GGCTCCATCC | ACAAGGACAG | 360 |
| AGACACCAGG | GCCAGTAGGG | TAGCTGGTGG | CTGGATCAGT | CACAACGGAC | TGACTTATGC | 420 |
| CATGAGAAGA | AACAACCTCC | AAATCTCAGT | TGCTTAATAC | AACACAAGCT | CATTTCTTGC | 480 |
| TCACGTTACA | TGTCCTATGT | AGATCAACAG | CAGGTGACTC | AGGGACCCAG | GCTCCATCTC | 540 |
| CATATGAGCT | TCCATAGTCA | CCAGGACACG | GGCTCTGAAA | GTGTCCTCCA | TGCAGGGACA | 600 |
| CATGCCTCTT | CCTTTCATTG | GGCAGAGCAA | GTCACTTATG | GCCAGAAGTC | ACACTGCAGG | 660 |
| GCAGTGCCAT | CCTGCTGTAT | GCCTGAGGAG | GCATCACCCG | A | | 701 |

(2) INFORMATION FOR SEQ ID NO:174:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 700 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:174:

| TCGGGTGATG | CCTCCTCANG | CCCCTAAATC | AGAGTCCAGG | GTCAGAGCCA | CAGGAGACAG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GGAAAGACAT | AGATTTTAAC | CGGCCCCCTT | CAGGAGATTC | TGAGGCTCAG | TTCACTTTGT | 120 |
| TGCAGTTTGA | ACAGAGGCAG | CAAGGCTAGT | GGTTAGGGGC | ACGGTCTCTA | AAGCTGCACT | 180 |
| GCCTGGATCT | GCCTCCCAGC | TCTGCCAGGA | ACCAGCTGCG | TGGCCTTGAG | CTGCTGACAC | 240 |
| GCAGAAAGCC | CCCTGTGGAC | CCAGTCTCCT | CGTCTGTAAG | ATGAGGACAG | GACTCTAGGA | 300 |
| ACCCTTTCCC | TTGGTTTGGC | CTCACTTTCA | CAGGCTCCCA | TCTTGAACTC | TATCTACTCT | 360 |
| TTTCCTGAAA | CCTTGTAAAA | GAAAAAAGTG | CTAGCCTGGG | CAACATGGCA | AAACCCTGTC | 420 |
| TCTACAAAAA | ATACAAAAAT | TAGTTGGGTG | TGGTGGCATG | TGCCTGTAGT | CCCAGCCACT | 480 |
| TGGGAGGTGC | TGAGGTGGGA | GGATCACTTG | AGCCCGGGAG | GTGGAGGTTG | CAGTGAGCCA | 540 |
| AGATCATGCC | ACTGCACTCC | AGCCTGAGTA | ATAGAGTAAG | ACTCTGTCTC | AAAAACAACA | 600 |
| ACAACAACAG | TGAGTGTGCC | TCTGTTTCCG | GGTTGGATGG | GGCACCACAT | TTATGCATCT | 660 |
| CTCAGATTTG | GACGCTGCAG | CCTGAGGAGG | CATCACCCGA | | • | 700 |

(2) INFORMATION FOR SEQ ID NO:175:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 484 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:

| TATAGGGCGA | ATTGGGCCCG | AGTTGCATGN | TCCCGGCCGC | CATGGCCGCG | GGATTCGGGT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GATGCCTCCT | CAGGCTTGTC | TGCCACAAGC | TACTTCTCTG | AGCTCAGAAA | GTGCCCCTTG | 120 |
| ATGAGGGAAA | ATGTCCTACT | GCACTGCGAA | TTTCTCAGTT | CCATTTTACC | TCCCAGTCCT | 180 |
| CCTTCTAAAC | CAGTTAATAA | ATTCATTCCA | CAAGTATTTA | CTGATTACCT | GCTTGTGCCA | 240 |
| GGGACTATTC | TCAGGCTGAA | GAAGGTGGGA | GGGGAGGGCG | GAACCTGAGG | AGCCACCTGA | 300 |
| GCCAGCTTTA | TATTTCAACC | ATGGCTGGCC | CATCTGAGAG | CATCTCCCCA | CTCTCGCCAA | 360 |
| CCTATCGGGG | CATAGCCCAG | GGATGCCCCC | AGGCGGCCCA | GGTTAGATGC | GTCCCTTTGG | 420 |
| CTTGTCAGTG | ATGACATACA | CCTTAGCTGC | TTAGCTGGTG | CTGGCCTGAG | GAGGCATCAC | 480 |
| CCGA | | | | | | 484 |

(2) INFORMATION FOR SEQ ID NO:176:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 432 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:176:

| TCCCCCTTCTTCT | | | | | | |
|--------------------------|--------------|------------|-------------|-------------|--------------------------|-----|
| TCGGGTGATG | CCTCCTCAGG | GCTCAAGGGA | TGAGAAGTGA | CTTCTTTTTTT | GAGGGACCGT | |
| TCATGCCACC | CAGGATGA A 3 | ATCCATACCC | ACCC TOTOM | CITCILLCIG | GAGGGACCGT | 60 |
| GACAAATCCC | 70007000 | AIGGAIAGGG | ACCCACTTGG | AGGACTTGCT | GAGGGACCGT GATATGTTTG | 120 |
| | ADDIAGCGGA | ATTGGTACTC | CTCCACCACT | Mamora act | | |
| CCACCATGGG | ACGTCATCGT | TCAAATCAAC | TOTOTONAMOO | CONTRACT | AGATTTTCAC CACATCATGC | 180 |
| CTCCCACACA GCCAGCTCTA | ATCCCACTUT | CCACACACAC | TCTTCAATGG | CCATGGGGGA | CACATCATGC | 240 |
| CCCACCTCC | ALCOCAGIII | GGAGAGATGG | GAGGCAAGTT | TATGAAAAGC | CAGGGGGGTDA | 300 |
| | CCAIAACCAG | AGTUAGGAC | 中で中で カロののっち | 00 | | 300 |
| ATATGCCACC | TCGGTTTTCT | AAGAAACCAC | ACCEPTA | GCIGCAAGGA | CAGTCGAAGG | 360 |
| ATATGCCACC GGCATCACCC | 07 | MOMMAGGAC | AGCTTAATGC | AGATGAGATT | AGCCTGAGGA | 420 |
| OGCATCACCC | GA | | | | | • |
| | | | | | | 432 |

(2) INFORMATION FOR SEQ ID NO:177:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 788 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:177:

| TGGCAATGCC CCCAACTGAC TACTGTTCCT TGCTCCAGTC TGAAGCTCTT TCGTCGTGGC CACTGCTCAG ATTGGATTGC TCGCCGTTCT | AGTGGAACCA AAGCCCTTGC GTTGGCCGAG AACGTTACAA CCTGGGGACA AACGTTGCTG GTGATTATCC CACACGGCTC GGTAAAAAAGC | CGCTGCTTGA GCCTGCTCT TGGAGACTGG CGGAAGTAAA ATGTGGGCTT GTGACAGCAA TGAACCATCC ACATTGCATG | GTTCAAGGGA GGCTCTGGAC CCAGGATGTC TGTTCTCAAA ATCTGTCGAA CAATGTCAAG AAATGACCCA AGGCCAAATA CAAGTTTGCT CCCTAAATTC | TGGAAAGTCA TGCATCCTAC TACAAAATTG CCCGGTATGG ATGCACCATG AATGTGTCTG CCAATGGAAG AGTGCCGGCT GAGCTGAAGG TTGAAGTCTG | GTGGTATTGG TGGTCACCTT AAGCTTTGAG TCAAGGATGT CAGCTGGCTT ATGCCCCTGT | 60 120 180 240 300 360 420 480 540 600 660 |
|--|---|--|---|---|--|--|
| TCGCCGTTCT CATTGTTGAT | GGTAAAAAGC | TGGAAGATGG GCAAGCCCAT | CAAGTTTGCT | GAGCTGAAGG TTGAAGTCTG AGCTTCTCAG | AAAAGATTGA | 600 |

(2) INFORMATION FOR SEQ ID NO:178:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 786 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:178:

| TAGCATGTTG | AGCCCAGACA | CCTGTGTTTC | TGGGAGCTCT | GGCAGTGGCG | GATTCATAGG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CACTTGGGCT | GCACTTTGAA | TGACACACTT | GGCTTTATTA | GATTCACTAG | AAAATTTTT | 120 |
| ATTGTTGTTC | GTTTCTTTTC | ATTAAAGGTT | TAATCAGACA | GATCAGACAG | CATAATTTTG | 180 |
| TATTTAATGA | CAGAAACGTT | GGTACATTTC | TTCATGAATG | AGCTTGCATT | CTGAAGCAAG | 240 |
| AGCCTACAAA | AGGCACTTGT | TATAAATGAA | AGTTCTGGCT | CTAGAGGCCA | GTACTCTGGA | 300 |
| GTTTCAGAGC | AGCCAGTGAT | TGTTCCAGTC | AGTGATGCCT | AGTTATATAG | AGGAGGAGTA | 360 |
| CACTGTGCAC | TCTTCTAGGT | GTAAGGGTAT | GCAACTTTGG | ATCTTAAAAT | TCTGTACACA | 420 |
| TACACACTTT | ATATATATGT | ATGTATGTAT | GAAAACATGA | AATTAGTTTG | TCAAATATGT | 480 |
| GTGTGTTTAG | TATTTTAGCT | TAGTGCAACT | ATTTCCACAT | TATTTATTAA | ATTGATCTAA | 540 |
| GACACTTTCT | TGTTGACACC | TTGAATATTA | ATGTTCAAGG | GTGCAATGTG | TATTCCTTTA | 600 |
| GATTGTTAAA | GCTTAATTAC | TATGATTTGT | AGTAAATTAA | CTTTTAAAAT | GTATTTGAGC | 660 |
| CCTTCTGTAG | TGTCGTAGGG | CTCTTACAGG | GTGGGAAAGA | TTTTAATTTT | CCAGTTGCTA | 720 |
| ATTGAACAGT | ATGGCCTCAT | TATATATTT | GATTTATAGG | AGTTTGTGTC | TGGGCTCAAC | 780 |
| ATGCTA | | | | | | 786 |

(2) INFORMATION FOR SEQ ID NO:179:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 796 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:179:

| TAGCATGTTG | AGCCCAGACA | CTGGTTACAA | GACCAGACCT | GCTTCCTCCA | TATGTAAACA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GCTTTTAAAA | AGCCAGTGAA | CCTTTTTAAT | ACTTTGGCAA | CCTTCTTTCA | CAGGCAAAGA | 120 |
| ACACCCCCAT | CCGCCCCTTG | TTTGGAGTGC | AGAGTTTGGC | TTTGGTTCTT | TGCCTTGCCT | 180 |
| GGAGTATACT | TCTAATTCCT | GTTGTCCTGC | ACAAGCTGAA | TACCGAGCTA | CCCACCGCCA | 240 |
| CCCAGGCCAG | GTTTCCACTC | ATTTATTACT | TTATGTTTCT | GTTCCATTGC | TGGTCCACAG | 300 |
| AAATAAGTTT | TCCTTTGGAG | GAATGTGATT | ATACCCCTTT | AATTTCCTCC | TTTTGCTTTT | 360 |
| TTTTAATATC | ATTGGTATGT | GTTTGGCCCA | GAGGAAACTG | AAATTCACCA | TCATCTTGAC | 420 |
| TGGCAATCCC | ATTACCATGC | TTTTTTTAAA | AAACGTAATT | TTTCTTGCCT | TACATTGGCA | 480 |
| GAGTAGCCCT | TCCTGGCTAC | TGGCTTAATG | TAGTCACTCA | GTTTCTAGGT | GGCATTAGGC | 540 |
| ATGAGACCTG | AAGCACAGAC | TGTCTTACCA | CAAAAGGTGA | CAAGATCTCA | AACCTTAGCC | 600 |
| AAAGGGCTAT | GTCAGGTTTC | AATGCTATCT | GCTTCTGTTC | CTGCTCACTG | TTCTGGATTT | 660 |
| TGTCCTTCTT | CATCCCTAGC | ACCAGAATTT | CCCAGTCTCC | CTCCCTACCT | TCCCTTGTTT | 720 |
| TAATTCTAAT | CTATCAGCAA | AATAACTTTT | CAAATGTTTT | AACCGGTATC | TCCATGTGTC | 780 |
| TGGGCTCAAC | ATGCTA | | | | | 796 |

(2) INFORMATION FOR SEQ ID NO:180:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 488 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:180:

| GGATGTGCTG | CAAGGCGATT | AAGTTGGGTA | ACGCCAGGGT | TTTCCCAGTC | ACGACGTTGT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AAAACGACGG | CCAGTGAATT | GTAATACGAC | TCACTATAGG | GCGAATTGGG | CCCGACGTCG | 120 |
| CATGCTCCCG | GCCGCCATGG | CCGCGGGATA | GCATGTTGAG | CCCAGACACC | TGCAGGTCAT | 180 |
| TTGGAGAGAT | TTTTCACGTT | ACCAGCTTGA | TGGTCTTTTT | CAGGAGGAGA | GACACTGAGC | 240 |
| ACTCCCAAGG | TGAGGTTGAA | GATTTCCTCT | AGATAGCCGG | ATAAGAAGAC | TAGGAGGGAT | 300 |
| GCCTAGAAAA | TGATTAGCAT | GCAAATTTCT | ACCTGCCATT | TCAGAACTGT | GTGTCAGCCC | 360 |
| ACATTCAGCT | GCTTCTTGTG | AACTGAAAAG | AGAGAGGTAT | TGAGACTTTT | CTGATGGCCG | 420 |
| | | | | | TCTGGGCTCA | 480 |
| ACATGCTA | | | | | | 488 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:181:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 317 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:181:

| TAGCATGTTG | AGCCCAGACA | CGGCGACGGT | ACCTGATGAG | TGGGGTGATG | GCACCTGTGA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| | | | | | TGGCTCCGCG | 120 |
| | | | | | AAGTTTGTGC | 180 |
| TGCAGGTTTA | TCGGGACTAT | TACCTCACGG | GTGATCAAAA | CTTCCTGAAG | GACATGTGGC | 240 |
| | | GCACATGCAG | TGGCCAGTGT | GCCAGGGGTA | TGGTTCGTGT | 300 |
| CTGGGCTCAA | CATGCTA | | | | | 317 |

(2) INFORMATION FOR SEQ ID NO:182:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 507 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:182:

| TAGCATGTTG | AGCCCAGACA | CTGGCTGTTA | GCCAAATCCT | CTCTCAGCTG | CTCCCTGTGG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TTTGGTGACT | CAGGATTACA | GAGGCATCCT | GTTTCAGGGA | ACAAAAAGAT | TTTAGCTGCC | 120 |
| AGCAGAGAGC | ACCACATACA | TTAGAATGGT | AAGGACTGCC | ACCTCCTTCA | AGAACAGGAG | 180 |
| | | | | | TGCTCTCTCA | 240 |
| AATCCTGTCT | TAGTCTTAGG | AAAGGAAGTA | AAGTTTCAAG | GACGGTTCCG | AACTGCTTTT | 300 |
| TGTGTCTGGG | CTCAACATGC | TATCCCGCGG | CCATGGCGGC | CGGGAGCATG | CGACGTCGGG | 360 |
| CCCAATTCGC | CCTATAGTGA | GTCGTATTAC | AATTCACTGG | CCGTCGTTTT | ACAACGTCGT | 420 |
| GACTGGGAAA | ACCCTGGCGT | TACCCAACTT | AATCGCCTTG | CAGCACATCC | CCCTTTCCCA | 480 |
| GCTGGCGTAA | TANCGAAAAG | GCCCGCA | | | | 507 |

(2) INFORMATION FOR SEQ ID NO:183:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 227 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

| (D) TOPOLOGY: line | ea | r |
|--------------------|----|---|
|--------------------|----|---|

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:183:

| GATTTACGCT | GCAACACTGT | GGAGGTAGCC | CTGGAGCAAG | GCAGGCATGG | ATGCTTCTGC | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AATCCCCAAA | TGGAGCCTGG | TATTTCAGCC | AGGAATCTGA | GCAGAGCCCC | CTCTAATTGT | 120 |
| AGCAATGATA | AGTTATTCTC | TTTGTTCTTC | AACCTTCCAA | TAGCCTTGAG | CTTCCAGGGG | 180 |
| AGTGTCGTTA | ATCATTACAG | CCTGGTCTCC | ACAGTGTTGC | AGCGTAA | | 227 |

(2) INFORMATION FOR SEQ ID NO:184:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 225 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:184:

| TTACGCTGCA | ACACTGTGGA | GCAGATTAAC | ATCAGACTTT | TCTATCAACA | TGACTGGGGT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TACTAAAAAG | ACAACAAATC | AATGGCTTCA | AAAGTCTAAG | GAATAATTTC | GATACTTCAA | 120 |
| CTTTATAAAA | CCTGACAAAA | CTATCAATCA | AGCATAAAGA | CAGATGAAGA | ACATTTCCAG | 180 |
| ATTTTGGCCA | ATCAGATATT | TTACCTCCAC | AGTGTTGCAG | CGTAA | | 225 |

(2) INFORMATION FOR SEQ ID NO:185:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 597 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:185:

| GGCCCGACGT | CGCATGCTCC | CGGCCGCCAT | GGCCGCGGGA | TTCGTTAGGG | TCTCTATCCA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CTGGGACCCA | TAGGCTAGTC | AGAGTATTTA | GAGTTGAGTT | CCTTTCTGCT | TCCCAGAATT | 120 |
| TGAAAGAAAA | GGAGTGAGGT | GATAGAGCTG | AGAGATCAGA | TTTGCCTCTG | AAGCCTGTTC | 180 |
| AAGATGTATG | TGCTCAGACC | CCACCACTGG | GGCCTGTGGG | TGAGGTCCTG | GGCATCTATT | 240 |
| TGAATGAATT | GCTGAAGGGG | AGCACTATGC | CAAGGAAGGG | GAACCCATCC | TGGCACTGGC | 300 |
| | | | TTCTTTGCTG | | | 360 |
| TGTGAGGGGC | AGGTAAGAAG | AAGTGCCCRG | TGTTGTGCGA | GTTTTAGAAC | ATCTACCAGT | 420 |
| AAGTGGGGAA | GTTTCACAAA | GCAGCAGCTT | TGTTTTGTGT | ATTTTCACCT | TCAGTTAGAA | 480 |
| GAGGAAGGCT | GTGAGATGAA | TGTTAGTTGA | GTGGAAAAGA | CGGGTAAGCT | TAGTGGATAG | 540 |
| AGACCCTAAC | GAATCACTAG | TGCGGCCGCC | TTGCAGGTCG | ACCATATGGG | AGAGCTC | 597 |

(2) INFORMATION FOR SEQ ID NO:186:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 597 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:186:

| GGCCCGAAGT | TGCATGTTCC | CGGCCGCCAT | GGCCGCGGGA | TTCGTTAGGG | TCTCTATCCA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CTACCTAAAA | AATCCCAAAC | ATATAACTGA | ACTCCTCACA | CCCAATTGGA | CCAATCCATC | 120 |
| ACCCCAGAGG | CCTACAGATC | CTCCTTTGAT | ACATAAGAAA | ATTTCCCCAA | ACTACCTAAC | 180 |
| TATATCATTT | TGCAAGATTT | GTTTTACCAA | ATTTTGATGG | CCTTTCTGAG | CTTGTCAGTG | 240 |
| TGAACCACTA | TTACGAACGA | TCGGATATTA | ACTGCCCCTC | ACCGTCCAGG | TGTAGCTGGC | 300 |
| AACATCAAGT | GCAGTAAATA | TTCATTAAGT | TTTCACCTAC | TAAGGTGCTT | AAACACCCTA | 360 |
| GGGTGCCATG | TCGGTAGCAG | ATCTTTTGAT | TTGTTTTTAT | TTCCCATAAG | GGTCCTGTTC | 420 |
| AAGGTCAATC | ATACATGTAG | TGTGAGCAGC | TAGTCACTAT | CGCATGACTT | GGAGGGTGAT | 480 |
| AATAGAGGCC | TCCTTTGCTG | TTAAAGAACT | CTTGTCCCAG | CCTGTCAAAG | TGGATAGAGA | 540 |
| CCCTAACGAA | TCACTAGTGC | GGCCGCCTGC | AGGTCGACCA | TATGGGAGAG | CTCCCAA | 597 |

(2) INFORMATION FOR SEQ ID NO:187:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 324 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:187:

| TCGTTAGGGT | CTCTATCCAC | TTGCAGGTAA | AATCCAATCC | TGTGTATATC | TTATAGTCTT | 60 |
|------------|------------|------------|------------|------------|--------------|-------|
| CCATATGTAG | TGGTTCAAGA | GACTGCAGTT | CCAGAAAGAC | TAGCCGAGCC | CATCCATGTC | 120 |
| TTCCACTTAA | CCCTGCTTTG | GGTTACACAT | CTTAACTTTT | CTGTTCAAGT | TTCTCTGTGT | 180 |
| AGTTTATAGC | ATGAGTATTG | GGAWAATGCC | CTGAAACCTG | ACATGAGATC | TGGGAAACAC | 240 |
| AAACTTACTC | AATAAGAATT | TCTCCCATAT | TTTTATGATG | GAAAAATTTC | ACATGCACAG | 300 |
| AGGAGTGGAT | AGAGACCCTA | ACGA | | | TICTITOCACAG | 324 |
| | | | | | | . 324 |

- (2) INFORMATION FOR SEQ ID NO:188:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 178 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:188:

| GCGCGGGGAT TCGG | GGTGAT ACCTCCTCAT | GCCAAAATAC | AACGTNTAAT | TTCACAACTT | 60 |
|-----------------|--------------------|------------|------------|------------|-----|
| GCCTTCCAAT TTAC | GCATTT TCAATTTGC | CTCCCCATTT | GTTGAGTCAC | AACAAACACC | 120 |
| ATTGCCCAGA AACA | ATGTATT ACCTAACATO | CACATACTCT | TAAAACTACT | CATCCCTT | 178 |

- (2) INFORMATION FOR SEQ ID NO:189:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 367 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:189:

| TGACACCTTG | TCCAGCATCT | GACACAGTCT | TGGCTCTTGG | AAAATATTGG | ATAAATGAAA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| ATGAATTTCT | TTAGCAAGTG | GTATAAGCTG | AGAATATACG | TATCACATAT | CCTCATTCTA | 120 |
| AGACACATTC | AGTGTCCCTG | AAATTAGAAT | AGGACTTACA | ATAAGTGTGT | TCACTTTCTC | 180 |
| AATAGCTGTT | ATTCAATTGA | TGGTAGGCCT | TAAAAGTCAA | AGAAATGAGA | GGGCATGTGA | 240 |
| AAAAAAGCTC | AACATCACTG | ATCATTAGAA | AACTTCCATT | CAAACCCCCA | ATGAGATACC | 300 |
| ATCTCATACC | AGTCAGAATG | GCTATTATTA | AAAAGTCAAA | AAATAACAGA | TGCTGGACAA | 360 |
| GGTGTCA | | | | | | 367 |

(2) INFORMATION FOR SEQ ID NO:190:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 369 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:190:

| GACACCTTGT | CCAGCATCTG | ACAACGCTAA | CAGCCTGAGG | AGATCTTTAT | TTATTTATTT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AGTTTTTACT | CTGGCTAGGC | AGATGGTGGC | TAAAACATTC | ATTTACCCAT | TTATTCATTT | 120 |
| AATTGTTCCT | GCAAGGCCTA | TGGATAGAGT | ATTGTCCAGC | ACTGCTCTGG | AAGCTAGGAG | 180 |
| CATGGGGATG | AACAAGATAG | GCTACATCCT | GTTCCCACAG | AACTTCCACT | TTAGTCTGGG | 240 |
| AAACAGATGA | TATATACAAA | TATATAAATG | AATTCAGGTA | GTTTTAAGTA | CGAAAAGAAT | 300 |
| AAGAAAGCAG | AGTCATGATT | TANAATGCTG | GAAACAGGGG | CTATTGCTTG | AGATATTGAA | 360 |
| GGTGCCCAA | • | | | | | 369 |

(2) INFORMATION FOR SEQ ID NO:191:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 369 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:191:

| TGACACCTTG | TCCAGCATCT | GCACAGGGAA | AACAAACTAT | TATCAGAGTG | A A C A C C C A A C | 60 |
|------------|------------|------------|------------|------------|---------------------|-----|
| | | | | | | 80 |
| CTACAGAATG | GGAGAAAATT | TTTGCAATCT | ATCCATCTGA | CAAAGGGCTA | ATATCCAGAA | 120 |
| TCTACAAAGA | ACTTATACAA | ATTTACAAGA | AACAAACAAA | CAAACAACTC | CTCAAAAAGT | 180 |
| GGGTGAAGGA | TGTGAACAGA | CACTTCTCAA | AAGAAGACAT | TTATGGGGCC | AACAAACATA | 240 |
| TGAAAAAAAG | CTCATCATCA | CTGGTCACTA | GATAAATGCA | AATCAAAACC | ACAATGAGAT | 300 |
| ACCATCTCAT | TCCAGTTAGA | ATGGCAATCA | TTAAAAAGTC | AGGAAACAAC | AGATGCTGGA | 360 |
| CAAGGTGTC | | | | | | 369 |

(2) INFORMATION FOR SEQ ID NO:192:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:192:

| TGACGCTTGG | CCACTTCACA | CITIMO N INCOMP | | | | |
|--------------------|--------------|-------------------|---------------------|----------------|--------------------------|-----|
| | CCACTIGACA | CTTCATCTTT. | GCACAGAAAA | ACTTCTTTAC | AGATTTAATT | |
| CAAGACTGGT | CTAGTGACAG | TCCTCCACAC | A THE THE CALL | | AGATTTAATT TACGTGGAAT | 60 |
| mmma a a a a a a a | | TCCTCCAGAC | ATTITICAT | TTGTTCCATA | TACGTGGAAT | 120 |
| TTTAAAATCA | TGTTTCATCA | GTTTGAAATG | Δ TTTCCCCCTC | CM3 3 mcs 3 cs | TACGTGGAAT CAATTGGATC | 120 |
| CACTCTTCTA | CER AR CRACE | ~~~ | ATTIGGGC1G | CTAATCAACA | CAATTGGATC | 180 |
| ONCIOILCIA | CIAAACAACA | GGAAAATGTG | $T\Delta TCTCCCAC$ | COMORGON | | |
| ATTGATTTT | CTTTCCCCTTT | Th COCh cmmm | | CCIGIGGAGA | AACACTAAAC CAAGTTCTCT | 240 |
| | CITIGCCITI | TACGGACTTT | GTTCCAGCTA | CATGTAATAC | CAACTTCTCT | 200 |
| TTAAGAGGAG | AAGATGTTGA | שייייים א שייייים | mmmama aas a | | CAAGIICICI | 300 |
| momma | | TCTTCATTIG | TTTCTACCAG | ACTGCCACCC | TAGTAAATAT | 360 |
| TCTTTATTTA | TGCTGGTAAA | AAATTGCCAT | CCAAATTAACA | MC a mm ca | | 300 |
| CCTCCTCACT | OMON NAMES | | CCAAAIAAGA | IGATICATGA | TACTGGTATT | 420 |
| CCTGCTGAGT | GTCAAGTGGC | CAAGCGTCA | | | | |
| | | | | | | 449 |

(2) INFORMATION FOR SEQ ID NO:193:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 372 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:193:

| AGCTGCAATA CTCAGAGGTG TGGAAGAATA | AATAACTGGT CCTTTGGCTG ACTCCACAAT TTAATTCCAG | ACATTCTAGA AATTGCAGTA AGAGAAGAGG AGTCTGAGGA | AAGAGACAAC ATCATTTCAG TGAGATATAA | CAGGATTGCT GCCAATTCAA TGTGTTTTCT | CAATTGTACA AGGCCATAAA TCCAGTTTGG TGCAACTTCT CATTAAAGCA TGTGTCAAGT | 60 120 180 240 300 360 |
|--|--|--|--|--|---|---------------------------------------|
| | | | | | | 372 |

(2) INFORMATION FOR SEQ ID NO:194:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 309 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:194:

| CAGAAACATT ACATATACAA | CAGTTCTGAN AAACAAACTC | ACCTTCAATA CACTCGAATG TGCANTCTCA | TCACACTAGA GCAGGATAAC | GACAAACGCC TTTTTGTGTT | AGCCCTTTAT ACAAGATCTG GTAATCCTTC CTGTAAAATA GTCAAGTGGC | 60 120 180 240 300 309 |
|--------------------------|-----------------------|--|--------------------------|--------------------------|--|---------------------------------------|
|--------------------------|-----------------------|--|--------------------------|--------------------------|--|---------------------------------------|

- (2) INFORMATION FOR SEQ ID NO:195:
 - (i) SEQUENCE CHARACTERISTICS:

| (A) LENGTH: 312 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
|---|---------------------------------------|
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:195: | |
| TGACGCTTGG CCACTTGACA CCCAATCTCG CACTTCATCC TCCCAGCACC TGATGAAGTA GGACTGCAAC TATCCCCACT TCCCAGATGA GGGGACCAAN GTACACATTA GGACCCGGAT GGGAGCACAG ATTTGTCCGA TCCCAGACTC CAAGCACTCA GCGTCACTCC AGGACAGCGG CTTTCAGATA AGGTCACAAA CATGAATGGC TCCGACAACC GGAGTCAGTC CGTGCTGAGT TAAGGCAATG GTGACACGGA TGCACGTGTN ACCTGTAATG GTTCATCGTA AGTGTCAAGT GGCCAAGCGT CA | 60 120 180 240 300 312 |
| (2) INFORMATION FOR SEQ ID NO:196: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 288 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:196: | |
| TGTATCGACG TAGTGGTCTC CTCAGCCATG CAGAACTGTG ACTCAATTAA ACCTCTTTCC TTTATGAATT ACCCAATCTC GGGTAGTGTC TTTATAGTAG TGTGAGAATG GACTAATACA AGTACATTTT ACTTAGTAAT AATAATAAAC AAATATATTA CATTTTTGTG TATTTACTAC ACCATATTTT TTATTGTTAT TGTAGTGTAC ACCTTCTACT TATTAAAAGA AATAGGCCCG AGGCGGCAG ATCACGAGGT CAGGAGATGG AGACCACTAC GTCGATAC (2) INFORMATION FOR SEQ ID NO:197: | 60 120 180 240 288 |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 289 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:197: | |
| TTGGGCACCT TCAATATCAT GACAGGTGAT GTGATAACCA AGAAGGCTAC TAAGTGATTA ATGGGTGGGT AATGTATACA GAGTAGGTAC ACTGGACAGA GGGGTAATTC ATAGCCAAGG CAGGAGAAGC AGAATGGCAA AACATTTCAT CACACTACTC AGGATAGCAT GCAGTTTAAA ACCTATAAGT AGTTTATTT TGGAATTTTC CACTTAATAT TTTCAGACTG CAGGTAACTA AACTGTGGAA CACAAGAACA TAGATAAGGG GAGACCACTA CGTCGATAC | 60 120 180 240 289 |

- (2) INFORMATION FOR SEQ ID NO:198:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 288 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:198:

| GTATCGACGT AGTGGTCTCC CAAGCAGTGG GAAGAAAACG AGATACCCCA AAGAAAGGCG CTTGAGTAAA GATTCCAAGT AAAATTCAGG CTGTCAAAGA GATTTGCTAT GAGGTTGCTC CGGCAGGAGA TTGAAGCCCT GGCCATTGTC AAGATGAAGG AAGAAAGACC CCAATGAGCG GGACTCCTGG AGACCACTAC | GGGTCACAAT CTCAGATCTT TCAATGACTT CAGGCACAGT | 60 120 180 240 288 |
|---|---|--------------------------------|
|---|---|--------------------------------|

(2) INFORMATION FOR SEQ ID NO:199:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1027 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:199:

| GCTTTTTGGG | AAAAACNCAA | MTCCCCCAAA | 000000 | _ | | |
|---|--------------------------|----------------|----------------|------------|------------|------|
| AANCCCAGGG | TTTCCCCATT | | | | ATAAAGGGGG | 60 |
| | | | | GCCAGGGGAT | TGTAANAGGA | 120 |
| | GGGGGAATGG | GCCCNGAAGT | TGCAAGGTTC | CNGCCCGCCA | | |
| | ATTACGACGS | TGGTAATAAA | GTGGGSCCAA | | | 180 |
| TTTSGACCAG | TGAACCCATT | GWACAGGACC | | | | 240 |
| GATAAAAGRT | TAGAAGTYTT | | - 0.11 11 0011 | | | 300 |
| AATTTCACCC | | TOTOCACOTI | IOI IO CITI CA | TTAAATGGAG | | 360 |
| GTCATACGAG | | | CCTTGAAGGC | ATTCAATTAA | GTGACCAATC | 420 |
| | | | ATGATGATAT | | ACCTTCACAG | 480 |
| | TATCCTCTTG | | ATACCACAAG | TACCCTTTTG | ACCATGTCGA | |
| CTAGCAAATT | TGTCTCCAAT | CTGTGTWATC | CCTAACAGAG | CGTACCCTTA | · | 540 |
| TTTATATCCT | TCCTGATTGA | | | | TTTTACAAAA | 600 |
| TCTGAGAAA | GTGCTACACT | CTCTCTTCTTCCAT | AACCIGATCC | ACAATGCCCG | TCTCGCTWGT | 660 |
| ብ ተመተመተመተመ ለ መደመ መመመ መመመ መመመ መመመ መመመ መመመ መመመ መመመ መመመ | GTGCTACAGT AGGCAAGGTG | CICICITGGT | | | CCAATTCATC | 720 |
| | | AACTGTTTTG | CCTATAATAA | CMTCATCTCC | TGATACMCGA | 780 |
| | | CATCATCATC | CAGCGTTCKT | WATGTYMCTA | AATCCCTATT | · |
| GCGGCCGCCT | - CLARC | ATATNGGAAA | | | | 840 |
| TTTTCCATAT | GTCCCNTAAA | | | | NTACCTTGAA | 900 |
| ATTGTTTCCG | | | TTANCCTGGC | CNTAACCTNT | TCCGGTTTAA | 960 |
| CCTATCC | | CCNCCTINNA | ACCGGAAACC | TTAATTTTNA | ACCNGGGGTT | 1020 |
| | | | | | | 1027 |
| | | | | | | 1021 |

(2) INFORMATION FOR SEQ ID NO:200:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 207 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:200:

| AGTGACATTA | CGACGCTGGC | $C\Delta TCTTC \lambda \lambda T$ | CCMACCCCA | ~ · · · | | |
|------------|-------------|---|---------------------|----------------|--------------------------|-----|
| CACTTOOTTO | | CHICITGAAI | CCIAGGGCAT | GAAGTTGCCC | CAAAGTTCAG | 60 |
| IN | AGCCIGATCC | CTCTGGTTTA | ጥሮሽሮሽሽሽሽልሮሽሽ | TACCAMOCO | | |
| GGACACTTAA | 77777777777 | 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | - CHCHLIOHA | IAGGAIGGGA | TAAAGAAAGT | 120 |
| | ATAAGCTATA | AATTATATGG | TCCTTGTCTA | GCAGGAGACA | TAAAGAAAGT ACTGCACAGG | 180 |
| | | | | | | |

103

| TATACTACCA GCGTCGTAAT GTCACTA | 207 |
|---|---------------------------------------|
| (2) INFORMATION FOR SEQ ID NO:201: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 209 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:201: | |
| TGGGCACCTT CAATATCTAT TAAAAGCACA AATACTGAAG AACACCACAA GACTATCAAT GAGGTTACAT CTGGAGTCCT CGATATATCA GGAAAAAATG AAGTGAACAT TCACAGAGTT TTACTTCTTT GGGAACTCAA ATGCTAGAAA AGAAAAGGGT GCCCTCTTTC TCTGGCTTCC TGGTCCTATC CAGCGTCGTA ATGTCACTA | 60 120 180 209 |
| (2) INFORMATION FOR SEQ ID NO:202: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 349 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:202: | |
| NTACGCTGCA ACACTGTGGA GCCACTGGTT TTTATTCCCG GCAGGTTATC CAGCAAACAG TCACTGAACA CACCGAAGAC CGTGGTATGG TAACCGTTCA CAGTAATCGT TCCAGTCGTC TGCGGGACCC CGACGAGCGT CACTGGGTAC AGACCAGATT CAGCCGGAAG AGAAAGCGCC GCAGGGAGAG ACTCGAACTC CACTCCGCTG GTGAGCAGCC CCATGTTTTC AACTCGAAGT TCAAACGGCA TTGGGTTATA TACCATCAGC TGAACTTCAC ACACATCTCC TTGAACCCAC TGGAAATCTA TTTTCTTGTT CCGCTCTTCT CCACAGTGTT GCAGCGTAA | 60 120 180 240 300 349 |
| (2) INFORMATION FOR SEQ ID NO:203: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:203: | |
| TGCTCCTCTT GCCTTACCAA CCCAAAGCCC ACTGTGAAAT ATGAAGTGAA TGACAAAATT CAGTTTTCAA CGCAATATAG TATAGTTTAT CTGATTCTTT TGATCTCCAG GACACTTTAA ACAACTGCTA CCACCACCAC CAACCTAGGG ATTTAGGATT CTCCACAGAC CAGAAATTAT TTCTCCTTTG AGTTTCAGGC TCCTCTGGGA CTCCTGTTCA TCAATGGGTG GTAAATGGCT A | 60 120 180 240 241 |
| (2) INFORMATION FOR SEQ ID NO:204: | |

| (i) | SEOUENCE | CHARACTERISTICS: |
|-------|----------|------------------|
| · - / | | CIMICACIDATALICA |

- (A) LENGTH: 248 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:204:

| TAGCCATTTA | CCACCCATCT | GCAAACCSWG | ACMWWCARGR | CYWGWACKYA | GGCGATTTGA | 60 |
|------------|------------|------------|------------|-------------|------------|-----|
| AGTACTGGTA | ATGCTCTGAT | CATGTTAGTT | ACATAAGTGT | GGTCAGTTTA | CAAAAATTCA | 120 |
| | | | | | TAATGTTTCA | 180 |
| ATTAAGTTTT | TTTAAAAAAA | AGAGATGATT | TCCAAATAAG | AAAGCCGTGT | TGGTAAGGCA | 240 |
| AGAGGAGC | | | | 12310000101 | IGGIAAGGCA | |
| | | | | | | 248 |

(2) INFORMATION FOR SEQ ID NO:205:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 505 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:205:

| | | | | TTAAGGAACA | | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CTACCTTTGC | ACGGTTAGGG | TACCGCGGCC | GTTAAACATG | TGTCACTGGG | CAGGCGGTGC | 120 |
| CTCTAATACT | GGTGATGCTA | GAGGTGATGT | TTTTGGTAAA | CAGGCGGGGT | AAGATTTGCC | 180 |
| | | | | CCTGTGTTGG | | 240 |
| | | | | TGTTAATTGT | | 300 |
| | | | | ATGTTACTTA | | 360 |
| | | | | AGGAGTTCAG | | 420 |
| GGGATTTTTT | AGGTAGTGGG | TGTTGANCTT | GAACGCTTTC | TTAATTGGTG | GCTGCTTTTA | 480 |
| RGCCTACTAT | | | | | | 505 |
| | | | | | | |

- (2) INFORMATION FOR SEQ ID NO:206:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 179 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:206:

| TAGACTGACT | CATGTCCCCT | ACCAAAGCCC | ATGTAAGGAG | CTGAGTTCTT | AAAGACTGAA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GACAGACTAT | TCTCTGGAGA | TAAAATAAAA | GGAAATTGTA | CTTTAAAAAA | AAAAAAATC | 120 |
| GGCCGGGCAT | GGTAGCACAC | ACCTGTAATC | CCAGCTACTA | GGGGACATGA | GTCAGTCTA | 179 |

- (2) INFORMATION FOR SEQ ID NO:207:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 176 base pairs

| (B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
|--|---------------------------------------|
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:207: | |
| AGACTGACTC ATGTCCCCTA CCCCACCTTC TGCTGTGCTG | 60 |
| AGACTGGTAC TGGTCAGTGG CCTGGGGGTT GGGGACCTCT ATTATATGGG ATACAAATTT AGGAGTTGGA ATTGACACGA TTTAGTGACT GATGGGATAT GGGTGGTAAA TGGCTA | 120 176 |
| (2) INFORMATION FOR SEQ ID NO:208: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 196 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:208: | |
| AGACTGACTC ATGTCCCCTA TTTAACAGGG TCTCTAGTGC TGTGAAAAAA AAAAATGCTG AACATTGCAT ATAACTTATA TTGTAAGAAA TACTGTACAA TGACTTTATT GCATCTGGGT AGCTGTAAGG CATGAAGGAT GCCAAGAAGT TTAAGGAATA TGGGTGGTAA ATGGCTAGGG GACATGAGTC AGTCTA | 60 120 180 196 |
| (2) INFORMATION FOR SEQ ID NO:209: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 345 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:209: | |
| GACGCTTGGC CACTTGACAC CTTTTATTT TTAAGGATTC TTAAGTCATT TANGTNACTT TGTAAGTTTT TCCTGTGCCC CCATAAGAAT GATAGCTTTA AAAATTATGC TGGGGTAGCA AAGAAGATAC TTCTAGCTTT AGAATGTGTA GGTATAGCCA GGATTCTTGT GAGGAGGGGT GATTTAGAGC AAATTTCTTA TTCTCCTTGC CTCATCTGTA ACATGGGGAT AATAATAGAA CTGGCTTGAC AAGGTTGGAA TTAGTATTAC ATGGTAAAAT CATGTAAAAT GTTTAGAATG GTGCCAAGTA TCTAGGAAGT ACTTGGGCAT GGGTGGTAAA TGGCT | 60 120 180 240 300 345 |
| (2) INFORMATION FOR SEQ ID NO:210: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 178 base pairs(B) TYPE: nucleic acid | |

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:210:

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

| GACGCTTGGC CACTTGACAC TAGAGTAGGG TTTGGCCAAC TTTTTCTATA AAGGACCAGA | 60 |
|---|-----|
| GAGTAAATAT TTCAGGCTTT GTGGGTTGTG CAGTCTCTCT TGCAACTACT CAGCTCTGCC | 120 |
| ATTGTAGCAT AGAAATCAGC CATAGACAGG ACAGAAATGA ATGGGTGGTA AATGGCTA | 178 |
| | |
| (2) INFORMATION FOR SEQ ID NO:211: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 454 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:211: | |
| TGGGCACCTT CAATATCTAT CCAGCGCATC TAAATTCGCT TTTTTCTTGA TTAAAAATTT | 60 |
| CACCACTTGC TGTTTTTGCT CATGTATACC AAGTAGCAGT GGTGTGAGGC CATGCTTGTT | 120 |
| TTTTGATTCG ATATCAGCAC CGTATAAGAG CAGTGCTTTG GCCATTAATT TATCTTCATT | 180 |
| GTAGACAGCA TAGTGTAGAG TGGTATCTCC ATACTCATCT GGAATATTTG GATCAGTGCC | 240 |
| ATGTTCCAGC AACATTAACG CACATTCATC TTCCTGGCAT TGTACGGCCT TTGTCAGAGC | 300 |
| TGTCCTCTTT TTGTTGTCAA GGACATTAAG TTGACATCGT CTGTCCAGCA CGAGTTTTAC | 360 |
| TACTTCTGAA TTCCCATTGG CAGAGGCCAG ATGTAGAGCA GTCCTCTTTT GCTTGTCCCT | 420 |
| CTTGTTCACA TCAGTGTCCC TGAGCATAAC GGAA | 454 |
| | • |
| (2) INFORMATION FOR SEQ ID NO:212: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 337 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:212: | |
| (SEE) DESCRIPTION. DEG 15 NO.212. | |
| TCCGTTATGC CACCCAGAAA ACCTACTGGA GTTACTTATT AACATCAAGG CTGGAACCTA | 60 |
| TTTGCCTCAG TCCTATCTGA TTCATGAGCA CATGGTTATT ACTGATCGCA TTGAAAACAT | 120 |
| TGATCACCTG GGTTTCTTTA TTTATCGACT GTGTCATGAC AAGGAAACTT ACAAACTGCA | 180 |
| ACGCAGAGAA ACTATTAAAG GTATTCAGAA ACGTGAAGCC AGCAATTGTT TCGCAATTCG | 240 |
| GCATTTTGAA AACAAATTTG CCGTGGAAAC TTTAATTTGT TCTTGAACAG TCAAGAAAAA | 300 |
| CATTATTGAG GAAAATTAAT ATCACAGCAT AACGGAA | 337 |
| (2) INFORMATION FOR SEQ ID NO:213: | |
| - | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 715 base pairs | |

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:213:

(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

TCGGGTGATG CCTCCTCAGG CATCTTCCAT CCATCTCTTC AAGATTAGCT GTCCCAAATG

| TTTTTCCTTC | TCTTCTTTAC | TGATAAATTT | GGACTCCTTC | TTGACACTGA | TGACAGCTTT | 120 |
|------------|------------|------------|------------|------------|------------|-----|
| AGTATCCTTC | TTGTCACCTT | GCAGACTTTA | AACATAAAAA | TACTCATTGG | TTTTAAAAGG | 180 |
| AAAAAAGTAT | ACATTAGCAC | TATTAAGCTT | GGCCTTGAAA | CATTTTCTAT | CTTTTATTAA | 240 |
| ATGTCGGTTA | GCTGAACAGA | ATTCATTTTA | CAATGCAGAG | TGAGAAAAGA | AGGGAGCTAT | 300 |
| ATGCATTTGA | GAATGCAAGC | ATTGTCAAAT | AAACATTTTA | AATGCTTTCT | TAAAGTGAGC | 360 |
| ACATACAGAA | ATACATTAAG | ATATTAGAAA | GTGTTTTTGC | TTGTGTACTA | CTAATTAGGG | 420 |
| AAGCACCTTG | TATAGTTCCT | CTTCTAAAAT | TGAAGTAGAT | TTTAAAAACC | CATGTAATTT | 480 |
| AATTGAGCTC | TCAGTTCAGA | TTTTAGGAGA | ATTTTAACAG | GGATTTGGTT | TTGTCTAAAT | 540 |
| TTTGTCAATT | TNTTTAGTTA | ATCTGTATAA | TTTTATAAAT | GTCAAACTGT | ATTTAGTCCG | 600 |
| TTTTCATGCT | GCTATGAAAG | AAATACCCAN | GACAGGGTTA | TTTATAAANG | GAAAGANGTT | 660 |
| AATTTGACTC | CCAGTTCACA | GGCCTGAGGA | NGNATCNCCC | GAAATCCTTA | TTGCG | 715 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:214:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 345 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:214:

| GGTAANGNGC | ATACNTCGGT | GCTCCGGCCG | CCGGAGTCGG | GGGATTCGGG | TGATGCCTCC | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TCAGGCCCAC | TTGGGCCTGC | TTTTCCCAAA | TGGCAGCTCC | TCTGGACATG | CCATTCCTTC | 120 |
| TCCCACCTGC | CTGATTCTTC | ATATGTTGGG | TGTCCCTGTT | TTTCTGGTGC | TATTTCCTGA | 180 |
| CTGCTGTTCA | GCTGCCACTG | TCCTGCAAAG | CCTGCCTTTT | TAAATGCCTC | ACCATTCCTT | 240 |
| CATTTGTTTC | TTAAATATGG | GAAGTGAAAG | TGCCACCTGA | GGCCGGGCAC | AGTGGCTCAC | 300 |
| GCCTGTAATC | CCAGCACTTT | GGGAGCCTGA | GGAGGCATCA | CCCGA | | 345 |

(2) INFORMATION FOR SEQ ID NO:215:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 429 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:215:

| GGTGATGCCT | CCTCAGGCGA | AGCTCAGGGA | GGACAGAAAC | CTCCCGTGGA | GCAGAAGGGC | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AAAAGCTCGC | TTGATCTTGA | TTTTCAGTAC | GAATACAGAC | CGTGAAAGCG | GGGCCTCACG | 120 |
| ATCCTTCTGA | CCTTTTGGGT | TTTAAGCAGG | AGGTGTCAGA | AAAGTTACCA | CAGGGATAAC | 180 |
| TGGCTTGTGG | CGGCCAAGCG | TTCATAGCGA | CGTCGCTTTT | TGATCCTTCG | ATGTCGGCTC | 240 |
| TTCCTATCAT | TGTGAAGCAG | AATTCACCAA | GCGTTGGATT | GTTCACCCAC | TAATAGGGAA | 300 |
| CGTGAGCTGG | GTTTAGACCG | TCGTGAGACA | GGTTAGTTTT | ACCCTACTGA | TGATGTGTKG | 360 |
| TTGCCATGGT | AATCCTGCTC | AGTACGAGAG | GAACCGCAGG | TTCASACATT | TGGTGTATGT | 420 |
| GCTTGCCTT | | | | | | 429 |

(2) INFORMATION FOR SEQ ID NO:216:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 593 base pairs
 - (B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:216:

| TGACACCTAT | GTCCNGCATC | TGTTCACAGT | TTCCACAAAT | AGCCAGCCTT | TGGCCACCTC | 60 |
|------------|------------|------------|------------|------------|------------|------|
| TCTGTCCTGA | GGTATACAAG | TATATCAGGA | GGTGTATACC | TTCTCTTCTC | TTCCCCACCA | 120 |
| | | | | TGGGCTCAGA | | 180 |
| | | | | CTCTGGATAA | | 240 |
| | | | | CTTAGTCTAA | | 300 |
| | | | | AGGTAGAAAG | | 360 |
| | | | | AGGGCAAATC | | 420 |
| | | | | GCTATCATGG | | 480 |
| | | | | GGACAGGGCC | | 540. |
| GANAACATTG | CCTATANCCC | TTGTCTTGCA | CCCAGATGCT | GGACAAGGTG | TCA | 593 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:217:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 335 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:217:

| TGACACCTTG | TCCAGCATCT | GACGTGAAGA | TGAGCAGCTC | AGAGGAGGTG | TCCTGGATTT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CCTGGTTCTG | TGGGCTCCGT | GGCAATGAAT | TCTTCTGTGA | AGTGGATGAA | GACTACATCC | 120 |
| AGGACAAATT | TAATCTTACT | GGACTCAATG | AGCAGGTCCC | TCACTATCGA | CAAGCTCTAG | 180 |
| ACATGATCTT | GGACCTGGAG | CCTGATGAAG | AACTGGAAGA | CAACCCCAAC | CAGAGTGACC | 240 |
| TGATTGAGCA | GGCAGCCGAG | ATGCTTTATG | GATTGATCCA | CGCCCGCTAC | ATCCTTACCA | 300 |
| ACCGTGGCAT | CGCCCAGATG | CTGGACAAGG | TGTCA | | | 335 |

- (2) INFORMATION FOR SEQ ID NO:218:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 248 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:218:

| TACGTACTGG | TCTTGAAGGT | CTTAGGTAGA | GAAAAAATGT | GAATATTTAA | TCAAAGACTA | 60 |
|------------|------------|------------|------------|------------|------------|-------|
| TGTATGAAAT | GGGACTGTAA | GTACAGAGGG | AAGGGTGGCC | CTTATCGCCA | GAAGTTGGTA | . 120 |
| GATGCGTCCC | CGTCATGAAA | TGTTGTGTCA | CTGCCCGACA | TTTGCCGAAT | TACTGAAATT | 180 |
| CCGTAGAATT | AGTGCAAATT | CTAACGTTGT | TCATCTAAGA | TTATGGTTCC | ATGTTTCTAG | 240 |
| TACTTTTA | | | | | | 248 |

- (2) INFORMATION FOR SEQ ID NO:219:
 - (i) SEQUENCE CHARACTERISTICS:

| (A) | LENGTH: | 530 | base | pairs |
|-----|----------|------|------|-------|
| (B) | TYPE: nu | clei | c ac | id |
| (C) | STRANDEL | NESS | : si | agle |

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:219:

| TGACGCTTGG | CCACTTGACA | CAAGTAGGGG | ATAAGGACAA | AGACCCATNA | GGTGGCCTGT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CAGCCTTTTG | TTACTGTTGC | TTCCCTGTCA | CCACGGCCCC | CTCTGTAGGG | GTGTGCTGTG | 120 |
| CTCTGTGGAC | ATTGGTGCAT | TTTCACACAT | ACCATTCTCT | TTCTGCTTCA | CAGCAGTCCT | 180 |
| GAGGCGGGAG | CACACAGGAC | TACCTTGTCA | GATGANGATA | ATGATGTCTG | GCCAACTCAC | 240 |
| CCCCCAACCT | TCTCACTAGT | TATANGAAGA | GCCANGCCTA | NAACCTTCTA | TCCTGNCCCC | 300 |
| TTGCCCTATG | ACCTCATCCC | TGTTCCATGC | CCTATTCTGA | TTTCTGGTGA | ACTTTGGAGC | 360 |
| AGCCTGGTTT | NTCCTCCTCA | CTCCAGCCTC | TCTCCATACC | ATGGTANGGG | GGTGCTGTTC | 420 |
| CACNCAAANG | GTCAGGTGTG | TCTGGGGAAT | CCTNANANCT | GCCNGGAGTT | TCCNANGCAT | 480 |
| TCTTAAAAAC | CTTCTTGCCT | AATCANATNG | TGTCCAGTGG | CCAACCNTCN | | 530 |

(2) INFORMATION FOR SEQ ID NO:220:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 531 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:220:

| TGACGCTTGG | CCACTTGACA | CTAAATAGCA | TCTTCTAAAG | GCCTGATTCA | GAGTTGTGGA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AAATTCTCCC | AGTGTCAGGG | ATTGTCAGGA | ACAGGGCTGC | TCCTGTGCTC | ACTTTACCTG | 120 |
| CTGTGTTTCT | GCTGGAAAAG | GAGGGAAGAG | GAATGGCTGA | TTTTTACCTA | ATGTCTCCCA | 180 |
| GTTTTTCATA | TTCTTCTTGG | ATCCTCTTCT | CTGACAACTG | TTCCCTTTTG | GTCTTCTTCT | 240 |
| TCTTGCTCAG | AGAGCAGGTC | TCTTTAAAAC | TGAGAAGGGA | GAATGAGCAA | ATGATTAAAG | 300 |
| AAAACACACT | TCTGAGGCCC | AGAGATCAAA | TATTAGGTAA | ATACTAAACC | GCTTGCCTGC | 360 |
| TGTGGTCACT | TTTCTCCTCT | TTCACATGCT | CTATCCCTCT | ATCCCCCACC | TATTCATATG | 420 |
| GCTTTTATCT | GCCAAGTTAT | CCGGCCTCTC | ATCAACCTTC | TCCCCTAGCC | TACTGGGGGA | 480 |
| TATCCATCTG | GGTCTGTCTC | TGGTGTATTG | GTGTCAAGTG | GCCAAGCGTC | A | 531 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:221:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 530 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:221:

| ATTGACGCTT | GGCCACTTGA | CACCCGCCTG | CCTGCAATAC | TGGGGCAAGG | GCCTTCACTG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| CTTTCCTGCC | ACCAGCTGCC | ACTGCACACA | GAGATCAGAA | ATGCTACCAA | CCAAGACTGT | 120 |
| TGGTCCTCAG | CCTCTCTGAG | GAGAAAGAGC | AGAAGCCTGG | AAGTCAGAAG | AGAAGCTAGA | 180 |
| TCGGCTACGG | CCTTGGCAGC | CAGCTTCCCC | ACCTGTGGCA | ATAAAGTCGT | GCATGGCTTA | 240 |
| ACAATGGGGG | CACCTCCTGA | GAAACACATT | GTTAGGCAAT | TCGGCGTGTG | TTCATCAGAG | 300 |

| CATATTTACA | CAAACCTCGA | TAGTGCAGCC | TACTATCCAC | TATECARA | ACGCTGCAAA | |
|-------------------|---------------|------------|-------------|------------|--------------------------|-----|
| CCTGAACAGC | ATCCCA CTCT | 1653155 | IACIAICCAC | TATTGCTCCT | ACGCTGCAAA | 360 |
| | AIGGGACIGT | ACTGAATACT | GGAAGCAGCT | GGTGATGGTA | ACGCTGCAAA CTTATTTGTG | 420 |
| TATCTAAACA | CAGAGAAGGT | ACAGTAAGAA | TATCCTATCA | T | GGGACCGCCA | 420 |
| ででですかずみずぐて | A CINCIPATION | | INIGGIATCA | TAAACTTACA | GGGACCGCCA | 480 |
| TCCIMIMIGC | AGTCTGTTGT | GACCAAAATG | TGTCAAGTGG | CCAAGCGTCA | | |
| | | | | CCC I CM | | 530 |

(2) INFORMATION FOR SEQ ID NO:222:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 578 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:222:

| TGTATCGACG | TAGTGGTCTC | CGGGCTACTA | GGCCGTTCTC | TO CHOCATA CT | ACCTGGTTCA | |
|--------------|---------------------|--------------|------------|---------------|--------------|-----|
| CTGAAAGGCG | САТСТСССТС | CCCCCCCTTCCC | 2000011010 | IGCIGGIAGI | ACCTGGTTCA | 60 |
| AAGGCACTTC | TAMES COURS | | CCTGAAGCAG | GGGGAGGACT | TCGCCCAGCC | 120 |
| TE TOCCAUTIO | TWIGHGILLILL | AGCTGCGGCA | CTTCGAGACC | TOTOROGODA | 00m0cm | 180 |
| 01100011000 | CGATTAAGGA | AGCCAGGGTA | AGGATTCCTT | CCTCCCCCA | 3 03 003 000 | |
| CAAACCACCA | CCCCCCCTAT | TCTGGCAGCC | CATATACATA | AGAACGAAAC | ACACCACGAA | 240 |
| ΑΑΤΑΑΑΓΝΙΑΑ | מ מ מ מ מ מ מ מ מ מ | 3333333 | CATATACATC | AGAACGAAAC | AAAAATAACA | 300 |
| CTTTTTTCTTT | AACCAAAAA | AAAAGAGAAG | GGGAAATGTA | TATGTCTGTC | CATCCTGTTG | 360 |
| CITIAGCCIG | ICAGCTCCTA | NAGGGCAGGG | ACCGTGTCTT | CCGAATCCTC | TOTO CARGO | |
| CGACTGCGGG | AAGTATCGGA | GGAGGAAGCA | GAGTCACCAC | AAGTTGAACG | TGTGCAGCGC | 420 |
| CGGCTCTTGG | GGGCTGGTGT | TCTA CTTCCA | CACTCAGCAG | AAGTTGAACG | GTGGGCCCGG | 480 |
| CTTTCCTCTCTT | TCC2 CTCC2 | IGIACITCGA | GACCGCTTTC | GCTTTTTGTC | TTAGATTTAC | 540 |
| GTTTGCTCTT | TGGAGTGGGA | NACCACTACN | TCNATACA | | | 578 |
| | | | | | | 5/8 |

(2) INFORMATION FOR SEQ ID NO:223:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 578 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:223:

| | TGTATCGACG | TAGTCCTCTC | OMORPOGE | | | | |
|---|-------------------------|---|--------------|---------------|------------|------------|-----|
| | 3 77 77 77 | TAGEGGICIC | CICIIGCAAA | GGACTGGCTG | GTGAATGGTT | TCCCTGAATT | 60 |
| | ATGGACTTAC | CCTAAACATA | TCTTATCATC | ATTACCACTT | CCAAAAmmm | AGAATGTGTT | |
| | GTCACTGTTT | CATTTCATTC | CMJ CJ J CCE | | GCAAAATATT | AGAATGTGTT | 120 |
| | CECENT | CATTIGATIC | CTAGAAGGTT | AGTCTTAGAT | ATGTTACTTT | AACCTGTATG | 180 |
| | CIGTAGTGCT | TTGAATGCAT | TTTTTGTTTG | CATTTTTCTT | TGCCCAACCT | CEC LEET | |
| | GCTGCTTAGG | TCTGGACTCT | CCTCCAMAAA | 25777777 | IGCCCAACCT | GTCAATTATA | 240 |
| | mm* | TETGGACIGI | CCIGGATAAA | GCTGTTAAAA | TATTCACCAG | TCCAGCCATC | 300 |
| | TIACAAGCIA | ATTAAGTCAA | CTAAATGCTT | CCTTGTTTTG | CCAGACTTCT | TATION AND | |
| | CTCAATTTCT | GGGTTCATTT | TGGGTCGGGT | 77700000 | CCAGACIIGI | TATGTCAATC | 360 |
| | TOTALOR | SCOTTCATT | 1999196661 | AAATCTTAGG | GTGTGACTTT | CTTAGCATCC | 420 |
| | TOIRACAICC | ATTCCCAAGC | AAGCACAACT | TCACATAATA | CTTTCCAAAA | CDD 63 | |
| | GAAGCCTTTC | CTTCACCCAG | CCCACCAACE | MC3 mmmm con- | CITICCAGAA | GITCATIGCT | 480 |
| | 7 C 7 7 C 7 C 7 T 7 T 7 | SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS | CGGAGCAACI | TGATTTTCTA | CAACTTCCCT | CATCAGAGCC | 540 |
| • | ACAMOAGTAT | GGGATATGGA | GACCACTACG | TCGATACA | | | |
| | | | | | | | 578 |

(2) INFORMATION FOR SEQ ID NO:224:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 345 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

| TGTATCGACG | TANTGGTCTC | CCAAGGTGCT | GGGATTGCAG | GCATGAGCCA | CCACTCCCAG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GTGGATCTTT | TTCTTTATAC | TTACTTCATT | AGGTTTCTGT | TATTCAAGAA | GTGTAGTGGT | 120 |
| AAAAGTCTTT | TCAATCTACA | TGGTTAAATA | ATGATAGCCT | GGGAAATAAA | TAGAAATTTT | 180 |
| TTCTTTCATC | TTTAGGTTGA | ATAAAGAAAC | AGAAAAAATA | GAACATACTG | AAAATAATCT | 240 |
| AAGTTCCAAC | CATAGAAGAA | CTGCAGAAGA | AATGAAGAAA | GTGATGATGA | TTTAGATTTT | 300 |
| GATATTGATT | TAGAAGACAC | AGGAGGAGAC | CACTACGTCG | ATACA | | 345 |

(2) INFORMATION FOR SEQ ID NO:225:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 347 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:225:

| TGTATCGACG | TAGTGGTCTC | CAAACTGAGG | TATGTGTGCC | ACTAGCACAC | AAAGCCTTCC | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AACAGGGACG | CAGGCACAGG | CAGTTTAAAG | GGAATCTGTT | TCTAAATTAA | TTTCCACCTT | 120 |
| CTCTAAGTAT | TCTTTCCTAA | AACTGATCAA | GGTGTGAAGC | CTGTGCTCTT | TCCCAACTCC | 180 |
| CCTTTGACAA | CAGCCTTCAA | CTAACACAAG | AAAAGGCATG | TCTGACACTC | TTCCTGAGTC | 240 |
| TGACTCTGAT | ACGTTGTTCT | GATGTCTAAA | GAGCTCCAGA | ACACCAAAGG | GACAATTCAG | 300 |
| AATGCTGGTG | TATAACAGAC | TCCAATGGAG | ACCACTACGT | CGATACA | • | 347 |

(2) INFORMATION FOR SEQ ID NO:226:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 281 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:226:

| AGGNGNGGGA | NTGTATCGAC | GTAGTGGTCT | CCCAACAGTC | TGTCATTCAG | TCTGCAGGTG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TCAGTGTTTT | GGACAATGAG | GCACCATTGT | CACTTATTGA | CTCCTCAGCT | CTAAATGCTG | 120 |
| AAATTAAATC | TTGTCATGAC | AAGTCTGGAA | TTCCTGATGA | GGTTTTACAA | AGTATTTTGG | 180 |
| ATCAATACTC | CAACAAATCA | GAAAGCCAGA | AAGAGGATCC | TTTCAATATT | GCAGAACCAC | 240 |
| GAGTGGATTT | ACACACCTCA | GGAGACCACT | ACGTCGATAC | A | | 281 |

(2) INFORMATION FOR SEQ ID NO:227:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 3646 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:227:

| GGGAAACACT | TCCTCCCAGC | CTTGTAAGGG | TTGGAGCCCT | CTCCAGTATA | TGCTGCAGAA | 60- |
|------------|------------|------------|------------|------------|------------|-----|
| TTTTTCTCTC | GGTTTCTCAG | AGGATTATGG | AGTCCGCCTT | AAAAAAGGCA | AGCTCTGGAC | 120 |
| ACTCTGCAAA | GTAGAATGGC | CAAAGTTTGG | AGTTGAGTGG | CCCCTTGAAG | GGTCACTGAA | 180 |

| CCTCACAAT | GTTCAAGCT | G TGTGGCGGG1 | r tgttactgaz | A ACTCCCGGC | C TCCCTGATCA | 240 |
|------------|--------------|---------------|--------------|--------------|--------------|------|
| GTTTCCCTAC | ATTGATCAA | r ggctgagtt | r GGTCAGGAGO | ACCCCTTCCC | G TGGCTCCACT | 300 |
| CATGCACCAT | TCATAATTT | r ACCTCCAAGO | TCCTCCTGAC | CCAGACCGT | TTTTCGCCTC | 360 |
| GACCCTCAGO | C CGGTTCGGC: | CGCCCTGTAC | C TGĆCTCTCTC | TGAAGAAGAC | GAGAGTCTCC | 420 |
| CTCACCCAGT | CCCACCGCC | TAAAACCAGC | C CTACTCCCTT | C AGGGTCATCO | CATGTCTCCT | 480 |
| CGGCTATGTC | CCCTGTAGG | TCATCACCCA | A TTGCCTCTTG | GTTGCAACCG | TGGTGGGAGG | 540 |
| AAGTAGCCCC | TCTACTACCA | A CTGAGAGAGG | CACAAGTCCC | TCTGGGTGAT | GAGTGCTCCA | 600 |
| CCCCCTTCCT | GGTTTATGTC | CCTTCTTTCT | ACTTCTGACT | TGTATAATTO | GAAAACCCAT | 660 |
| AATCCTCCCT | TCTCTGAAAA | GCCCCAGGCT | TTGACCTCAC | TGATGGAGTC | TGTACTCTGG | 720 |
| ACACATTGGC | CCACCTGGGA | TGACTGTCAA | CAGCTCCTTT | TGACCCTTT | CACCTCTGAA | 780 |
| GAGAGGGAAA | GTATCCAAAC | AGAGGCCAAA | AAGTACAACC | TCACATCAAC | CAATAGGCCG | 840 |
| GAGGAGGAAG | CTAGAGGAAT | AGTGATTAGA | GACCCAATTG | GGACCTAATT | GGGACCCAAA | 900 |
| TTTCTCAAGT | ' GGAGGGAGAA | CTTTTGACGA | TTTCCACCGG | TATCTCCTCG | TGGGTATTCA | 960 |
| GGGAGCTGCT | ' CAGAAACCTA | TAAACTTGTC | TAAGGCGACT | GAAGTCGTCC | AGGGGCATGA | 1020 |
| TGAGTCACCA | GGAGTGTTT | ' TAGAGCACCT | CCAGGAGGCT | TATCAGATTT | ACACCCCTTT | 1080 |
| TGACCTGGCA | GCCCCGAAA | ATAGCCATGC | TCTTAATTTG | GCATTTGTGG | CTCAGGCAGC | 1140 |
| CCCAGATAGT | ' AAAAGGAAAC | TCCAAAAACT | ' AGAGGGATTT | TGCTGGAATG | AATACCAGTC | 1200 |
| AGCTTTTAGA | GATAGCCTAA | AAGGTTTTTG | ACAGTCAAGA | GGTTGAAAAA | CAAAAACAAG | 1260 |
| CAGCTCAGGC | AGCTGAAAAA | AGCCACTGAT | AAAGCATCCT | GGAGTATCAG | AGTTTACTGT | 1320 |
| TAGATCAGCC | TCATTTGACT | TCCCCTCCCA | CATGGTGTTT | AAATCCAGCT | ACACTACTTC | 1380 |
| CTGACTCAAA | CTCCACTATT | CCTGTTCATG | ACTGTCAGGA | ACTGTTGGAA | ACTACTGAAA | 1440 |
| CTGGCCGACC | TGATCTTCAA | AATGTGCCCC | TAGGAAAGGT | GGATGCCACC | ATGTTCACAG | 1500 |
| ACAGTAGCAG | CTTCCTCGAG | AAGGGACTAC | GAAAGGCCGG | TGCAGCTGTT | ACCATGGAGA | 1560 |
| CAGATGTGTT | GTGGGCTCAG | GCTTTACCAG | CAAACACCTC | AGCACAAAAG | GCTGAATTGA | 1620 |
| TCGCCCTCAC | TCAGGCTCTC | CGATGGGGTA | AGGATATTAA | CGTTAACACT | GACAGCAGGT | 1680 |
| ACGCCTTTGC | TACTGTGCAT | GTACGTGGAG | CCATCTACCA | GGAGCGTGGG | CTACTCACCT | 1740 |
| CAGCAGGTGG | CTGTAATCCA | CTGTAAAGGA | CATCAAAAGG | AAAACACGGC | TGTTGCCCGT | 1800 |
| GGTAACCAGA | AAGCTGATTC | AGCAGCTCAA | GATGCAGTGT | GACTTTCAGT | CACGCCTCTA | 1860 |
| AACTTGCTGC | CCACAGTCTC | CTTTCCACAG | CCAGATCTGC | CTGACAATCC | CGCATACTCA | 1920 |
| ACAGAAGAAG | AAAACTGGCC | TCAGAACTCA | GAGCCAATAA | AAATCAGGAA | GGTTGGTGGA | 1980 |
| TTCTTCCTGA | CTCTAGAATC | TTCATACCCC | GAACTCTTGG | GAAAACTTTA | ATCAGTCACC | 2040 |
| TACAGTCTAC | CACCCATTTA | GGAGGAGCAA | AGCTACCTCA | GCTCCTCCGG | AGCCGTTTTA | 2100 |
| AGATCCCCCA | TCTTCAAAGC | CTAACAGATC | AAGCAGCTCT | CCGGTGCACA | ACCTGCGCCC | 2160 |
| AGGTAAATGC | CAAAAAAGGT | CCTAAACCCA | GCCCAGGCCA | CCGTCTCCAA | GAAAACTCAC | 2220 |
| CAGGAGAAA | GTGGGAAATT | GACTTTACAG | AAGTAAAACC | ACACCGGGCT | GGGTACAAAT | 2280 |
| ACCTTCTAGT | ACTGGTAGAC | ACCTTCTCTG | GATGGACTGA | AGCATTTGCT | ACCAAAAACG | 2340 |
| AAACTGTCAA | TATGGTAGTT | AAGTTTTTAC | TCAATGAAAT | CATCCCTCGA | CATGGGCTGC | 2400 |
| CTGTTTGCCA | TAGGGTCTGA | TAATGGACCG | GCCTTCGCCT | TGTCTATAGT | TTAGTCAGTC | 2460 |
| AGTAAGGCGT | TAAACATTCA | ATGGAAGCTC | CATTGTGCCT | ATCGACCCCA | GAGCTCTGGG | 2520 |
| CAAGTAGAAC | GCATGAACTG | CACCCTAAAA | AACACTCTTA | CAAAATTAAT | CTTAGAAACC | 2580 |
| GGTGTAAATT | GTGTAAGTCT | CCTTCCTTTA | GCCCTACTTA | GAGTAAGGTG | CACCCCTTAC | 2640 |
| TGGGCTGGGT | TCTTACCTTT | TGAAATCATG | TATGGGAGGG | TGCTGCCTAT | CTTGCCTAAG | 2700 |
| CTAAGAGATG | CCCAATTGGC | AAAAATATCA | CAAACTAATT | TATTACAGTA | CCTACAGTCT | 2760 |
| CCCCAACAGG | TACAAGATAT | CATCCTGCCA | CTTGTTCGAG | GAACCCATCC | CAATCCAATT | 2820 |
| CCTGAACAGA | CAGGGCCCTG | CCATTCATTC | CCGCCAGGTG | ACCTGTTGTT | TGTTAAAAAG | 2880 |
| TTCCAGAGAG | AAGGACTCCC | TCCTGCTTGG | AAGAGACCTC | ACACCGTCAT | CACGATGCCA | 2940 |
| ACGGCTCTGA | AGGTGGATGG | CATTCCTGCG | TGGATTCATC | ACTCCCGCAT | CAAAAAGGCC | 3000 |
| AACAGAGCCC | AACTAGAAAC | ATGGGTCCCC | AGGGCTGGGT | CAGGCCCCTT | AAAACTGCAC | 3060 |
| CTAAGTTGGG | TGAAGCCATT | AGATTAATTC | TTTTTCTTAA | TTTTGTAAAA | CAATGCATAG | 3120 |
| CTTCTGTCAA | ACTTATGTAT | CTTAAGACTC | AATATAACCC | CCTTGTTATA | ACTGAGGAAT | 3180 |
| CAATGATTTG | ATTCCCCCAA | AAACACAAGT | GGGGAATGTA | GTGTCCAACC | ТССТТТТТАС | 3240 |
| TAACCCTGTT | TTTAGACTCT | CCCTTTCCTT | TAATCACTCA | GCTTGTTTCC | ACCTGAATTG | 3300 |
| ACTCTCCCTT | AGCTAAGAGC | GCCAGATGGA | CTCCATCTTG | GCTCTTTCAC | TGGCAGCCGC | 3360 |
| TTCCTCAAGG | ACTTAACTTG | TGCAAGCTGA | CTCCCAGCAC | ATCCAAGAAT | GCAATTAACT | 3420 |
| GATAAGATAC | TGTGGCAAGC | TATATCCGCA | GTTCCCAGGA | ATTCGTCCAA | TTGATCACAG | 3420 |
| | | - | | | T TOW LWCWG | 3400 |

| CCCCTCTACC CTTCAGCAAC CACCACCCTG ATCAGTCAGC AGCCATCAGC ACCGAGGCAA GGCCCTCCAC CAGCAAAAAG ATTCTGACTC ACTGAAGACT TGGATGATCA TTAGTATTT TAGCAGTAAA GTTTTTTTT CTTTTTCTTT CTTTTTTCT CGTGCC | 3540 3600 3646 |
|--|--|
| (2) INFORMATION FOR SEQ ID NO:228: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 419 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| <pre>(vi) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens</pre> | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:228: | |
| TAAGAGGGTA CAAGATCTAA GCACAGCCGT CAATGCAGAA CACAGAACGT AGCCTGGTAA GTGTGTTAAG AGTGGGAATT TTTGGAGTAC AGAGTAAGGC ACCTAACCCT AGCTGGGGTT TGGTGACGGT CCCAGATGGC TTACAGAAGA AAGTGTCCTG AGATGAGTTT TTAAGAATGA ATAAGGATAG ACACAAGTGA GGACTGACTT GGCAGTGGTG AATGGTGGGT GGCAAAAAAC TTCGCATGTA TGGAAACTGC ACGTACAGGA ATGAAGAATG AGACTGTGTG GTGTTAATG AGCTGCAAAT ACTAATTTA TCCTGAAAGT TTTGAAGAGT TAACTAAAAA GTATTTTTA GTAAGGAAAT AACCCTACAT TTCAGGGTTA TTGTTTTTTTTTA ANATATTGAA GGTGCCCAA | 60 120 180 240 300 360 419 |
| (2) INFORMATION FOR SEQ ID NO:229: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 148 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| <pre>(vi) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens</pre> | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:229: | |
| AAGAGGGTAC CTGTATGTAG CCATGGTGGC AATGAGAGAC TGATTACTAC CTGCTGGAGA TTGTTTAAGT GAGTTAATAT ATTAAGGATA AAGGGAGCCA GGTTTTTTGA CTGTTGGAGA AGGAAATTAC AGATATTGAA GGTCCCAA | 60 120 148 |
| (2) INFORMATION FOR SEQ ID NO:230: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 257 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single | |

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

| (vi) | ORIG | INAL | SOURCE | Ξ: | |
|------|------|------|--------|------|---------|
| | (A) | ORGA | NISM: | Homo | Sapiens |

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:230:

| TAAGAGGGTA CMA | AAAAAA AAAATAGAAC | GAATGAGTAA | GACCTACTAT | TTGATAGTAC | 60 |
|----------------|--------------------|------------|------------|------------|-----|
| AACAGGGTGA CTA | TAGTCAA TGATAACTTA | ATTATACATT | TAACATAGAG | TGTAATTGGA | 120 |
| TTGTTTGTAA CTC | GAAGGAT AAATGCTTGA | GAGGATGGAT | ACCCCATTCT | CCATGATGTA | 180 |
| CTTATTTCAC ATT | ACATGCC TGTATCAAAG | CATCTCATAT | ACCCTATAAA | TATCTACACC | 240 |
| TACTATGTAC CCT | | | · | INIGIACACC | 257 |

- (2) INFORMATION FOR SEQ ID NO:231:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 260 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:231:

| TAAGAGGGT | CGGGTATTTG | CTGATGGGAT | TTTTTTTTCT | TTCTTTTTCT | TTGGAAAACA | 60 |
|----------------|------------|------------|------------|------------|-------------|-----|
| AAATGAAAG | CAGAACAAAA | TTATTGAACA | AAAGACAGGG | ΔΟΤΔΑΔΤΟΤΟ | CACAAATCAA | 120 |
| GTCCCCTCAC | CTGACTGCCA | TTTCATTCTA | TCTGACCTTC | CACTOMACCO | MAGGAAATGAA | |
| GGGGGTGGA | GGGATTAATC | TCATACACCO | AMAMMMAAAA | CAGTCTAGGT | TAGGAGAATA | 180 |
| A A CTCC A TOC | TACCCTCTTA | IGAIACAGGI | ATATTTAAAG | CAACTCTGCA | TGTGTGCCAG | 240 |
| AAGICCAIGC | TACCCTCTTA | | | | | 260 |

- (2) INFORMATION FOR SEQ ID NO:232:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 596 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:232:

| TGCTCCTCTT | GCCTTACCAA | CCACAAATTA | GAACCATAAT | GAGATGTCAC | CTCATACCTG | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GTGGGATTAA | CATTATTTAA | AAAATCAGAA | GTATTGACAA | GGATGTGAAG | AAATTAGAAC | 120 |
| ATCTGTGCAC | TGTTGGTGGG | AATGTAAAAA | AGGTGTGGCC | ACTATGGGTA | ACAGCATGAA | 180 |
| GGTTCCTCAA | TTTTAAAAAA | TTTTAATCTA | CTCTATGATC | GATCTTGAGG | TTGTTTATGC | 240 |
| AAAAGAACTG | AAATCAGGAT | TTTGAGGAAA | TATTCACATT | CCCACATCCA | TTTCTGCTTT | 300 |
| ATTCATAATA | CTCAAGAGAT | GGAAACAACC | TAAATGTCCA | TCCCGGGATG | AATGGATAAA | 360 |
| CACAGTGTGG | TATATGCATA | CAATGGAATA | TTATTTAGTC | TTTAAAAAGA | AAAATTCTAT | 420 |

| CATATACTAC AACTTANATN AACCTTGAGG ACACAATGCT NAGTGAAATA AGCCACGGAA GGACGAATAC TGCATTATTC CCTTATATGA AGTATCTAAA GTGGTCAAAC TCTTANAGCA NAAAGTAAAA ATGGGTGGTT GCCANACAGT TGGTTAGGCN AGAAGANAAN CCTANT | . 480 540 596 |
|---|---------------------|
| (2) INFORMATION FOR SEQ ID NO:233: | |
| (5) CHOMPNON CURPLE CONTRACTOR | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 96 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: CDNA | |
| (vi) ORIGINAL SOURCE: | |
| (A) ORGANISM: Homo sapiens | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:233: | |
| TCTTCTGAAG ACCTTTCGCG ACTCTTAAGC TCGTGGTTGG TAAGGCAAGA GGAGCGTTGG | 60 |
| TAAGGCAAGA GGAGCGTTGG TAAGGCAAGA GGAGCA | 96 |
| (2) INFORMATION FOR SEQ ID NO:234: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 313 base pairs | |
| (B) TYPE: nucleic acid | |
| <pre>(C) STRANDEDNESS: single (D) TOPOLOGY: linear</pre> | |
| (b) Torobodi. Timeat | |
| (ii) MOLECULE TYPE: cDNA | |
| (vi) ORIGINAL SOURCE: | |
| (A) ORGANISM: Homo sapiens | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:234: | |
| IGTAAGTCGA GCAGTGTGAT GATAAAACTT GAATGGATCA ATAGTTGCTT CTTATGGATG | 60 |
| AGCAAAGAAA GTAGTTTCTT GTGATGGAAT CTGCTCCTGG CAAAAATGCT GTGAACGTTG | 120 |
| TTGAAAAGAC AACAAAGAGT TTAGAGTAGT ACATAAATTT AGAATAGTAC ATAAACTTAG | 180 |
| AATAGTACAT AAACTTAGTA CATAAATAAT GCACGAAGCA GGGGCAGGGC TTGAGAGAAT IGACTTCAAT TTGGAAAGAG TATCTACTGT AGGTTAGATG CTCTCAAACA GCATCACACT | 240 |
| GCTCGACTTA CAA | 300 313 |
| (2) INFORMATION FOR SEQ ID NO:235: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 550 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |

(vi) ORIGINAL SOURCE:

(A) ORGANISM: Homo sapiens

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:235:

| AACGAGGACA | GATCCTTAAA | AAGAATGTTG | AGTGAAAAA | GTAGAAAATA | AGATAATCTC | 60 |
|------------|------------|------------|------------|------------|---------------------------|-----|
| CAAAGTCCAG | TAGCATTATT | TAAACATTTT | TAAAAAATAC | ACTGATAAAA | ATTTTGTACA | 120 |
| TTTCCCAAAA | ATACATATGG | AAGCACAGCA | GCATGAATGC | CTATGGGRTT | GAGGATAGGG | 180 |
| GTTGGGAGTA | GGGATGGGGA | TAAAGGGGGA | AAATAAAACC | AGAGAGGAGT | בייתי איני איני איני איני | 240 |
| TCATGAACCA | AGGAGTATAA | TTATTTCAAC | TATTTGTACC | WGAAGTCCAG | AAAGAGTGGA | 300 |
| GGCAGAAGGG | GGAGAAGAGG | GCGAAGAAAC | GTTTTTGGGA | GAGGGGTCCC | ASAAGAGAGA | 360 |
| TTTTCGCGAT | GTGGCGCTAC | ATACGTTTTT | CCAGGATGCC | TTAAGCTCTG | C A C C C Tr A Tr Tr Tr | 420 |
| TTCTCATCAC | TAATATTAGA | TTAAACCCTT | TGAAGACAGC | GTCTGTGGTT | יירייריים בייייר | 480 |
| AGCTTTCCCT | CCGTGTCTTG | CACACAGTAG | CTGTTTTACA | AGGGTTGAAC | TGACTGAAGT | 540 |
| GAGATTATTC | | | | | | 550 |

(2) INFORMATION FOR SEQ ID NO:236:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 325 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:236:

| TAGACTGACT | CATGTCCCCT | ACCAGAGTAG | CTAGAATTAA | TAGCACAAGC | CTCTACACCC | 60 |
|------------|--------------|---------------------|------------------|--------------|--------------|-----|
| AGGAACTCAC | TATTGAATAC | ለጥ እ አ ጥርር እ እ | WWW wwas a a | | TTGGAAGGAA | 60 |
| Ammomor or | INTICAMIAC | ATAMATGGAA | TTTATTCAGC | CTTAAAAAAGT | TTGGAAGGAA | 120 |
| ATTCTGACAT | ATGCTAAAAC | ATGGATGAAC | CTTGAAGACT | TTATGATAAG | TAAAAGAAGC | 180 |
| CAGTCATAAA | AGGAAAATA | ጥጥርር አጥር አጥጥ | CCA CTTTA TTA TT | Ch Comp comp | GAGTAGTCAA | |
| TTTTCTTT | 3.63.63.63.6 | TICCATGATI | CCACTIATAT | GAGGTACCTA | GAGTAGTCAA | 240 |
| TITCATAGAA | ACACAAAATA | GAATGGTGTT | TGCCAGGGCT | TTTGAGGAAA | AGGGAATGAC | 300 |
| AAGTTAGGGG | ACATGAGTCA | CTCTA | | | 110001110110 | |
| | Cilox Ch | 01017 | • | | | 325 |

(2) INFORMATION FOR SEQ ID NO:237:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 373 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:237:

| TAGACTGACT | CATGTCCCCT | ATCTACTCAA | CATTTCCACT | ጥር እ አርጥርጥር እ | TAGGCATCTC | |
|------------|---------------|-------------|------------|---------------|------------|-----|
| AGACTTATCT | TCTCCCA A A C | 63336555 | CHITTCCACT | TGAAGICIGA | IAGGCATCTC | 60 |
| AGACTIATCT | IGICCCAAAG | CAAACTCTTT | ATTTCTTTTC | ATCCTAGTCT | TTATTTCTTG | 120 |
| TGCTGTCTTA | CCCATCTCAA | AAGAGTGCCA | 777007007 | 1000000 | ACAGAAATCT | 120 |
| | | FINGAGIGCCA | AAATCCACCA | AGTTGCTGAA | ACAGAAATCT | 180 |

| AAGAAATATC | CTTGATTCTT | CTTTTTCCCA | TCTACTTCAC | TTCTAATTCA | TTAGTAAATA | 240 |
|------------|------------|------------|---------------|------------|------------|-----|
| ATCTGTTTCA | GAAAACCAAA | CACCTCATGT | TCTCACTCAT | AAGGGGGAGT | TGAACAATGA | |
| GAACACACAG | ACACAGGGAG | GGGAACATCA | CACACCACGG | CCCGTCAGGG | AGTANGGGAC | 300 |
| ATGAGTCAGT | | | 0.10110071000 | CCCGTCAGGG | AGTANGGGAC | 360 |
| | C 1 1 1 | | | | | 373 |

- (2) INFORMATION FOR SEQ ID NO:238:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 492 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:238:

| TACACTOR OF | G1 = G = G = G = G | | | | | |
|-------------|--------------------|---------------------------------------|-------------|------------|------------|-----|
| TAGACTGACT | CATGTCCCCT | ATAATGCTCC | CAGGCATCAG | AAAGCATCTC | AAACTGGAGC | 60 |
| TGACACCATG | GCAGAGGTTT | CAGGTAAGTC | ACAAAAGGGG | TCCTAAAGAA | тттсссстса | 120 |
| ATATCAGAGT | GATTAGAAGA | AGTGGACAGA | CCTACCCAAC | TTAAACATAT | CCCLCTCA | |
| | | 1101 COACAGA | GCIACCCAAG | TIMAACATAT | GCGAGATAAA | 180 |
| AAAAATATGG | CACTTGTGAA | CACACACTAC | AGGAGGAAAA | TAAGGAACAT | AATAGCATAT | 240 |
| TGTGCTATTA | TGATGATGAA | GAACCTCTCT | ANAAGAAAAC | ATAACCAAAG | 77777777 | 220 |
| ** | | C. I. CCICICI | AVAAGAAAAC | ATAACCAAAG | AAACAAAGAA | 300 |
| AATTCCTGCN | AATGTTTAAT | GCTATAGAAG | AAATTAACAA | AAACATATAT | TCAATGAATT | 360 |
| CAGAAAAGTT | ACCA CCTCA AT | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | |
| Chommagii | AGCAGGICAN | AAGAAAACAA | ATCAAAGACC | AGAATAATCC | CATTTTAGAT | 420 |
| TGTCGAGTAA | ACTANAACAG | AAACAATACC | አርጥርር አአአጥጥ | GAATTCCTAC | | |
| | e r.an nacho | MACAMIACC | ACIGGAAAII | GAATTCCTAC | GTANGGGACA | 480 |
| TGANTCANTC | TA | | | | | 400 |
| | | | | | | 492 |

- (2) INFORMATION FOR SEQ ID NO:239:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 482 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:239:

| TGGAAAGTAT | TTAATGATGG | GCAACTTGCT | GTTTACTTCC | TACATATCCC | ATCATCTTCT | 60 |
|------------|-------------|------------|------------|------------|------------|-----|
| GTATTTTTT | AAATAACTTT | TTTTTGGATT | TTTAAAGTAA | CCTTATTCTG | AGAGGTAACA | 120 |
| TGGATTACAT | ACTTCTAAGC | CATTAGGAGA | CTCTATGTTA | AACCAAAAGG | AAATGTTACT | 180 |
| AGATCTTCAT | TTGATCAATA | GGATGTGATA | ATCATCATCT | TTCTGCTCTA | ATGGAAAAGT | 240 |
| ACTANAAACA | TGGAACCATA | ATCTTAGATG | AACAACGTTA | GAATTTGCAC | TAATTCTACG | 300 |
| GAATTTCAGT | AATTCGGCAA | ATGTCGGGCA | GTGACACAAC | ATTTCATGAC | GGGGACGCAT | 360 |
| CTACCAACTT | CTGGCGATAA | GGGCCACCCT | TCCCTCTGTA | CTTACAGTCC | CATTTCATAC | 420 |
| ACAGTCTTTG | ATTAAAATATT | CACATTTTTT | CTCTACCTAA | AGACCTTCAA | GACCAGTACG | 480 |
| TA | | | | | • | 482 |

(2) INFORMATION FOR SEQ ID NO:240:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 519 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:240:

| TGTATCGACG TAGTGGTC | TC CCCATGTGAT | AGTCTGAAAT | ATAGCCTCAT | GGGATGAGAG | CO |
|---------------------|---------------|-------------|------------|------------|-----------|
| GCTGTGCCCC AGCCCGAC | AC CCGTAAAGGG | TCTGTGCTGA | GGTGGATTAC | TARAGAGAG | 60 |
| AAGCCTTGCA GTTGAGAT | AG AGGAAGGGCA | CTGTCTCCTC | COTCCCCCC | TAAAAGAGGA | 120 |
| GTCTCGGTAT AAAACCCG | AT TGTACATTTG | TTCAATTCTC | CCIGCCCTG | GGAACTGAAT | 180 |
| TATGGCGGGA GGCGAGAC | AT CTTCCCACCA | ATTCAMITCIG | AGATAGGAGA | AAAACCACCC | 240 |
| TGTTTGGGCG GACGGAAA | CA TARAMOMOR | ATGCTGCCTT | GTTATGCTTT | ACTCCACAGA | 300 |
| TGTTTGGGCG GAGGGAAA | CA TAAATCTGGC | CTACGTGCAC | ATCCAGGCAT | AGTACCTCCC | 360 |
| TTTGAACTTA ATTATGAC | AC AGATTCCTTT | GCTCACATGT | TTTTTTGCTG | ACCTTCTCCT | 420 |
| TATTATCACC CTGCTCTC | CT ACCGCATTCC | TTGTGCTGAG | ATAATGAAAA | TAATATCAAT | 480 |
| AAAAACTTGA NGGAACTC | GG AGACCACTAC | GTCGATACA | | 7.77 | 519 |

(2) INFORMATION FOR SEQ ID NO:241:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 771 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:241:

| TGTATCGACG | TACTCCTCTC | CACTOCOCO | mmc1 | | | |
|--------------|----------------|-------------|-------------|------------|----------------------------|-----|
| 3 CTCTTCOACG | INGIGGICIC | CACTCCCGCC | TTGACGGGGC | TGCTATCTGC | CTTCCAGGCC | 60 |
| ACTGTCACGG | CTCCCGGGTA | GAAGTCACTT | ATGAGACACA | CCAGTGTGGC | CTTCTTCCCT | 120 |
| TGAAGCTCCT | CAGAGGAGGG | TGGGAACAGA | CTCACCCACC | GGGCAGCCTT | CIIGIIGGCI | 120 |
| AGGACCCTCA | COMMOGRACIO | TOOCHACAGA | GIGACCGAGG | GGGCAGCCTT | GGGCTGACCT | 180 |
| AGGACGGICA | GCTTGGTCCC | TCCGCCAAAC | ACGAGAGTGC | TGCTGCTTGT | ATATGAGCTG | 240 |
| CAGTAATAAT | CAGCCTCGTC | CTCAGCCTGG | AGCCCAGAGA | TGGTCAGGGA | CCCCCCCCC | |
| CCANACTTCC | ACCCACACAA | CCCAMMACAA | 1.00ccnonon | 1001CAGGGA | GGCCGTGTTG | 300 |
| 700700 | AGCCAGAGAA | GCGATTAGAA | ACCCCTGAGG | GCCGATTACC | GACCTCATAA | 360 |
| ATCATGAATT | TGGGGGCTTT | GCCTGGGTGC | TGTTGGTACC | ANGAGACATT | ስ ጥጥ ስ ጥ ስ ስ ር ርር እ | |
| CCAACGTCAC | TGCTGGTTCC | ANTGCAGGCA | A A TOOMBO | TCNAACTGTC | ATTATAACCA | 420 |
| A CTA COMOCA | 7001001100 | ANTOCAGGGA | AAA TGGTTGA | TCNAACTGTC | CAAGAAAACC | 480 |
| ACTACGTCCA | TACCAATCCA | CTAATTGCCN | GCCGCCTGCA | GGTTCAACCA | TATTGGGGAA | 540 |
| NAACTCCCCN | CCGCCGTTTG | GGATTGNCAT | NIA A COTTO | AATTTTTTCC | TITT TOOGAA | |
| CCCCCTAAAA | The second | CONTROLL | NAACCITIGA | AATTTTTCC | TATTANTTGT | 600 |
| | TAAACCNTTG | GGCNTTAATC | CATTGGGTCC | ATANCTTNTT | TNCCCGGTTT | 660 |
| TTAAAANTTG | TTTATCCCGC | CNCCCNATTT | CCCCCCAAC | TTTCCAAAAC | CCCAAACCT | |
| ΤΝΑΑΑΤΤΤΝΤ | ጥእነን እ እ ወርርመር | CCCCCCCCCCC | | TITCCAAAAC | CCGAAACCNT | 720 |
| | TIMMAMCCCIG | GGGGGTTCCC | NAATTAANN | TTNAANCTNC | С | 771 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:242:

| (1) SEQUENCE CHARACTERISTICS: (A) LENGTH: 167 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
|--|---------------------------------------|
| (ii) MOLECULE TYPE: cDNA | |
| <pre>(vi) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens</pre> | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:242: | |
| TGGGCACCTT CAATATCGGG CTCATCGATA ACATCACGCT GCTGATGCTG CTGTTGCTGG TCCTCTCTAG GAACCTCTGG ATTTTCAAAT TCTTTGAGGA ATTCATCCAA ATTATCTGCC TCTCCTCCTT TCCTCCTTTT TCTAAGGTCT TCTGGTACAA GCGGTCA | 60 120 167 |
| (2) INFORMATION FOR SEQ ID NO:243: | • |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 338 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| <pre>(vi) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens</pre> | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:243: | |
| TTGGGCACCT TCAATATCTA CTGATCTAAA TAGTGTGGTT TGAGGCCTCT TGTTCCTGGC TAAAAAATCCT TGGCAAGAGT CAATCTCCAC TTTACAATAG AGGTAAAAAT CTTACAATGG ATATTCTTGA CAAAGCTAGC ATAGAGACAG CAATTTTACA CAAGGTATTT TTCACCTGTT TAATAACAGT GGTTTTCCTA CACCCATAGG GTGCCACCAA GGGAGGAGTG CACAGTTGCA GAAACAAATT AAGATACTGA AGACAACACT ACTTACCATT TCCCGTATAG CTAACCACCA GTTCAACTGT ACATGTATGT TCTTATGGGC AATCAAGA | 60 120 180 240 300 338 |
| (2) INFORMATION FOR SEQ ID NO:244: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 346 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (vi) ORIGINAL SOURCE: | |
| (VI) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens | |

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:244:

| TTTTTGGCTC | CCATACAGCA | CACTCTCATG | GGAAATGTCT | GTTCTAACCT | CAACCCATAA | 6 |
|------------|------------|------------|------------|------------|--------------------------|-----|
| TGCAAAAATC | ATCAATATAC | TTGAAGATCC | CCGTGTANGG | TACAATCEAT | TTAATATTAT | |
| CACTGATACA | ΔΤΤΟΔΤΟΟΛΑ | TACCACTION | ACECTOTAGE | TACAAIGIAI | TTAATATTAT CACTGTTTTT | 120 |
| CTTCTATAAA | ALIGATOCAA | TACCAGIIII | AGTCTGGCAT | TGAATCAAAT | CACTGTTTTT | 180 |
| GIIGIAIAAA | AAGAGAAATA | TTTAGCTTAT | ATTTAAGTAC | CATATTGTAA | GAAAAAAGAT | 240 |
| GCTTATCTTT | ACATGCTAAA | ATCATGATCT | GTACATTGGT | GCAGTGAATA | TTACTGTAAA | 300 |
| AGGGAAGAAG | GAATGAAGAC | GAGCTAAGGA | TATTGAAGGT | GCCCNN | 111010111111 | |
| | | | | CCCAA | | 346 |

(2) INFORMATION FOR SEQ ID NO:245:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 521 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:245:

| አሮሮአ አጥሮሮሮአ | C3 CCC3 C3 C5 | | | | | |
|--------------------|---------------------|-------------|-------------|------------|-----------------------|-------|
| ACCAAICCCA | CACGGATACT | GAGGGACAAG | TATATCATCC | CATTTCATCC | CTACAGCAGC | 60 |
| AACTTCATGA | GGCAGGAGTT | ATTAGTCCCA | TTTTACAGAA | GAGGAAACTG | A C A COMPA CCC | |
| Δ GΔTCΔΔGTA | A TTTTCCCCCA C | amagaa a | | GROGHANCIG | AGACTIAGGG | 120 |
| MONICARGIA | ATTIGCCCAG | GICGCACAAT | TAGTGATAGA | GCCAGGGCTT | GAAGCGACGT | 180 |
| CTGTCTTAAG | CCAATGACCC | CTGCAGATTA | TTAGAGCAAC | TGTTCTCCAC | A A C A C C C C C A A | 240 |
| GCCTCTTCCT | ANIA A CICIMICIA CI | GMGG3.G3. | TITIONOCAAC | IGIICICCAC | AACAGTGTAA | 240 |
| GCCTCTTGCT | ANAAGCTCAG | GTCCACAAGG | GCAGAGATTT | TTGTCTGTTT | TGCTCATTGC | 300 |
| TCCTTCCCCA | TTGCTTAGAG | CAGGGTCTGC | CACGAANCAG | GTTCTCAATG | CIEI CEEI EE | |
| አአአጥሮጥአጥአጥ | 7707007770 | | CHCGHANCAG | GITCICAATG | CATAGTTATT | 360 |
| AAAIGIAIAI | AAGAGCAAAC | ATATGTTACA | GAGAACTTTC | TGTATGCTTG | TCACTTACAT | 420 |
| GAATCACCTG | TGANATGGGT | ATGCTTGTTC | CCCANTCTTC | CAGATNAAGA | | |
| CCCCAAAMCA | | 11100110110 | CCCANIGIIG | CAGATNAAGA | TATTGAANGT | 480 |
| GCCCAAATCA | CTANTTGCGG | GCGCCTGCAN | GTCCANCATA | T | | 521 |
| | | | | | | J Z 1 |

(2) INFORMATION FOR SEQ ID NO:246:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 482 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:246:

| TGGAACCAAT | CCAAATACCC | ATCAATGATA | GACTGGATAA | AGAAAATTTG | GCACATGTTC | 60 |
|--------------|------------|--------------|-------------|------------|------------|-----|
| ACCATGAAAT | ACTATGCAGC | CATAAAAAAG | GATGAGTTCA | TATCCTTTCC | ACCCARGING | |
| ATGAAGCTGG | AGACCATCAT | TOTOROGONA | CHICACTICA | IMICCITIGO | AGGGACATGG | 120 |
| A TOTALOGICA | MONCCAICAI | 1C I CAGCAAA | CTAACAAGGG | AACAGAAAAC | CAAACACTGC | 180 |
| ATGITCICAC | TCTTAAGTGG | GAGCTGAACA | ATGAGAACAC | ATGGACACAG | GGAGGGGAAC | 240 |
| ATCACACAGT | GGGGCCTGCT | GGTGGGTAGG | GGTCTAGGGG | AGGGATAGCA | TTAGGAGAAA | 300 |
| TACCTAATGT | AGATGACGGG | TTGATGGGTG | CAGCAAACCA | CCATGACACG | TCTATACCTA | 360 |
| TGTAACAAAC | CTGCATGTTC | TGCACATGTA | CCCCAGAACT | TANAGEGER | IGIAIACCIA | |
| TAAGAAAAA | GTTAAGTATG | TCATACATAC | 202222 | TAAAGIGITA | ATAAAAAAAT | 420 |
| | GIIAAGIAIG | ICATAGATAC | ATAAAATATIT | GTANATATTG | AAGGTGCCCA | 480 |

| AA | 482 |
|---|---|
| (2) INFORMATION FOR SEQ ID NO:247: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 474 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (vi) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:247: | |
| TTCGATACAG GCACAGAGTA AGCAGAAAAA TGGCTGTGGT TTAACCAAGT GAGTACAGTT AAGTGAGAG GGGGCAGAG AGACAAGGGC ATATGCAGGG GGTGATTATA ACAGGTGGTT GTGCTGGGAA GTGAGGGTAC TCGGGGATGA GGAACAGTGA AAAAGTGGCA AAAAGTGGTA AGATCAGTGA ATTGTACTTC TCCAGAATTT GATTTCTGGN GGAGTCAAAT AACTATCCAG TTTGGGGTAT CATANGGCAA CAGTTGAGGT ATAGGAGGTA GAAGTCNCAG TGGGATAATT GAGGTTATGA ANGGTTTGGT ACTGACTGAT ACTGACAANG TCTGGGTTAT GACCATGGGA ATGAATGACT GTANAAGCGT ANAGGATGAA ACTATTCCAC GANAAAGGGG TCCNAAAACT AAAAANNNAA GNNNNNGGGG AATATTATTT ATGTGGATAT TGAANGTGCC CAAA (2) INFORMATION FOR SEQ ID NO:248: | 60 120 180 240 300 360 420 474 |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 355 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:248: | |
| TTCGATACAG GCAAACATGA ACTGCAGGAG GGTGGTGACG ATCATGATGT TGCCGATGGT CCGGATGGNC ACGAAGACGC ACTGGANCAC GTGCTTACGT CCTTTTGCTC TGTTGATGGC CCTGAGGGGA CGCAGGACCC TTATGACCCT CAGAATCTTC ACAACGGGAG ATGGCACTGG ATTGANTCCC ANTGACACCA GAGACACCCC AACCACCAGN ATATCANTAT ATTGATGTAG TTCCTGTAGA NGGCCCCCTT GTGGAGGAAA GCTCCATNAG TTGGTCATCT TCAACAGGAT CTCAACAGGTT TCCGATGGCT GTGATGGCA TAGTCATANT TAACCNTGTN TCGAA | 60 120 180 240 300 355 |
| (2) INFORMATION FOR SEQ ID NO:249: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 434 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:249: | |
| TTGGATTGGT CCTCCAGGAG AACAAGGGGA AAAAGGTGAC CGAGGGCTCC CTGGAACTCA AGGATCTCCA GGAGCAAAAG GGGATGGGGG AATTCCTGGT CCTTGGTC CCTTAGGTCC | 60 120 |

| ACCTGGTCCT CCAGGCTTAC CAGGTCCTCA AGGCCCAAAG GGTAACAAAG GCTCTACTGG ACCCGCTGGC CAGAAAGGTG ACAGTGGTCT TCCAGGGCCT CCTGGGCCTC CAGGTCCACC | 180 240 |
|--|------------|
| TGGTGAAGTC ATTCAGCCTT TACCAATCTT GTCCTCCAAA AAAACGAGAA GACATACTGA | 300 |
| AGGCATGCAA GCAGATGCAG ATGATAATAT TCTTGATTAC TCCCATCCAA MCGAAGCAA | 360 |
| ATTTGGTTCC CTCAATTCCC TGAAACAAGA CATCGAGCAT ATGAAATTTC CAATGGGTAC TCAGACCAAT CCAA | 420 |
| TCAGACCAAT CCAA | 434 |
| (2) INFORMATION FOR SEQ ID NO:250: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 430 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (b) Topologi: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:250: | |
| TGGATTGGTC ACATGGCAGA GACAGGATTC CAAGGCAGTG AGAGGAGGAT ACAATGCTTC | 60 |
| TCACTAGITA TTATTTA TTTTATTTTT GAGATGAAGT CTCCCTTTCT CTCCCTTTCT | 60 120 |
| GGAGAGCGGI GGTGCGATCT TGGCTCTCTG CAACCCCCGC CTCAACCAAT TGTGGTGTGT | 180 |
| TAGCCICGCG GGTAGATGGA ATTACAGGCG CCCACCGCCA TGCCCA ACTA ACT | 240 |
| GICTICAGIA GAGACAGGGT TTCGCCATGT TGGGCAGGCT GGTCTTCAAC TGGTCA | 300 |
| NAGIGATOTE COUTCOTOGG COTCACAAAG TGCTGGAATT ACACGGATGG COTTGGAG | 360 |
| CCAGTCAACT TCTCACTAGT TATGGCCTTA TCATTTTCAC CACATTCTAT TCCCCCAAAA | 420 |
| AAAAAAAAN | 430 |
| (2) | 430 |
| (2) INFORMATION FOR SEQ ID NO:251: | |
| (i) SEQUENCE CHARACTER TOTAL | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 329 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (B) TOPOLOGI: IIMear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:251: | |
| TGGTACTCCA CCATYATGGG GTCAACCGCC ATCCTCGCCC TCCTCCTGGC TGTTCTCCAA | |
| GGAGICIGIG CCGAGGTGCA GCTGRTGCAG TCTGGAGCAG AGCTCAAAAA GTGGGGGGA | 60 |
| TCTCTGAAGA TCTCCTGTAA GGGTTCTGGA TACACCTTTA AGATCTACTG GATCGCCTGG | 120 |
| THE CONTROL TO COURSE A COUNTY OF THE COURSE | 180 |
| JAIACCAGAI ACAGCCCGTC CTTCCAAGGC CAGGTCACCA TCTCAGTCCA TAACTCCATC | 240 |
| AGCACCGCCT ATCTGCAGTG GAGTACCAA | 300 |
| | 329 |
| (2) INFORMATION FOR SEQ ID NO:252: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 536 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:252:

TGGTACTCCA CTCAGCCCAA CCTTAATTAA GAATTAAGAG GGAACCTATT ACTATTCTCC CAGGCTCCTC TGCTCTAACC AGGCTTCTGG GACAGTATTA GAAAAGGATG TCTCAACAAG

120

| TATGTAGATC CTGTACTGGC CTAAGAAGTT AAACTGAGAA TAGCATAAAT CAGACCAAAC TTAATGGTCG TTGAGACTTG TGTCCTGGAG CAGCTGGGAT AGGAAAACTT TTGGGCAGCA AGAGGAAAAAAAAAA | 180 240 300 360 420 480 536 |
|--|---|
| (2) INFORMATION FOR SEQ ID NO:253: | • |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 507 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | · |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:253: | |
| NTGTTGCGAT CCCAGTAACT CGGGAAGCTG AGGCGGAGG ATCACCTGAG CTCAGGAGGT TGAGGCCGCA GTGAGCCGGG ACCACGCCAC TACACTCCAG CCTGGGGCAT AGAGTGAGAC CCTCCAAGAC AGAAAAGAAA | 60 120 180 240 300 360 420 480 |
| (2) INFORMATION FOR SEQ ID NO:254: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 222 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:254: | |
| TTGGATTGGT CACTGTGAGG AAGCCAAATC GGATCCGAGA GTCTTTTTCT AAAGGCCAGT ACTGGCCACA CTTTCTCCTG CCGCCTTCCT CAAAGCTGAA GACACACAGA GCAAGGCGCT TCTGTTTTAC TCCCCAATGG TAACTCCAAA CCATAGATGG TTAGCTNCCC TGCTCATCTT TCCACATCCC TGCTATTCAG TATAGTCCGT GGACCAATCC AA | 60 120 180 222 |
| (2) INFORMATION FOR SEQ ID NO:255: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 463 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | • |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:255: | |

TGTTGCGATC CATAAATGCT GAAATGGAAA TAAACAACAT GATGAGGGAG GATTAAGTTG

GGGAGGGAGC ACATTAAGGT GGCCATGAAG TTTGTTGGAA GAAGTGACTT TTGAACAAGG

| CCTTGGTGTT AAGAGCTGAT GAGAGTGTCC CAGACAGAGG GGCCACTGGT ACAATAGACG | 100 |
|--|------------|
| AGAIGGGAGA GGGCTIGGAA GGTGTGCGAA ATAGGAAGGA GTTTGTTCTC CTATGAGTG | 180 |
| AGIGAACACA GAGGCGAGAG GCCCTGGTGG GTGCAGCTGG AGAGTTATGC AGAGTAAGA | 240 300 |
| TAGGCCCIGT GGGGGACTGT AGACTGTCAG CAATAATCCA CAGTTTGGAT TTTATTGTATA | |
| GAGIGATGGG AAGCCGTGGA AAGGGGGTTA AGCAAGGAGT GAAATTATCA CATTURA CACT | 360 420 |
| GATAAAATA AATTGGTCTG GCTACTGGGG AAAAAAAAA AAA | 463 |
| (2) INFORMATION FOR SEQ ID NO:256: | 403 |
| | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 262 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:256: | |
| TTGGATTGGT CAACCTCCTC AACTCTA | |
| TTGGATTGGT CAACCTGCTC AACTCTACYT TTCCTCCTTC TTCCTAAAAA ATTAATGAAT | 60 |
| CCAATACATT AATGCCAAAA CCCTTGGGTT TTATCAATAT TTCTGTTAAA AAGTATTATC | 120 |
| CAGAACTGGA CATAATACTA CATAATAATA CATAACAACC CCTTCATCTG GATGCAAACA | 180 |
| TCTATTAATA TAGCTTAAGA TCACTTTCAC TTTACAGAAG CAACATCCTG TTGATGTTAT TTTGATGTTT GGACCAATCC AA | 240 |
| STATE OF THE STATE | 262 |
| (2) INFORMATION FOR SEQ ID NO:257: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 461 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:257: | |
| GNGGNNNNNN NNNCAATTCG ACTCNGTTCC CNTGGTANCC GGTCGACATG GCCGCGGGAT | |
| TACCGCTTGT NNCTGGGGGT GTATGGGGGA CTATGACCGC TTGTAGCTGG GGGTGTATGG | 60 |
| GGGACTATGA CCGCTTGTAG MTGGKGGTGT ATGGGGGGACT ATGACCGCTT GTCGGGTGGT | 120 |
| CGGATAAACC GACGCAAGGG ACGTGATCGA AGCTGCGTTC CCCCTCTTTC CCAMGGGTAC | 180 |
| GGATCATGGA CAGCAATATC CGCATTCGYC TGAAGGCGTT CGACCATCGC GTGCTCGATC | 240 |
| AGGCGACCGG CGACATCGCC GACACCGCAC GCCGTACCGG CGCGCTCATG GGGGGTGGC | 300 |
| TOCCGCTTCC CACGCGCATC GAGAAGTTCA CGGTCAACCG TGGCCCGCAC CTCGACAAGA | 360 |
| AGTCGCGCGA GCAGTTCGAG GTGCGTACCT ACAAGCGGTC A | 420 461 |
| (2) INFORMATION FOR SEQ ID NO:258: | 401 |
| | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 332 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:258: | |
| | |
| TGACCGCTTG TAGCTGGGGG TGTATGGGGG ACTACGACCG CTTGTAGCTG GGGGTGTATG | 60 |
| OCCUPATION ACCOUNTGIA GUIGGGGGTG TATGGGGGGAC TATGACCCCT TOTAL CONC.C. | |
| GGTGTATGGG GGACTAGGAC CGCTTGTAGC TGGGGGTGTA TGGGGGGACTA TGACCGCTTG | 180 |

| TAGCTGGGGG TGTATGGGGG ACTACGACCG CTTGTAGCTG GGGGTGTATG GGGGACTATG ACCGCTTGTA NCTGGGGGTG TATGGGGGAC TATGACCGCT TGTGCTGCCT GGGGGATGGG AGGAGAGTTG TGGTTGGGGA AAAAAAAAAA | 240 300 |
|---|------------|
| · · · · · · · · · · · · · · · · · · · | 332 |
| (2) INFORMATION FOR SEQ ID NO:259: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 291 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:259: | |
| TACCGCTTGT GACCGCTTGT GACCGCTTGT GACCGCTTGT | |
| GACCGCTTGT GACCGCTTGT GACCGCTTGT GACCGCTTGT GACCGCTTGT GACCGCTTGT GACCGCTTGT GACCGCTTGT GACCGCTTGT | 60 |
| GACCGCTTGT | 120 |
| GGGTGTCTGG GGGNCTATGA NNGANTGTNA CNGGGGGGTGT CTGGGGGGACT ATGANNGACT | 180 |
| GTGCNNCCTG GGGGATCNGA GGAGANTNGN GGNTAGNGAT GGTTNGGGAN A | 240 291 |
| | 271 |
| (2) INFORMATION FOR SEQ ID NO:260: | _ |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 238 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:260: | |
| TAAGAGGGTA CTGGTTAAAA TACAGGAAAT CTGGGGTAAT GAGGCAGAGA ACCAGGATAC | 60 |
| TTTGAGGTCA GGGATGAAAA CTAGAATTTT TTTCTTTTTT TTTGCCTGAG AAACTTGCTG | 60 120 |
| CTCTGAAGAG GCCCATGTAT TAATTGCTTT GATCTTCCTT TTCTTACAGC CCTTTCAAGG | 180 |
| GCAGAGCCCT CCTTATCCTG AAGGAATCTT ATCCTTAGCT ATAGTATGTA CCCTCTTA | 238 |
| (2) INFORMATION FOR SEC ID NO.261. | |
| (2) INFORMATION FOR SEQ ID NO:261: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 746 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:261: | |
| (X1) BEQUENCE DESCRIPTION: SEQ ID NO:261: | |
| TTGGGCACCT TCAATATCAA TAGCTAACAT TTATTGAGTG TTTATCGTAT CATAAAACAC | 60 |
| GTTCTAAGC CTTTAAACGT ACTAATTCAT TTAATGCTCA TAATCACTTT AGAAGGTGGG | 120 |
| FACTAGTATT AGTCTCATTT ACAGATGCAA CATGCAGGCA CAGAGAGGTT AATTAACTTG | 180 |
| CCCAAGGTAA CACAGCTAAG AAATAGAAAA AATATTGAAT CTGGAAAGTT GGGCTTCTGG | 240 |
| FTAACCCACA GAGTCTTCAA TGAGCCTGGG GCCTCACTCA GTTTGCTTTT ACAAAGCGAA | 300 |
| GAGTAACAT CACTTAATTC AGTGAGTAGG CCAAATGGAG GTCAGCTACG AGTTTCTGCT | 360 |
| STTCTTGCAG TGGACTGACA GATGTTTACA ACGTCTGGCC ATCAGTWAAT GGACTGATTA | 420 |
| CCATTGGGAW GTGGGTGGGC TGAATGTTGG CCAGTGAAGT TTATTCAWGC CATATTTTTA | 480 |
| GTTTAGGAT GACTTTTGGC TGGTCCTAGG GCAAGCTCTG TCTGSCACGG AACACAGAAT | 540 |
| VACACAGGGA CCCCCTCAAT TTCTGGTGTG GCTAGAACCA TGAACCACTG GTTGGGGGAA | 600 |

| CAAGCGGTCA | AAACCTAAGT | GCGGCCGGCT | GGCAGGGTCC | ACCCATATCC | GGAAAACTCC | |
|------------|--------------|------------|-------------|------------|------------|-----|
| CNACGCGTTT | GGAATGCCTN | AGCTNGAATT | ATTCTAANAC | TTCTCCNCVD | AAAATTAGCC | 660 |
| TGGGCGTTAA | TCANGGGTCN | NAACCC | MILLCIAMING | TIGICCHCMT | AAAATTAGCC | 720 |
| | 10.440001014 | WAAGCC | | | | 746 |

- (2) INFORMATION FOR SEQ ID NO:262:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 588 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:262:

| TGACCGCTTG | TCATCTCACA | TGGGGTCCTG | CACGCTTTTG | CCTTTGTAGG | AAACCTGACA | 60 |
|-------------|-------------|-----------------------|------------|--------------------|------------|-----|
| TTTGTCTGTT | TCTTCTTTCT | CTTTTCCTTC | CCATATCCTC | $CTA\Delta TTTACC$ | TTTGACTTGT | |
| TTGCTGAGGA | GGCAGGAGCT | A C A C A C T C C C T | CECTCOEC | CIMHIIIACG | TITGACTIGI | 120 |
| ECT 1 | GGCAGGAGCI | AGAGACIGCI | GIGAGCICAT | AGGGGTGGGA | AGTTTATCCT | 180 |
| TCAAGTCCCG | CCCACTCATC | ACTGCTTCTC | ACCTTCCCCT | GACCAGGCTT | ACAAGTGGGT | 240 |
| TCTTGCCTGC | TTTCCCTTTG | GACCCAACAA | CCCCTGTAA | TGAGTGTGCA | TGACTCTCAC | |
| AGCTGTGGAC | TCAGGGTCCT | TGGGTAGAGG | TOCOL BORN | AATATCTCAT | TOACICIGAC | 300 |
| | 10110001001 | IGGCIACAGC | IGCCATGTAA | AATATCTCAT | CCAGTTCTCG | 360 |
| CAAATTGTTA | AAATAACCAC | ATTTCTTAGA | TTCCAGTACC | CAAATCATGT | CTTTACGAAC | 420 |
| TGCTCCTCAC | ACCCAGAAGT | GGCACAATAA | TTCTTCCCC | ATTATTACTT | CITIACOAAC | 420 |
| CTCTNITTANG | CURRICURA | COCACAATAA | TICTIGGGGA | ATTATTACTT | TTTTTTTTCT | 480 |
| CICIMIINNC | GNNNGNNNNG | GNNNGNCCAG | GAATTACCAC | NTTGGAAGAC | CTGGCCNGAA | 540 |
| TTTATTATAN | AGGGGAGCCG | ATTNTTTTTC | CTAACACAAA | CCCCCCCC | ordection. | |
| | | | CIACACAAA | GCGGGTCA | | 588 |

- (2) INFORMATION FOR SEQ ID NO:263:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 730 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:263:

| TTTTTTTTT | TTTGGCCTGA | GCAACTGAAA | יייים מ מבויד מידיד | ጥሮር እጥ አጥ አርጠ | CAAAAGAGTA | |
|--|------------|------------------|---------------------|---------------|------------------|-----|
| AGACTGCAAA | ΔΔGΔΥΥΛΛΛΥ | Cary y y y camac | - TIMIOAMAII | ICCATATACT | CAAAAGAGTA | 60 |
| ת מישים או איים מישים או א | AAAMAAAA | GIAAAAGIIG | TCTTGTATAC | AGTAATGTTT | AAGATACCTA | 120 |
| | | TTAGGGCATT | | AGTTGAAAAT | TCAGGAGTGA | 180 |
| GGTTGGGCTG | GCTGGGTATA | TACTGAAAAC | TGTCAGTACA | CAGATGACAT | СТАВАВССВС | 240 |
| AAATCTGGTT | TTATTTTAGC | AGTGATATGT | GTCACTCCCA | CAAAAGCCTT | CCCNAMMCCC | |
| CTCAGCATAC | ACAACAAGTC | ACCTCCCCAC | ACCCCTTOTA C | ACATAAACAA | CCCAATTGGC | 300 |
| TTACTTCACC | ACCALANCE | ACCICCCAC | AGCCCTCTAC | ACATAAACAA | ATTCCTTAGT | 360 |
| TERRETTERS | AGGAAATGCG | CCCTTTTCCT | TCCGCTCTAG | GTGACCGCAA | GGCCCAGTTC | 420 |
| TCGTCACCAA | GATGTTAAGG | GAAGTCTGCC | AAAGAGGCAT | CTGAAAGGAA | ΣΤΣΣΩΩΩΩΣΣΣ | 480 |
| TGGGAGTGAC | CACAAAGGAA | AGCCAAGGAN | AAACTTTCCA | GACCGTTTCT | 7.07.17.00000000 | |
| CATTTCACAA | CAAAACTCNC | CAACAAACC | TOTAL TOUR | GACCGITICI | AGANCCCTGG | 540 |
| CCANNACAC | TTOTAL | GAACAAACCI | TGTCTCATCA | ATCATTTAAG | CCCTTCGTTT | 600 |
| GGANNAGACT | TTCTGAACTG | GGCGCTGAAC | ATAANCCTCA | TTGAATGTCT | TCACAGTCTC | 660 |
| CCAGCTGAAG | GCACACCTTG | GGCCAGAAGG | GGAATCTTCC | AGGTCCTCAA | MACAGGGGTC | |
| GCCCTTTGNC | | | | | MACAGGGCTC | 720 |
| _ | | | | | | 730 |

- (2) INFORMATION FOR SEQ ID NO:264:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 715 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:264:

| TTTTTTTTT | TTTGGCCAGT | ATGATAGTCT | CTACCACTAT | ATTGAAGCTC | TTAGGTCATT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TACACTTAAT | GTGGTTATAG | ATGCTGTTGA | GCTTACTTCT | ACCACCTTGC | TATTTCTCCC | 120 |
| GTCTCTTTTT | TGTTCCTTTT | CTCTTCTTTT | CCTCCCTTAT | TTTATAATTG | AATTTTTTAG | 180 |
| GATTCTATTT | TATATAGATT | TATCAGCTAT | AACACTTTGT | ATTCTTTTGT | TTTGTGGTTC | 240 |
| TTCTGTCATT | TCAATGTGCA | TCTTAAACTC | ATCACAATCT | ATTTTCAAAT | AATATCATAT | 300 |
| AACCTTACAT | ATAATGTAAG | AATCTACCAC | CATATATTTC | CATTTCTCCC | TTCCATCCTA | 360 |
| TGTNTGTCAT | ATTTTTTCCT | TTATATATGT | TTTAAAGACA | TAATAGTATA | TGGGAGGTTT | 420 |
| TTGCTTAAAA | TGTGATCAAT | ATTCCTTCAA | NGAAACGTAA | AAATTCAAAA | TAAATNTCTG | 480 |
| TTTATTCTCA | AATNNACCTA | ATATTTCCTA | CCATNTCTNA | TACNTTTCAA | GAATCTGAAG | 540 |
| GCATTGGTTT | TTTCCGGCTT | AAGAACCTCC | TCTAAAGCAC | TCTAAGCAGA | ATTAAGTCTT | 600 |
| CTGGGAGAGG | AATTCTCCCA | AGCTTGGGCC | TTNANNTGTA | CTCCNTNANG | GTTAAANTTT | 660 |
| GGCCGGGAAA | TAGAAATTCC | AAGTTAACAG | GNTANTTTTT | NTTTTTTTTN | TCNCC | 715 |

(2) INFORMATION FOR SEQ ID NO:265:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 152 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:265:

| TTTTTTTTT | TTTCCCAACA | CAAAGCACCA | TTATCTTTCC | TCACAATTTT | CAACATAGTT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TGATTCCCAT | GAAGAGGTTA | TGATTTCTAA | AGAAAACATG | GCTACTATAC | TATCAATCAG | 120 |
| GGTTAAATCT | TTTTTTTTTG | AGACGGAGTT | TA | _ | | 152 |

- (2) INFORMATION FOR SEQ ID NO:266:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 193 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:266:

| TAAACTCCGT | CCCCTTCTTA | ATCAATATGG | AGGCTACCCA | CTCCACATTA | CCTTCTTTTC | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AAGGGACTGT | TTCCGTAACT | GTTGTGGGTA | TTCACGACCA | GGCTTCTAAA | CCTCTTAAAA | 120 |
| CTCCCCAATT | CTGGTGCCAA | CTTGGACAAC | ATGCTTTTTT | | TTTTTTTTT | |
| GAGACGGAGT | | | | ********* | | 180 |
| | | | | | | 193 |

- (2) INFORMATION FOR SEQ ID NO:267:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 460 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:267:

| TCTTCCCAMC COMMANCAM ASSESSED | |
|---|-----|
| TGTTGCGATC CCTTAAGCAT GGGTGCTATT AAAAAAATGG TGGAGAAGAA AATACCTGGA | 60 |
| ATTTACGTCT TATCTTTAGA GATTGGGAAG ACCCTGATGG AGGACGTGGA GAACAGCTTC | 120 |
| TTCTTGAATG TCAATTCCCA AGTAACAACA GTGTGTCAGG CACTTGCTAA GGATCCTAAA | 180 |
| TTGCAGCAAG GCTACAATGC TATGGGATTC TCCCAGGGAG GCCAATTTCT GAGGGCAGTG | 240 |
| GCTCAGAGAT GCCCTTCACC TCCCATGATC AATCTGATCT CGGTTGGGGG ACAACATCAA | 300 |
| GGTGTTTTTG GACTCCCTCG ATGCCCAGGA GAGAGCTCTC ACATCTGTGA CTTCATCCGA | 360 |
| AAAACACTGA ATGCTGGGGC GTACTCCAAA GTTGTTCAGG AACGCCTCGT GCAAGCCGAA | 420 |
| TACTGGCATG ACCCATAAAA GGAGGATGTG GATCGCAACA | 460 |
| (2) INFORMATION FOR SEQ ID NO:268: | |
| (a) and the following the NO:268: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 533 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:268: | |
| | |
| TGTTGCGATC CGTTGATAGA ATAGCGACGT GGTAATGAGT GCATGGCACG CCTCCGACTT | 60 |
| ACCTICGCCC GTGGGGACCC CGAGTACGTC TACGGCGTCG TCACTTAGAG TACCCTCTCC | 120 |
| ACGCCCGGGC GCGTTCGATT TACCGGAAGC GCGAGCTGCA GTGGGCTTGC GCCCCGGGC | 180 |
| AAATTCTTTG GGGGGTTTAA GGCCGCGGGG AATTTGAGGT ATCTCTATCA GTATGTAGGC | 240 |
| AAGTTGGAAC AGTCGCCATT CCCGAAATCG CTTTCTTTGA ATCCGCACCG CCTCCACCAT | 300 |
| GCCTCATTC ATCAACCTGA AGGCACGCAT AAGTGACGGT TGTGTCTTCA GCAGCTCCAC | 360 |
| CCATAACTA GCGCGCTCGA CCTCGTCTTC GTACGCGCCA GGTCCGTGCG TGCGAATTCC | 420 |
| LAACTCCGGT GAGTTGCGCA TTTCAAGTTN CGAAACTGTT CGCCTCCACN ATTTGGCATG | 480 |
| TTCACGCATG ACACGGAATA AACTCGTCCA GTACCGGGAA TGGGATCGCA ACA | 533 |
| | |
| (2) INFORMATION FOR SEQ ID NO:269: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 50 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (b) TOPOLOGI: Timear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:269: | |
| 101. SEQ 15 NO:269: | |
| TTTTTTTTT TTCGCCTGAA TTAGCTACAG ATCCTCCTCA CAAGCGGTCA | 50 |
| | 50 |
| 2) INFORMATION FOR SEQ ID NO:270: | |
| | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 519 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (wh) anomala and a | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:270: | |
| GTTGCGATC CAAATAACCC ACCAGGTTCT TO TO | |
| GTTGCGATC CAAATAACCC ACCAGCTTCT TGCACACTTC GCAGAAGCCA CCGTCCTTTG | 60 |
| CTGAGTCAC GTGAACGGTC AGTGCAAGCA GCCGCGTGCC AGAGCAGAGG TGCAGCATGC | 120 |

TGCACACCAG CTCAGGGCTG ACCTCCTCCA GCAGGATGGA CAGGATGGAG CTGCCGTACG

| TGTCCACCAC CTCCTGGCAC TCTTCCGACA GGGACTTCGG CAGCTTCGAG CACATTTTGT | 2.4 |
|---|----------|
| CAAAAGCGTC GAGTATTTCT TTCTCAGTCT TGTTGTTGTC AATCAGCTTG GTCACCTCCT | 24 |
| TCACCAGGAA TTCACACACC TCACAGTAAA CATCAGACTT TGCTGGGACC TCGTGCTTCT | 30 |
| TAATGGGCTC CACCAGTTCC AGGGCAGGGA TGACATTCTT GGAGGCCACT TTGGCGGGGA | 36 |
| CCAGAGTCTG CATGGGCATC TCTTTCACCT CATCACAGAA CCCAACCAGC GCACAGATCT | 42 48 |
| CCTTGGGTTG CATGTGCATC ATCATCTGGG ATCGCAACA | 51 |
| (2) INFORMATION FOR SEQ ID NO:271: | 21 |
| | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 457 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (b) TOPOLOGY: Timear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:271: | |
| TTTTTTTTT TTCGGGCGGC GACCGGACGT GCACTCCTCC AGTAGCGGCT GCACGTCGTG | 60 |
| CCAATGGCCC GCTATGAGGA GGTGAGCGTG TCCGGCTTCG AGGAGTTCCA CCGGCCCTG | 120 |
| GAACAGCACA ATGGCAAGAC CATTTTCGCC TACTTTACGG GTTCTAAGGA CGCCGGGGG | 180 |
| AAAAGCTGGT GCCCCGACTG CGTGCAGGCT GAACCAGTCG TACGAGAGGG GCTGAAGCAC | 240 |
| ATTAGTGAAG GATGTGTT CATCTACTGC CAAGTAGGAG AAGAGCCTTA TTGGAAAGAT | 300 |
| CCAAATAATG ACTTCAGAAA AAACTTGAAA GTAACAGCAG TGCCTACACT ACTTAAGTAT | 360 |
| GGAACACCTC AAAAACTGGT AGAATCTGAG TGTCTTCAGG CCAACCTGGT GGAAATGTTG | 420 |
| TTCTCTGAAG ATTAAGATTT TAGGATGGCA ATCAAGA | 457 |
| (2) INFORMATION FOR SEQ ID NO:272: | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 102 base pairs | |
| (B) TYPE: nucleic acid | |
| (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:272: | |
| | |
| TTTTTTTTTT TTGGGCAACA ACCTGAATAC CTTTTCAAGG CTCTGGCTTG GGCTCAAGCC | 60 |
| CGCAGGGGAA ATGCAACTGG CCAGGTCACA GGGCAATCAA GA | 102 |
| (2) INFORMATION FOR SEQ ID NO:273: | |
| | |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 455 base pairs | |
| (B) TYPE: nucleic acid (C) STRANDEDNESS: single | |
| (D) TOPOLOGY: linear | |
| (2) Toronogr. Timear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:273: | |
| TTTTTTTTT TTGGCAATCA ACAGGTTTAA GTCTTCGGCC GAAGTTAATC TCGTGTTTTT | 60 |
| GCAATCAAC AGGTTTAAGT CTTCGGCCGA AGTTAATCTC GTGTTTTTGG CAATCAACAG | 120 |
| FTTAAGTCT TCGGCCGAAG TTAATCTCGT GTTTTTGGCA ATCAACAGGT TTAAGTCTTC | 180 |
| GCCGAAGTT AATCTCGTGT TTTTGGCAAT CAACAGGTTT AAGTCTTCGG CCGAAGTTAA | 240 |
| CTCGTGTTT TTGGCAATCA ACAGGTTTAA GTCTTCGGCC GAAGTTAATC TCGTGTTTTT | 300 |
| GCAATCAAG AGGTTTAAGT CTTCGGCCGA AGTTAATCTC GTGTTTTTGG CAATCAACAG | 360 |

| GTTTAAGTCT GGCCGAAGTT | TCGGCCGAAN AATCTCGTGT | TTAATCTCGT TTTTGGCAAT | GTTTTTGGCA CAANA | ATCAACAGGT | TTAANTCTTC | 420 455 |
|--------------------------|--------------------------|--------------------------|---------------------|------------|------------|------------|
|--------------------------|--------------------------|--------------------------|---------------------|------------|------------|------------|

- (2) INFORMATION FOR SEQ ID NO:274:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 461 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:274:

| TTTTTTTTT TGGCAAACCA TCCCTGGGAT ACAGAACCAA AATTCAACAG | GCAAGGCTGG AGACAAAAAC | TTCAACATAA | GAAAATCAAT | CCATGATCAA AAATGTAATC | GTGGGCTTCA CATCACATAA | 60 120 180 240 |
|---|--------------------------|-------------|------------|--------------------------|--------------------------|-------------------------|
| AATTCAACAG (CAAAATAATA AACTGGAAGCA TATTCAACATA C | TCCCTTTGA | AAACTGGCAC | CACAGCCAAT | ATCATACTGA | | 300 360 420 |
| | | - FOI OCCAG | GGCAATCAAG | A | | 467 |

- (2) INFORMATION FOR SEQ ID NO:275:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 729 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:275:

| TTTTTTTTT | TTGGCCAACA | CCA A CIDCONN | | | | |
|------------|-------------------|---------------|-------------------|--------------------------|------------------|--------------|
| | - TOOCCAMCM | CCAAGTCTTC | CACGTGGGAG | GTTTTATTAT | GTTTTACAAC | 60 |
| | | GCIGITACAG | CAAACATTTC | AGATAGACGA | A TO CO CO CO CO | |
| | CCCACCTTCA | CAGCCTCTTC | CACACGTCTC | CONTRACTOR | AICGGCCAAG | 120 |
| CTTGCAAATT | CANGGATGTT | | ATTTNNAGTN | | TTGTCCTTCA | 180 |
| NCANTAAGCA | GAANTACCAT | CACCONTOLIC | ATTINNAGTN | GCNGGAACCC | CATCAGTGAA | 240 |
| CCCTTTCTXT | CARNIACGAI | GACTTTGANA | NACANCTGAT | ~~ ~ ~ . | | - |
| | CGIGITANGA | TCTCNNGTCC | את מתיים ליטידול | | | 300 |
| AOAOOT | ACTOCOCOCON | CGTTGGATCC | CCCCTTGACT | CGGCCCCCTG NTCCCATTCT | CNGGTCCACC | 360 |
| ACCNGNCTTG | NGNGNCANTN | CMMCCTCMCA | COMMON | MICCCATTCT | NGTCCCCCAN | 420 |
| NCCGCCNCCC | MA A TOTO COLA CI | CONTENTA | CCMTGTTTCC | CTGNNGTNAA | AATNNGTTTT | 480 |
| | | CCNAATCACA | (2CTO A A STOCKED | | NAAGTGTTTA | 540 |
| | GTTTCCTCNT | NTANTTGCAG | CCTACCCTCC | (1) T (2) T (2) T (3) | | |
| TCGCGCCCTG | GNCNCGCCTN | GTTCCTCTTT | NNGGNNACAA | C.C. | TNCGNGTTGG | 600 |
| NNNCTNTTCC | TNNNACTAGC | TMCCCTMTCC | MAJAMMOOMMA | CCTNGNTCNN | NGGCNCNTCN | 660 |
| TNTGTNNCC | | TMGCCTMTCC | NCNCCGNGGN | NCANNGCACA | TTNCNCNNAC | 720 |
| _ | | | | | | 729 |

- (2) INFORMATION FOR SEQ ID NO:276:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 339 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:276:

| TGACCTGACA | TGTAGTAGAT | ACTTAATAAA | TATTTGTGGA | ATGAATGGAT | GAAGTGGAGT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TACAGAGAAA | AATAGAAAAG | TACAAATTGT | TGTCAGTGTT | TTGAAGGAAA | ATTATGATCT | 120 |
| TTCCCAAAGT | TCTGACTTCA | TTCTAAGACA | GGGTTAGTAT | CTCCATACAT | AATTTTACTT | 180 |
| GCTTTTGAAA | ATCAAATGAG | ATAATCTATT | TAGATTGATA | ATTTATTTAG | ACTGGCTATA | 240 |
| AACTATTAAG | TGCTAGCAAA | TATACATTTT | AATCTCATTT | TCCACCTCTT | GTGATATAGC | 300 |
| TATGTAGGTG | TTGACTTTAA | TGGATGTCAG | GTCNATCCC | | GIGHIAIAGC | |
| | | TOCATOTCAG | GICAMICCC | | | 339 |

(2) INFORMATION FOR SEQ ID NO:277:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 664 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:277:

| TGACCTGACA | TCCATAACAA | AATCTTTCTC | CATTATATTC | TTCTAGGGGA | ATTTCTTGAA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| AAGCATCCAA | AGGAAACAAA | TGATGGTAAG | ACCGTGCCAA | GTGGGGAGCA | GACACCAAAG | 120 |
| TAAGACCACA | GATTTTACAT | TCAACAGGTA | GCTCACAGTA | CTTTGCCCGA | CACTGTGGGC | 180 |
| AGAAATAGCC | TCCTAATGTA | AGCCCTGGCT | CAGTATTGCC | ATCCAAATGC | GCCATGCTGA | 240 |
| AAGAGGGTTT | TGCATCCTGG | TCAGATNAAG | AAGCAATGGT | GTGCTGAGGA | AATCCCATAC | 300 |
| GAATAAGTGA | GCATTCAGAA | CTTGAGCTAG | CAGGAGGAGG | | TGTGTGAGCA | 360 |
| | | TCTAAAATAA | | | | 420 |
| | | TCTGCAGACA | | | | 480 |
| CCTTTAGGGT | CTTGATTAAA | TCATAAATAT | TAGATGGATC | GCAAGTTGTA | AGGNTGCTAA | 540 |
| | | ACTTGTATGT | | | | 600 |
| | | TAAAGAAGAT | | | | 660 |
| TGCC | | | | | CCMARI | 664 |
| | | | | | | 007 |

(2) INFORMATION FOR SEQ ID NO:278:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 452 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:278:

| TGACCTGACA | TTGAGGAAGA | GCACACACCT | CTGAAATTCC | TTAGGTTCAG | AAGGGCATTT | 60 |
|------------|------------|------------|------------|------------|-------------|-------|
| GACACAGAGT | GGGCCTCTGA | TAATTCATGA | AATGCATTCT | GAAGTCATCC | AGAATGGAGG | 120 |
| CTGCAATCTG | CTGTGCTTTG | GGGGTTGCCT | CACTGTGCTC | CTGGATATCA | CACAAAAGCT | 180 |
| GCAATCCTTC | TTCTTCAACT | AACATTTTGC | AGTATTTGCT | GGGATTTTTA | CTGCAGACAT | 240 |
| GATACATAGC | CCATAGTGCC | CAGAGCTGAA | CCTCTGGTTG | AGAGAAGTTG | CCAAGGAGG | 300 |
| GGAAAAATGT | CTTGAAAGAT | CTATAGGTCA | CCAATGCTGT | CATCTTACAA | CTTGAACTTG | . 360 |
| GCCAATTCTG | TATGGTTGCA | TGCAGATCTT | GGAGAAGAGT | ACGCCTCTGG | AAGTCACGGG | 420 |
| | | GATGTCAGGT | | | ANOT CACGGG | 452 |
| | | | | | | 432 |

(2) INFORMATION FOR SEQ ID NO:279:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 274 base pairs
 - (B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:279:

| $\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}\mathbf{T}$ | TTCGGCAAGG | | MCMCC2222 | ~ | | |
|--|----------------|------------|---|--------------|---------------|-----|
| | TICCCCAAGG | CAMATTIACT | TCTGCAAAAG | GGTGCTGCTT | GCACTTTTGG | 60 |
| CCACTGCGAG | AGCACACCAA | ACAAAGTAGG | GA A GG G G G G G G G G G G G G G G G G | mma magama a | | • • |
| CCCMCCM | | c.zmothoc | GAAGGGTTT | TTATCCCTAA | CGCGGTTATT | 120 |
| CCCTGGTTCT | GTGTCGTGTC | CCCATTGGCT | GGAGTCAGAC | TGCACAATCT | A CA CMCA CCC | |
| AACTCCCTAC | mcmmma a a a m | TG3 3 | | TOCACARICI | ACACIGACCC | 180 |
| AACTGGCTAC | IGITIAAAAT | TGAATATGAA | TAATTAGGTA | GGAAGGGGGA | CCCTCTTTCT | 240 |
| TACGGTACAA | CACCTCTTTC | CCCATCTCA | OMO? | | 0001011101 | 240 |
| | 5C51G111G | GGCAIGICAG | GICA | | | 274 |

- (2) INFORMATION FOR SEQ ID NO:280:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 272 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:280:

| TACCTGACAT | GGAGAAATAA | CTTGTAGTAT | TTTGCGTGCA | ΑΤΙΚΙΑ ΑΤΙΛΙΤΙ | ATATGAGGGT | |
|-------------|------------|------------|------------------|--------------------|------------|-----|
| GAAAATGAAT | GAACTAGCAA | TCCCTCTATC | A A CAMOA A MA | AIGGAAIACI | ATATGAGGGT | 60 |
| CTTCA AMOOR | PARCENTAGE | IGCGIGIAIC | AACATGAATA | AATCCCCAAA | ACATAATAAT | 120 |
| GIIGAAIGGA | AAAGGTGAGT | TTCAGAAGGA | TATATATGCC | CTCTAAATCC | ATTTATGTAA | 180 |
| ACCTTTAAAA | AACTACATTA | TTTATGGTCA | TAAGTCCATC | ር እር አ አ አ አ ጥ አ ጥ | TTAAAAACCT | |
| ACATGGGATT | CATAACTACT | GATGTCAGGT | an and a control | CAGAAAAIAI | TTAAAAACCT | 240 |
| | ONIMACIACI | GAIGICAGGT | CA | | | 272 |

- (2) INFORMATION FOR SEQ ID NO:281:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 431 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:281:

- (2) INFORMATION FOR SEQ ID NO:282:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 98 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:282:

| ATTCGATTCG ATGCTTGAGC CCAGGAGTTC AAGACTGCAG TGAGCCACTG CACTTCAGGC TGGACAACAG AGCGAGTCCC TGTGCCAAAA AAAAAAAA | 60 98 |
|---|------------------|
| (2) INFORMATION FOR SEQ ID NO:283: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 764 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:283: | |
| TTTTTTTTTT TTCGCAAGCA CGTGCACTTT ATTGAATGAC ACTGTAGACA GGTGTGTGGG | 60 |
| TATAAACTGC TGTATCTAGG GGCAGGACCA AGGGGGCAGG GGCAACAGCC CCAGCGTGCA | 60 120 |
| GGGCCASCAT TGCACAGTGG ASTGCAAAGG TTGCAGGCTA TGGGCGGCTA CTAVTAACCC | 180 |
| CGTTTTTCCT GTATTATCTG TAACATAATA TGGTAGACTG TCACAGAGCC GAATWCCART | 240 |
| HACASGATGA ATCCAAWGGT CAYGAGGATG CCCASAATCA GGGCCCASAT STTCAGGCAC | 300 |
| TTGGCGGTGG GGGCATASGC CTGKGCCCCG GTCACGTCSC CAACCWTCTY CCTGTCCCTA | 360 |
| CMCTTGAWTC CNCNCCTTNN NNTNCCNTNA TNTGCCCGCC CNCCTCCTNG NGTCAACCNG | 420 |
| NATCTGCACT ANCTCCCTCN CCCCTTNTGG ANTCTCNTCC TTCAANTAAN NTTATCCTTN ACNCCCCCCT CNCCTTTCCC CTNCCNCCCN TNATCCCNGN NCCNCTATCA NTCNTNCCCT | 480 |
| CNCTNTNCTN CNNATCGTTC CNCCTNNTAA CTACNCTTTN NACNANNCCT CACTNATNCC | 540 |
| NGNNANTTCT TTCCTTCCCT CCCNACGCNN TGCGTGCGCC CGTCTNGCCT NNNCTNCGNA | 600 |
| CCCNNACTTT ATTTACCTTT NCACCCTAGC NCTCTACTTN ACCCANCCNC TCCTACCTCC | 660 720 |
| NGGNCCACCC NNCCCTNATC NCTNNCTCTN TCNNCTCNTT CCCC | 764 |
| (2) INFORMATION FOR SEQ ID NO:284: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 157 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:284: | |
| CAAGTGTAGG CACAGTGATG AAAGCCTGGA GCAAACACAA TCTGTGGGTA ATTAACGTTT ATTTCTCCCC TTCCAGGAAC GTCTTGCATG GATGATCAAA GATCAGCTCC TGGTCAACAT AAATAAGCTA GTTTAAGATA CGTTCCCCTA CACTTGA | 60 120 157 |
| (2) INFORMATION FOR SEQ ID NO:285: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 150 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:285: | |
| ATTCGATTGT ACTCAGACAA CAATATGCTA AGTGGAAGAA GTCAGTCACA AAAGACCACA TACTGTATGA CTTCATTTAC ATTAAGTGTC CAGAATAGGC AAATCCGTAG AGACAGAAAG TAGATGAGCA GCTGCCTAGG TCTGAGTACA | 60 120 150 |

| (2) INFORMATION FOR SEQ ID NO:286: | |
|---|-------------------------|
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 219 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:286: | |
| GCAACCTTGG TTAGGATCAA TCCAATATTC ACCATCTGGG AAGTCAGGAT GGCTGAGTTG 1 CAGGTCTTTA CAAGTTCGGG CTGGATTGGT CTGACTAGA | 60 120 180 219 |
| (2) INFORMATION FOR SEQ ID NO:287: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 196 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:287: | |
| ATCCATACTC AGAAGGAACC AACCCTGCTG ACACCTTAAT TTCAGCTTCT GGCCTCTAGA ACTGTGAGAG AGTACATTTC TCTTGGTTTA AGCCAAGAGA ATCTGTCTTT TGGTACTTTA IATCATAGCC TCAAGA | 60 20 80 96 |
| (2) INFORMATION FOR SEQ ID NO:288: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 199 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:288: | |
| TIGITGAAA TTCATTGAGT AAAACATTTA TGATCCCTTA ATATATGCCA ATTACCATGC 12 AGGTACTGA AGATTCAAGT GACCGAGATG CTAGCCCTTG GGTTCAAGTG ATCCCTCTCC 18 AGAGTGCAC TGGACTGAA | |
| 2) INFORMATION FOR SEQ ID NO:289: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 182 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:289:

| ATTCGATTCT | TGAGGCTACA | AACCTGTACA | GTATGTTACT | CTACTGAATA | CTGTAGGCAA | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| TAGTAATACA | GAAGCAAGTA | TCTGTATATG | TAAACATTAA | AAAGGTACAG | TGAAACTTCA | 120 |
| GTATTATAAT | CTTAGGGACC | ACCATTATAT | ATGTGGTCCA | TCATTGGCCA | AAAAAAAAA | |
| AA | | | orooreca | TCATTGGCCA | AAAAAAAA | 180 |
| | | • | | | | 182 |

(2) INFORMATION FOR SEQ ID NO:290:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1646 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:290:

| | GAAATGTAAT | TCCATATTTT | ATTTGAAACT | TATTCCATAT | TTTAATTGGA | 60 |
|------------|-------------|------------|------------|-------------|------------|------|
| TATTGAGTGA | | AAACACCCAC | AAACTTTAAT | TTTGTTAAAT | TTATATGGCT | 120 |
| | AGTATAAGTT | GCTACCATTT | TTTGATAACA | TTGAAAGATA | GTATTTTACC | 180 |
| ATCTTTAATC | ATCTTGGAAA | ATACAAGTCC | TGTGAACAAC | CACTCTTTCA | CCTAGCAGCA | 240 |
| TGAGGCCAAA | AGTAAAGGCT | TTAAATTATA | ACATATGGGA | TTCTTAGTAG | TATGTTTTT | 300 |
| TCTTGAAACT | CAGTGGCTCT | ATCTAACCTT | ACTATCTCCT | CACTCTTTCT | CTAAGACTAA | 360 |
| ACTCTAGGCT | CTTAAAAAATC | TGCCCACACC | AATCTTAGAA | GCTCTGAAAA | GAATTTGTCT | 420 |
| TTAAATATCT | TTTAATAGTA | ACATGTATTT | TATGGACCAA | ATTGACATTT | TCGACTATTT | 480 |
| TTTCCAAAAA | AGTCAGGTGA | ATTTCAGCAC | ACTGAGTTGG | GAATTTCTTA | TCCCAGAAGA | 540 |
| CCAACCAATT | TCATATTTAT | TTAAGATTGA | TTCCATACTC | CGTTTTCAAG | GAGAATCCCT | 600 |
| GCAGTCTCCT | TAAAGGTAGA | ACAAATACTT | TCTATTTTTT | TTTCACCATT | GTGGGATTGG | 660 |
| ACTTTAAGAG | GTGACTCTAA | AAAAACAGAG | AACAAATATG | TCTCAGTTGT | ATTAAGCACG | 720 |
| GACCCATATT | ATCATATTCA | CTTAAAAAAA | TGATTTCCTG | TGCACCTTTT | GGCAACTTCT | 780 |
| CTTTTCAATG | TAGGGAAAAA | CTTAGTCACC | CTGAAAACCC | ACAAAATAAA | TAAAACTTGT | 840 |
| AGATGTGGGC | AGAAGGTTTG | GGGGTGGACA | TTGTATGTGT | TTAAATTA'AA | CCCTGTATCA | 900 |
| | GTTGTATGGG | TCAGAGAAAA | TGAATGCTTA | GAAGCTGTTC | ACATCTTCAA | 960 |
| | AAACCACATG | TCTCAGCTAT | ATTATTATTT | ATTTTTTATG | CATAAAGTGA | 1020 |
| ATCATTTCTT | CTGTATTAAT | TTCCAAAGGG | TTTTACCCTC | TATTTAAATG | CTTTGAAAAA | 1080 |
| | ACAATGGGTT | GATATTTTTC | TTTAAAAGAA | AAATATAATT | ATGAAAGCCA | 1140 |
| | AAGCCTGTTT | TATTTTAAAA | CTTTTTATGT | TCTGTGGTTG | ATGTTGTTTG | 1200 |
| TTTGTTTGTT | TCTATTTTGT | TGGTTTTTTA | CTTTGTTTTT | TGTTTTGTTT | TGTTTTGTTT | 1260 |
| | ATGCAGTTCT | TTAACCAATG | TCTGTTTGGC | TAATGTAATT | AAAGTTGTTA | 1320 |
| | GTGCATTTCA | ACTATGTCAA | TGGTTTCTTA | ATATTTATTG | TGTAGAAGTA | 1380 |
| CTGGTAATTT | TTTTATTTAC | AATATGTTTA | AAGAGATAAC | AGTTTGATAT | GTTTTCATGT | 1440 |
| | GAAGTTATTT | ATTTCTATGG | CATTCCAGCG | GATATTTTGG | TGTTTGCGAG | 1500 |
| | | | GACAGTATTC | AGCAACGCCT | GATAGCTTCT | 1560 |
| | GTTAAATAAA | | TGGGATGTAT | TTTTTATTTT | TAAAAAAAA | 1620 |
| AAAAAAAAA | AAAAAAAAA | AAAAA | | | | 1646 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:291:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1851 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:291:

| TCATCACCAT | TGCCAGCAGC | GGCACCGTTA | GTCAGGTTTT | CTGGGAATCC | CACATGAGTA | 60 |
|------------|--------------|--------------|--------------|------------|------------|------|
| CTTCCGTGTT | r cttcattcti | CTTCAATAGO | | | CTGGCTGTTT | 120 |
| TCACTTCCTT | TAAGCCTTTG | TGACTCTTCC | | | TTGTTCTGGA | 180 |
| TTGCTGTTT | | TTTTAACATC | : TGTTTTTCTT | TGTAGTCAGA | AAGTAACTGG | 240 |
| CAAATTACAT | GATGATGACT | ' AGAAACAGCA | TACTCTCTGG | CCGTCTTTCC | AGATCTTGAG | 300 |
| AAGATACATO | : AACATTTTGC | TCAAGTAGAG | | ACTTGCTGAT | | 360 |
| | GAGAGCAGTT | | | ATTTAAATTC | | 420 |
| TGATTAAAAA | TTTCACCACT | TGCTGTTTTT | | | AGTGGTGTGA | 480 |
| GGCCATGCTI | | | CACCGTATAA | GAGCAGTGCT | TTGGCCATTA | 540 |
| ATTTATCTTC | ATTGTAGACA | GCATAGTGTA | GAGTGGTATT | TCCATACTCA | TCTGGAATAT | 600 |
| TTGGATCAGT | GCCATGTTCC | AGCAACATTA | ACGCACATTC | ATCTTCCTGG | CATTGTACGG | 660 |
| CCTTTGTCAG | AGCTGTCCTC | TTTTTGTTGT | CAAGGACATT | | | 720 |
| GCACGAGTTT | TACTACTTCT | GAATTCCCAT | | | GCAGTCCTCT | 780 |
| TTTGCTTGTC | | ACATCCGTGT | CCCTGAGCAT | GACGATGAGA | ТССТТТСТСС | 840 |
| GGACTTTACC | CCACCAGGCA | GCTCTGTGGA | GCTTGTCCAG | ATCTTCTCCA | TGGACGTGGT | 900 |
| ACCTGGGATC | CATGAAGGCG | CTGTCATCGT | AGTCTCCCCA | AGCGACCACG | TTGCTCTTGC | 960 |
| CGCTCCCCTG | CAGCAGGGGA | AGCAGTGGCA | GCACCACTTG | CACCTCTTGC | TCCCAAGCGT | 1020 |
| CTTCACAGAG | GAGTCGTTGT | GGTCTCCAGA | AGTGCCCACG | TTGCTCTTGC | CGCTCCCCCT | 1080 |
| GTCCATCCAG | GGAGGAAGAA | ATGCAGGAAA | TGAAAGATGC | ATGCACGATG | | 1140 |
| CAGCCATCAA | ACTTCTGGAC | AGCAGGTCAC | TTCCAGCAAG | GTGGAGAAAG | CTGTCCACCC | 1200 |
| ACAGAGGATG | AGATCCAGAA | ACCACAATAT | CCATTCACAA | ACAAACACTT | TTCAGCCAGA | 1260 |
| CACAGGTACT | GAAATCATGT | CATCTGCGGC | AACATGGTGG | AACCTACCCA | ATCACACATC | 1320 |
| AAGAGATGAA | GACACTGCAG | TATATCTGCA | CAACGTAATA | CTCTTCATCC | АТААСААААТ | 1380 |
| AATATAATTT | TCCTCTGGAG | CCATATGGAT | GAACTATGAA | GGAAGAACTC | CCCGAAGAAG | 1440 |
| CCAGTCGCAG | AGAAGCCACA | CTGAAGCTCT | GTCCTCAGCC | ATCAGCGCCA | CGGACAGGAR | 1500 |
| TGTGTTTCTT | CCCCAGTGAT | GCAGCCTCAA | GTTATCCCGA | AGCTGCCGCA | GCACACGGTG | 1560 |
| | AACACCCCAG | CTCTTCCGGT | CTAACACAGG | CAAGTCAATA | AATGTGATAA | 1620 |
| TCACATAAAC | AGAATTAAAA | GCAAAGTCAC | ATAAGCATCT | CAACAGACAC | AGAAAAGGCA | 1680 |
| TTTGACAAAA | TCCAGCATCC | TTGTATTTAT | | | ATGCTTCTAA | 1740 |
| | TTTAGTATTA | | GGGCTTGTCA | TAGGTGGTTT | TTATTACTTT | 1800 |
| AAGGTATGTC | CCTTCTATGC | CTGTTTTGCT | GAGGGTTTTA | ATTCTCGTGC | C | 1851 |
| | | | | | ~ | 1001 |

(2) INFORMATION FOR SEQ ID NO:292:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1851 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:292:

| TCATCACCAT | TGCCAGCAGC | CCCACCCTTA | CTC A C CTTTTT | | | |
|---|---|--------------------|----------------|----------------|------------|-----|
| | TOCCHGCAGC | GGCACCGTTA | GTCAGGTTTT. | CTGGGAATCC | CACATGAGTA | 60 |
| CTTCCGTGTT | CTTCATTCTT | CTTCAATAGC | CATAAATCTT | CTAGCTCTGG | CTGGCTGTTT | 120 |
| TCACTTCCTT | TAAGCCTTTG | TGACTCTTCC | TCTGATGTCA | COTTANACTO | TTCTTCTC | |
| ᡥᡎᡎᡎᡎ | CACAACACAM | MITTER A CAMO | | CCITIAAGIC | TIGITCIGGA | 180 |
| 1100101111 | CAGAAGAGAT | TTTTAACATC | TGTTTTTCTT | TGTAGTCAGA | AAGTAACTGG | 240 |
| CAAATTACAT | GATGATGACT | AGAAACAGCA | TACTCTCTGG | CCGTCTTTCC | AGATCTTGAG | 300 |
| AAGATACATC | AACATTTTCC | TCAAGTAGAG | CCCTCACTAT |) COMPOSED > T | | , |
| 63.663.3.653 | | I CAMO I AGAG | GGCIGACIAI | ACTIGCIGAT | CCACAACATA | 360 |
| CAGCAAGTAT | GAGAGCAGTT | CTTCCATATC | TATCCAGCGC | ATTTAAATTC | GCTTTTTTCT | 420 |
| TGATTAAAAA | TTTCACCACT | ${\tt TGCTGTTTTT}$ | GCTCATGTAT | ACCAAGTAGC | ACTCCTCTCA | 480 |
| GGCCATGCTT | CTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT | TCCATATCAC | G1 GGGT1 T1 | | AUTUUTUA | 400 |
| 3 | GIIIIIIGAI | TCGATATCAG | CACCGTATAA | GAGCAGTGCT | TTGGCCATTA | 540 |
| | | GCATAGTGTA | | TCCATACTCA | ТСТССАДТАТ | 600 |
| TTGGATCAGT | GCCATGTTCC | AGCAACATTA | A CCCA CA TIMO | * CCCCCCC | 1 | |
| CCTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT | | HOCHMENTIA | ACGCACATIC | ATCTTCCTGG | CATTGTACGG | 660 |
| CCTTTGTCAG | AGCTGTCCTC | TTTTTGTTGT | CAAGGACATT | AAGTTGACAT | CGTCTGTCCA | 720 |
| GCACGAGTTT | TACTACTTCT | GAATTCCCAT | TEGCAGAGGC | CACAMOMACA | COLOROGRAM | |
| | | | 2000MOGC | CAGAIGIAGA | GCAGTCCTCT | 780 |

| TTTGCTTGTC | CCTCTTGTTC | ACATCCGTGT | CCCTGAGCAT | GACGATGAGA | TCCTTTCTGG | 840 |
|------------|------------|-------------|------------|------------|------------|------|
| GGACTTTACC | CCACCAGGCA | GCTCTGTGGA | GCTTGTCCAG | ATCTTCTCCA | TGGACGTGGT | 900 |
| ACCTGGGATC | CATGAAGGCG | CTGTCATCGT | AGTCTCCCCA | AGCGACCACG | TTGCTCTTGC | 960 |
| CGCTCCCCTG | CAGCAGGGGA | AGCAGTGGCA | | | TCCCAAGCGT | 1020 |
| CTTCACAGAG | GAGTCGTTGT | GGTCTCCAGA | AGTGCCCACG | TTGCTCTTGC | CGCTCCCCCT | 1080 |
| GTCCATCCAG | GGAGGAAGAA | ATGCAGGAAA | TGAAAGATGC | | GTATACTCCT | 1140 |
| CAGCCATCAA | | | | | CTGTCCACCC | 1200 |
| ACAGAGGATG | | ACCACAATAT | | | TTCAGCCAGA | 1260 |
| CACAGGTACT | GAAATCATGT | CATCTGCGGC | | | | 1320 |
| AAGAGATGAA | GACACTGCAG | TATATCTGCA | | | ATAACAAAAT | 1320 |
| AATATAATTT | TCCTCTGGAG | | | | CCCGAAGAAG | 1440 |
| CCAGTCGCAG | AGAAGCCACA | | | | CGGACAGGAR | |
| TGTGTTTCTT | CCCCAGTGAT | GCAGCCTCAA | | | GCACACGGTG | 1500 |
| GCTCCTGAGA | AACACCCCAG | | CTAACACAGG | CAAGTCAATA | | 1560 |
| TCACATAAAC | AGAATTAAAA | | ATAAGCATCT | | | 1620 |
| TTTGACAAAA | TCCAGCATCC | TTGTATTTAT | TGTTGCAGTT | CAACAGACAC | | 1680 |
| CTTTTCCCCA | TTTAGTATTA | TGTTGGCTGT | | CTCAGAGGAA | | 1740 |
| AAGGTATGTC | CCTTCTATGC | | GGGCTTGTCA | TAGGTGGTTT | TTATTACTTT | 1800 |
| cimidic | CCITCIAIGC | CIGITIIGCI | GAGGGTTTTA | ATTCTCGTGC | C . | 1851 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:293:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 668 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:293:

| CTTGAGCTTC | CAAATAYGGA | AGACTGGCCC | TTACACASGT | CAATGTTAAA | ATGAATGCAT | 60 |
|---------------|---------------|-------------|------------|--------------|--------------|-----|
| TTCAGTATTT | TGAAGATAAA | ATTRGTAGAT | CTATACCTTG | TTTTTTGATT | CGATATCAGC | 120 |
| ACCRTATAAG | AGCAGTGCTT | TGGCCATTAA | TTTATCTTTC | ATTRTAGACA | GCRTAGTGYA | 180 |
| | | TCTGGAATAT | | | | 240 |
| A CCCA CA TTC | N TOTAL CARGO | armamraa. | | GCCAIGIICC | AGCAACATTA | 240 |
| ACGCACATIC | AICIICCIGG | CATTGTACGG | CCTGTCAGTA | TTAGACCCAA | AAACAAATTA | 300 |
| CATATCTTAG | GAATTCAAAA | TAACATTCCA | CAGCTTTCAC | CAACTAGTTA | TATTTAAAGG | 360 |
| AGAAAACTCA | TTTTTATGCC | ATGTATTGAA | ATCAAACCCA | ССТСАТССТС | ATATAGTTGG | 420 |
| CTACTCCATA | CCTTTATCAC | A COMOMOOMO | | | AIAIAGIIGG | 420 |
| CIACIGCAIA | CCTTTATCAG | AGCTGTCCTC | TTTTTGTTGT | CAAGGACATT | AAGTTGACAT | 480 |
| CGTCTGTCCA | GCAGGAGTTT | TACTACTTCT | GAATTCCCAT | TGGCAGAGGC | CAGATGTAGA | 540 |
| GCAGTCCTAT | GAGAGTGAGA | AGACTTTTTA | GGAAATTGTA | CTCC3 CT3 CC | m) () (() () | |
| CCAARGAGG | | MOMETITIA | GGAAATIGIA | GIGCACTAGC | TACAGCCATA | 600 |
| | ATGTAACTGC | AAACACTGAA | TAGCCTGCTA | TTACTCTGCC | TTCAAAAAA | 660 |
| AAAAAAA | | | | | | 668 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:294:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1512 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:294:

| GGGTCGCCCA | GGGGGSGCGT | GGGCTTTCCT | CGGGTGGGTG | TGGGTTTTCC | CTGGGTGGGG | 60 |
|------------|------------|------------|------------|------------|-------------|-----|
| TGGGCTGGGC | TRGAATCCCC | TGCTGGGGTT | GGCAGGTTTT | GGCTGGGATT | GACTTTTYTC | 120 |
| TTCAAACAGA | TTGGAAACCC | GGAGTTACCT | GCTAGTTGGT | GAAACTGGTT | GGTAGACGCG | 180 |
| | | | | | 00111011000 | 700 |

| ATCTGTTGGC | TACTACTGGC | TTCTCCTGGC | TGTTAAAAGC | AGATGGTGGT | TCACCTTCAM | 240 |
|------------|---------------------------------------|------------|--------------------|------------|--------------|------|
| TCCATGCCGG | CTGCTTCTTC | TGTGAAGAAG | | TCAGGAGCAA | | 240 |
| TGGTGCTGCC | GTTGCTTCCC | CTGCTGCAGG | | AGAGCAACGT | | 300 |
| GGAGACCACG | ACGACTCTGC | , . | | AGATGGGCAA | | 360 |
| CACTGCTTCC | CCTGCTGCAG | GGGGAGTGGC | o z or to or to ch | | | 420 |
| GACGAYTCTG | CTATGAAGAC | | | | TGGAGACCAC | 480 |
| CCCTGCTGCA | | | | AGTGGTGCTG | | 540 |
| GCCTTCATGG | 4444 | | | | | 600 |
| GCCTGGTGGG | THOUGHT | | GGAGAAGATC | | | 660 |
| AACAAGAAGG | | CAGAAAGGAT | CTCATCGTCA | | CACTGACGTG | 720 |
| | | GAGGACTGCT | CTACATCTGG | | TGGGAATTCA | 780 |
| | AACTCSTGCT | GGACAGACGA | TGTCAACTTA | ATGTCCTTGA | CAACAAAAAG | 840 |
| AGGACAGCTC | - 4111111000 | | CAGGAAGATG | AATGTGCGTT | AATGTTGCTG | 900 |
| | CTGATCCAAA | | GAGTATGGAA | ATACCACTCT | RCACTAYGCT | 960 |
| RTCTAYAATG | · · · · · · · · · · · · · · · · · · · | | GCACTGCTCT | TATAYGGTGC | TGATATCGAA | 1020 |
| | AGGTATAGAT | CTACTAATTT | TATCTTCAAA | ATACTGAAAT | GCATTCATTT | 1080 |
| TAACATTGAC | GTGTGTAAGG | GCCAGTCTTC | CGTATTTGGA | | TAACTTGAAT | 1140 |
| GAAAATATTT | TGAAATGACC | TAATTATCTM | AGACTTTATT | TTAAATATTG | TTATTTTCAA | 1200 |
| AGAAGCATTA | GAGGGTACAG | TTTTTTTTT | TTAAATGCAC | TTCTGGTAAA | TACTTTTGTT | |
| GAAAACACTG | AATTTGTAAA | AGGTAATACT | TACTATTTT | CAATTTTTCC | - | 1260 |
| TTTTTTCCCC | TAATGAATGT | | AATTTGCCCT | GAAATAGGTT | CTCCTAGGAT | 1320 |
| ACTCCAAGAA | | | AATAGAGATC | | TTACATGAAA | 1380 |
| TAAAAAACAG | TAATAGATAC | _ | | | GGCAAGTTCC | 1440 |
| TGATCTCGTG | CC | Chicarante | GCCTGTCAGT | GGCAAGGTTT | AAGATATTTC | 1500 |
| | | | | | | 1512 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:295:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1853 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:295:

| GGGTCGCCCA | GGGGGSGCGT | GGGCTTTCCT | CGGGTGGGTG | TGGGTTTTCC | СТСССТСССС | 60 |
|------------|------------|------------|------------|------------|------------|------------|
| TGGGCTGGGC | TRGAATCCCC | TGCTGGGGTT | GGCAGGTTTT | | | 120 |
| TTCAAACAGA | TTGGAAACCC | GGAGTTACCT | GCTAGTTGGT | | | 180 |
| ATCTGTTGGC | TACTACTGGC | TTCTCCTGGC | TGTTAAAAGC | AGATGGTGGT | TGAGGTTGAT | 240 |
| TCCATGCCGG | CTGCTTCTTC | TGTGAAGAAG | | TCAGGAGCAA | | 300 |
| TGGTGCTGCC | | | GAGAGCGGCA | AGAGCAACGT | GGGCACTTCT | 360 |
| GGAGACCACG | ACGACTCTGC | TATGAAGACA | CTCAGGAGCA | AGATGGGCAA | GTGGTGCCGC | 420 |
| CACTGCTTCC | CCTGCTGCAG | | | | TGGAGACCAC | 480 |
| GACGAYTCTG | | ACTCAGGAAC | | AGTGGTGCTG | CCACTGCTTC | 540 |
| CCCTGCTGCA | GGGGGAGCRG | CAAGAGCAAG | GTGGGCGCTT | | | 540 600 |
| GCCTTCATGG | AKCCCAGGTA | CCACGTCCRT | GGAGAAGATC | - | CCACAGAGCT | 660 |
| GCCTGGTGGG | GTAAAGTCCC | CAGAAAGGAT | | TGCTCAGGGA | | 720 |
| AACAAGARGG | ACAAGCAAAA | GAGGACTGCT | CTACATCTGG | | | 720 |
| GAAGTAGTAA | AACTCSTGCT | GGACAGACGA | | ATGTCCTTGA | CAACAAAAAG | |
| AGGACAGCTC | TGAYAAAGGC | CGTACAATGC | | AATGTGCGTT | AATGTTGCTG | 840 |
| GAACATGGCA | CTGATCCAAA | TATTCCAGAT | | ATACCACTCT | RCACTAYGCT | 900 |
| RTCTAYAATG | AAGATAAATT | AATGGCCAAA | GCACTGCTCT | TATAYGGTGC | TGATATCGAA | 960 |
| TCAAAAAACA | AGCATGGCCT | CACACCACTG | YTACTTGGTR | TACATGAGCA | | 1020 |
| GTSGTGAAAT | TTTTAATYAA | GAAAAAAGCG | AATTTAAAAT | G GT GT | | 1080 |
| RACTGCTCTC | ATACTTGCTG | | | ATAGTCAGCC | GATATGGAAG | 1140 |
| GCAAAATRTT | GATGTATCTT | | | | YTCTACTTGA | 1200 |
| • | | - | | ALDMONDAC | TGCTGTTTCT | 1260 |

| AGTCATCATC | ATGTAATTTG | CCAGTTACTT | TCTGACTACA | AAGAAAAACA | GATGTTAAAA | 1320 |
|------------|------------|------------|------------|------------|------------|------|
| ATCTCTTCTG | AAAACAGCAA | TCCAGAACAA | GACTTAAAGC | TGACATCAGA | GGAAGAGTCA | 1380 |
| CAAAGGCTTA | AAGGAAGTGA | AAACAGCCAG | CCAGAGGCAT | GGAAACTTTT | AAATTTAAAC | 1440 |
| TTTTGGTTTA | ATGTTTTTTT | TTTTTGCCTT | AATAATATTA | GATAGTCCCA | AATGAAATWA | 1500 |
| CCTATGAGAC | TAGGCTTTGA | GAATCAATAG | ATTCTTTTTT | TAAGAATCTT | TTGGCTAGGA | 1560 |
| GCGGTGTCTC | ACGCCTGTAA | TTCCAGCACC | TTGAGAGGCT | GAGGTGGGCA | GATCACGAGA | 1620 |
| TCAGGAGATC | GAGACCATCC | TGGCTAACAC | GGTGAAACCC | CATCTCTACT | AAAAATACAA | 1680 |
| AAACTTAGCT | GGGTGTGGTG | GCGGGTGCCT | GTAGTCCCAG | CTACTCAGGA | RGCTGAGGCA | 1740 |
| GGAGAATGGC | ATGAACCCGG | GAGGTGGAGG | TTGCAGTGAG | CCGAGATCCG | CCACTACACT | 1800 |
| CCAGCCTGGG | TGACAGAGCA | AGACTCTGTC | TCAAAAAAAA | АААААААА | AAA | 1853 |
| | | | | | | |

(2) INFORMATION FOR SEQ ID NO:296:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2184 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:296:

| GGCACGAGAA | TTAAAACCCT | CAGCAAAACA | GGCATAGAAG | GGACATACCT | TAAAGTAATA | 60 | |
|------------|------------|------------|------------|------------|------------|------|--|
| AAAACCACCT | ATGACAAGCC | CACAGCCAAC | ATAATACTAA | ATGGGGAAAA | GTTAGAAGCA | 120 | |
| TTTCCTCTGA | GAACTGCAAC | AATAAATACA | AGGATGCTGG | ATTTTGTCAA | ATGCCTTTTC | 180 | |
| TGTGTCTGTT | GAGATGCTTA | TGTGACTTTG | CTTTTAATTC | TGTTTATGTG | | 240 | |
| TTATTGACTT | GCCTGTGTTA | | | | | 300 | |
| CTGCGGCAGC | TTCGGGATAA | CTTGAGGCTG | CATCACTGGG | GAAGAAACAC | AYTCCTGTCC | 360 | |
| | TGGCTGAGGA | | | | GCTTCTTCGG | 420 | |
| | | CATCCATATG | GCTCCAGAGG | AAAATTATAT | TATTTTGTTA | 480 | |
| | GTATTACGTT | GTGCAGATAT | ACTGCAGTGT | CTTCATCTCT | TGATGTGTGA | 540 | |
| TTGGGTAGGT | TCCACCATGT | | | CAGTACCTGT | GTCTGGCTGA | 600 | |
| AAAGTGTTTG | | GATATTGTGG | TTTCTGGATC | TCATCCTCTG | TGGGTGGACA | 660 | |
| | CCTTGCTGGA | | TGTCCAGAAG | TTTGATGGCT | GAGGAGTATA | 720 | |
| | | ATTTCCTGCA | TTTCTTCCTC | CCTGGATGGA | CAGGGGGAGC | 780 | |
| | ACGTGGGCAC | TTCTGGAGAC | CACAACGACT | CCTCTGTGAA | GACGCTTGGG | 840 | |
| | GCAAGTGGTG | | | GCAGGGGAGC | | 900 | |
| ACGTGGTCGC | | TACGATGACA | | GGATCCCAGG | | 960 | |
| ATGGAGAAGA | | CTCCACAGAG | CTGCCTGGTG | GGGTAAAGTC | CCCAGAAAGG | 1020 | |
| | CATGCTCAGG | | TGAACAAGAG | GGACAAGCAA | AAGAGGACTG | 1080 | |
| | GGCCTCTGCC | | CAGAAGTAGT | AAAACTCGTG | CTGGACAGAC | 1140 | |
| GATGTCAACT | TAATGTCCTT | GACAACAAAA | AGAGGACAGC | TCTGACAAAG | GCCGTACAAT | 1200 | |
| | TGAATGTGCG | | TGGAACATGG | CACTGATCCA | AATATTCCAG | 1260 | |
| ATGAGTATGG | AAATACCACT | CTACACTATG | CTGTCTACAA | TGAAGATAAA | TTAATGGCCA | 1320 | |
| AAGCACTGCT | | | | CAAGCATGGC | | 1380 | |
| TGCTACTTGG | | CAAAAACAGC | AAGTGGTGAA | ATTTTTAATC | AAGAAAAAAG | 1440 | |
| CGAATTTAAA | TGCGCTGGAT | AGATATGGAA | GAACTGCTCT | CATACTTGCT | GTATGTTGTG | 1500 | |
| | TATAGTCAGC | | | TGATGTATCT | TCTCAAGATC | 1560 | |
| | GCCAGAGAGT | | | CATGTAATTT | GCCAGTTACT | 1620 | |
| | AAAGAAAAAC | | | GAAAACAGCA | ATCCAGAACA | 1680 | |
| AGACTTAAAG | CTGACATCAG | | | AAAGGAAGTG | AAAACAGCCA | 1740 | |
| GCCAGAGGCA | | | CTTTTGGTTT | | TTTTTTGCCT | 1800 | |
| TAATAATATT | | | | CTAGGCTTTG | | 1860 | |
| | | | | CACGCCTGTA | ATTCCAGCAC | 1920 | |
| CTTGAGAGGC | | | ATCAGGAGAT | | CTGGCTAACA | 1980 | |
| CGGTGAAACC | CCATCTCTAC | TAAAAATACA | AAAACTTAGC | TGGGTGTGGT | GGCGGGTGCC | 2040 | |
| | | | | | | | |

| TGTAGTCCCA | GCTACTCAGG | ARGCTGAGGC | AGGAGAATGG | CATCAAGGG | GGAGGTGGAG | |
|--------------|------------|------------|------------|------------|------------|------|
| CTTCC A CTCA | 000000000 | | HOGAGAATGG | CATGAACCCG | GGAGGTGGAG | 2100 |
| GIIGCAGIGA | GCCGAGATCC | GCCACTACAC | TCCAGCCTGG | GTGACAGAGC | AAGACTCTGT | 2160 |
| CTCAAAAAAA | AAAAAAAAA | ΔΔΔΔ | | | | 2100 |
| | | TO COL | | | | 2184 |

(2) INFORMATION FOR SEQ ID NO:297:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1855 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:297:

| TGCACGCATC | GGCCAGTGTC | TGTGCCACGT | ACACTGACGC | CCCCTGAGAT | GTGCACGCCG | 60 |
|------------|------------|--------------|------------|------------|----------------|------|
| CACGCGCACG | TTGCACGCGC | C GGCAGCGGCT | TGGCTGGCTT | | GCACGCGCAC | 120 |
| | | AGACTGGCCT | GTAACGGCTI | GCAGGCGCAC | GCCGCACGCG | 180 |
| CGTAACGGCT | | GTAACGGCTI | | | CGTTAACGGC | 240 |
| | TGTAGCCGCT | | TTGCATTYTT | | GGCGTTGKTY | 300 |
| | ACGCTTCCTC | CTTGGATKGA | CGTTTCCTCC | | | 360 |
| TCGCGTTCCT | | TGACCTTTTY | TCTGCTGGGT | TTGGCATTCC | · - | 420 |
| GCTGGGTGTT | | GGGKTKGCCC | TTCCTGGGGT | GGGCGTGGGK | CGCCCCCAGG | 480 |
| GGGCGTGGGC | ~ | | | | - | 540 |
| ATCCCCCTGC | | AGGGATTGAC | | AAACAGATTG | | 600 |
| GTAACNTGCT | AGTTGGTGAA | ACTGGTTGGT | AGACGCGATC | TGCTGGTACT | | 660 |
| | | GTGGCTGAGG | TTGATTCAAT | GCCGGCTGCT | | 720 |
| AGAAGCCATT | | AGCAAGATGG | GCAAGTGGTG | | | 780 |
| CAGGGGGAGC | | ACGTGGGCAC | TTCTGGAGAC | CACAACGACT | CCTCTGTGAA | 840 |
| GACGCTTGGG | AGCAAGAGGT | GCAAGTGGTG | CTGCCCACTG | CTTCCCCTGC | TGCAGGGGAG | 900 |
| CGGCAAGAGC | AACGTGGKCG | CTTGGGGAGA | CTACGATGAC | AGCGCCTTCA | TGGAKCCCAG | 960 |
| GTACCACGTC | CRTGGAGAAG | ATCTGGACAA | GCTCCACAGA | GCTGCCTGGT | GGGGTAAAGT | 1020 |
| CCCCAGAAAG | GATCTCATCG | | GGACACTGAY | | | 1020 |
| | GCTCTACATC | TGGCCTCTGC | | TCAGAAGTAG | TAAAACTCGT | 1140 |
| | CGATGTCAAC | | TGACAACAAA | | CTCTGACAAA | 1200 |
| | | ATGAATGTGC | GTTAATGTTG | | GCACTGATCC | 1260 |
| | | GAAATACCAC | TCTACACTAT | GCTGTCTACA | | 1320 |
| | AAAGCACTGC | | TGCTGATATC | | ACAAGGTATA | 1320 |
| | TTTTATCTTC | AAAATACTGA | AATGCATTCA | | GACGTGTGTA | 1440 |
| AGGGCCAGTC | TTCCGTATTT | GGAAGCTCAA | GCATAACTTG | AATGAAAATA | TTTTGAAATG | 1500 |
| ACCTAATTAT | CTAAGACTTT | ATTTTAAATA | TTGTTATTTT | | | 1560 |
| CAGTTTTTT | TTTTTAAATG | CACTTCTGGT | AAATACTTTT | GTTGAAAACA | | 1620 |
| | ACTTACTATT | TTTCAATTTT | TCCCTCCTAG | GATTTTTTC | CCCTAATGAA | 1680 |
| | | | GTTTTACATG | | | 1740 |
| | GTGAATAGAG | ATCCTGCTCC | TTTGGCAAGT | TCCTAAAAA | | 1800 |
| TACGAGGTGA | TGCGCCTGTC | AGTGGCAAGG | | TTCTGATCTC | | 1855 |
| | | | | | 01000 | T000 |

CLAIMS

- 1. An isolated DNA molecule, comprising:
- (a) a nucleotide sequence selected from the group consisting of SEQ ID NO:1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297;
- (b) a variant of said nucleotide sequence that contains one or more nucleotide substitutions, deletions, insertions and/or modifications at no more than 20% of the nucleotide positions, such that the antigenic and/or immunogenic properties of the polypeptide encoded by the nucleotide sequence are retained; or
- (c) a nucleotide sequence encoding an epitope of a polypeptide encoded by at least one sequence selected from the group consisting of SEQ ID NO:1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297.
- 2. An isolated DNA molecule encoding an epitope of a polypeptide, wherein said polypeptide is encoded by a nucleotide sequence that:
- (a) hybridizes to a sequence selected from the group consisting of SEQ ID NO:1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297 under stringent conditions; and
- (b) is at least 80% identical to a sequence selected from the group consisting of SEQ ID NO:1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297.

- 3. An isolated DNA molecule encoding an epitope of a polypeptide, wherein said polypeptide is encoded by:
- (a) a nucleotide sequence transcribed from the sequence of SEQ ID NO: 141; or
- (b) a variant of said nucleotide sequence that contains one or more nucleotide substitutions, deletions, insertions and/or modifications at no more than 20% of the nucleotide positions, such that the antigenic and/or immunogenic properties of the polypeptide encoded by the nucleotide sequence are retained.
- 4. An isolated DNA or RNA molecule comprising a nucleotide sequence complementary to a DNA molecule according to any one of claims 1-3.
- 5. A recombinant expression vector comprising a DNA molecule according to any one of claims 1-3.
- 6. A host cell transformed or transfected with an expression vector according to claim 5.
- 7. A polypeptide comprising an amino acid sequence encoded by a DNA molecule according to any one of claims 1-3.
- 8. A polypeptide according to claim 7 wherein said polypeptide comprises an epitope of an amino acid sequence encoded by at least one nucleotide sequence selected from the group consisting of SEQ ID NO:1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297.
- 9. A monoclonal antibody that binds to a polypeptide according to claim 7.

- 10. A method for determining the presence of breast cancer in a patient comprising detecting, within a biological sample, at least one polypeptide according to claim 7, and therefrom determining the presence of breast cancer in the patient.
- 11. A method for determining the presence of breast cancer in a patient comprising detecting within a biological sample, at least one polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions.
- 12. The method of claims 10 or 11 wherein the biological sample is a portion of a breast tumor.
- 13. The method of claim 10 wherein the step of detecting comprises contacting the biological sample with a monoclonal antibody according to claim 9.
- 14. The method of claim 11 wherein the step of detecting comprises contacting the biological sample with a monoclonal antibody that binds to a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions.
- 15. A method for determining the presence of breast cancer in a patient comprising detecting, within a biological sample, an RNA molecule encoding at least one polypeptide according to claim 7, and therefrom determining the presence of breast cancer in the patient.

- 16. A method for determining the presence of breast cancer in a patient comprising detecting, within a biological sample, at least one RNA molecule encoding a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions; and therefrom determining the presence of breast cancer in the patient.
- 17. The method of claims 15 or 16 wherein the biological sample is a portion of a breast tumor.
 - 18. The method of claim 15 wherein the step of detecting comprises:
- (a) preparing cDNA from RNA molecules within the biological sample; and
- (b) specifically amplifying cDNA molecules that are capable of encoding at least a portion of a polypeptide according to claim 7, and therefrom determining the presence of breast cancer in the patient.
 - 19. The method of claim 16 wherein the step of detecting comprises:
- (a) preparing cDNA from RNA molecules within the biological sample; and
- (b) specifically amplifying cDNA molecules that are capable of encoding at least a portion of a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions; and therefrom determining the presence of breast cancer in the patient.

- 20. A method for monitoring the progression of breast cancer in a patient, comprising:
- (a) detecting an amount, in a biological sample, of at least one polypeptide according to claim 7 at a first point in time;
 - (b) repeating step (a) at a subsequent point in time; and
- (c) comparing the amounts of polypeptide detected in steps (a) and (b), and therefrom monitoring the progression of breast cancer in the patient.
- 21. A method for monitoring the progression of breast cancer in a patient, comprising:
- (a) detecting in a biological sample an amount of at least one polypeptide at a first point in time, the polypeptide being encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions;
 - (b) repeating step (a) at a subsequent point in time; and
- (c) comparing the amounts of polypeptide detected in steps (a) and (b), and therefrom monitoring the progression of breast cancer in the patient.
- 22. The method of claims 20 or 21 wherein the biological sample is a portion of a breast tumor.
- 23. The method of claim 20 wherein the step of detecting comprises contacting a portion of the biological sample with a monoclonal antibody according to claim 9.
- 24. The method of claim 21 wherein the step of detecting comprises contacting the biological sample with a monoclonal antibody that binds to a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252,

256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions.

- 25. The method of claim 20 wherein said polypeptide comprises an epitope of an amino acid sequence encoded by at least one nucleotide sequence selected from the group consisting of SEQ ID NO:1, 3-26, 28-77, 142, 143, 146-152, 154-166, 168-176, 178-192, 194-198, 200-204, 206, 207, 209-214, 216, 218, 219, 221-240, 243-245, 247, 250, 251, 253, 255, 257-266, 268, 269, 271-273, 275, 276, 278, 280, 281, 284, 288 and 291-297.
- A method for monitoring the progression of breast cancer in a patient, comprising:
- (a) detecting an amount, within a biological sample, of at least one RNA molecule encoding a polypeptide according to claim 7 at a first point in time;
 - (b) repeating step (a) at a subsequent point in time; and
- (c) comparing the amounts of RNA molecules detected in steps (a) and (b), and therefrom monitoring the progression of breast cancer in the patient.
 - 27. The method of claim 26 wherein the step of detecting comprises:
- (a) preparing cDNA from RNA molecules within the biological sample; and
- (b) specifically amplifying cDNA molecules that are capable of encoding at least a portion of a polypeptide according to claim 7.
- 28. A method for monitoring the progression of breast cancer in a patient, comprising:
- (a) detecting an amount, within a biological sample, of at least one RNA molecule at a first point in time, the RNA molecule encoding a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270,

- 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions;
 - (b) repeating step (a) at a subsequent point in time; and
- (c) comparing the amounts of RNA molecules detected in steps (a) and (b), and therefrom monitoring the progression of breast cancer in the patient.
- 29. A pharmaceutical composition, comprising a polypeptide according to claim 7 and a physiologically acceptable carrier.
- A pharmaceutical composition for inhibiting the development of breast cancer, comprising a polypeptide and a physiologically acceptable carrier, the polypeptide being encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions.
- 31. A vaccine, comprising a polypeptide according to claim 7 and an immune response enhancer.
- 32. A vaccine, comprising a DNA molecule according to any one of claims 1-3.
- 33. A vaccine, comprising a recombinant expression vector comprising a DNA molecule according to any one of claims 1-3.
- 34. A vaccine for inhibiting the development of breast cancer, comprising a polypeptide and an immune response enhancer, the polypeptide being encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242, 246, 248, 249, 252, 256, 267, 270,

- 274, 277, 279, 282, 283, 285-287, 289, 290 and sequences that hybridize thereto under stringent conditions.
- 35. A pharmaceutical composition according to either of claims 29 or 30, for use in the manufacture of a medicament for inhibiting the development of breast cancer in a patient, comprising administering to a patient.
- 36. A vaccine according to any one of claims 31-34, for use in the manufacture of a medicament for inhibiting the development of breast cancer in a patient.
 - 37. A diagnostic kit comprising:
 - (a) one or more monoclonal antibodies according to claim 9; and
 - (b) a detection reagent.
 - 38. A diagnostic kit comprising:
- (a) one or more monoclonal antibodies that bind to a polypeptide encoded by a nucleotide sequence selected from the group consisting of sequences provided in SEQ ID 78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 and 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289, 290; and
 - (b) a detection reagent.
- 39. The kit of any one of claims 37 or 38 wherein the monoclonal antibody(s) are immobilized on a solid support.
- 40. A diagnostic kit comprising two polymerase chain reaction primers, at least one of the primers being specific for an RNA molecule according to claim 4.
- 41. The kit of claim 40, wherein at least one of the polymerase chain reaction primers comprises at least about 10 contiguous nucleotides of an RNA molecule according to claim 4.

- 42. A diagnostic kit comprising two polymerase chain reaction primers, at least one of the primers being specific for an RNA molecule encoding a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NOS:78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289 and 290.
- 43. The kit of claim 42, wherein at least one of the polymerase chain reaction primers comprises at least about 10 contiguous nucleotides of an RNA molecule encoding a polypeptide encoded by a nucleotide sequence selected from the group consisting of SEQ ID NOS:78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289 and 290.
- 44. A diagnostic kit comprising at least one oligonucleotide probe, the oligonucleotide probe containing at least about 15 contiguous nucleotides of a DNA molecule according to claim 4.
- 45. A diagnostic kit comprising at least one oligonucleotide probe, the oligonucleotide probe comprising at least about 15 contiguous nucleotides of a DNA sequence selected from the group consisting of SEQ ID NOS:78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289 and 290.
- 46. A diagnostic kit comprising at least one oligonucleotide probe specific for a DNA molecule according to claim 4.
- 47. The kit of claim 46, wherein the oligonucleotide probe comprises at least about 15 contiguous nucleotides of a DNA molecule according to claim 4.
- 48. A diagnostic kit comprising at least one oligonucleotide probe specific for a DNA sequence selected from the group consisting of SEQ ID NOS:78-86, 144, 145,

153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289 and 290.

49. The kit of claim 48, wherein the oligonucleotide probe comprises at least about 15 contiguous nucleotides of a DNA sequence selected from the group consisting of SEQ ID NOS:78-86, 144, 145, 153, 167, 177, 193, 199, 205, 208, 215, 217, 220, 241, 242 246, 248, 249, 252, 256, 267, 270, 274, 277, 279, 282, 283, 285-287, 289 and 290.

WO 98/45328 PCT/US98/06939




Fig. 1

NORMAL BREAST TISSUF MRN




Fig. 3.

SUBSTITUTE SHEET (RULE 26)





Fig. 4

SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B18Ag1

| Leu 1 | GAG Glu | ACC Thr | CAA Gln | TTG Leu 5 | GGA Gly | CCT Pro | AAT Asn | TGG Trp | GAC Asp 10 | CCA Pro | AAT Asn | TTC Phe | TCA Ser | AGT Ser 15 | GGA Gly | 48 |
|------------------|------------------|-------------------|-------------------|------------------|------------------|------------------|-------------------|-------------------|------------------|------------------|------------------|------------------|-------------------|------------------|------------------|-----|
| GGG Gly | AGA Arg | ACT Thr | TTT Phe 20 | GAC Asp | GAT Asp | TTC Phe | CAC His | CGG Arg 25 | TAT Tyr | CTC Leu | CTC Leu | GTG Val | GGT Gly 30 | ATT Ile | CAG Gln | 96 |
| GGA Gly | GCT Ala | GCC Ala 35 | CAG Gln | AAA Lys | CCT Pro | ATA Ile | AAC Asn 40 | TTG Leu | TCT Ser | AAG Lys | GCG Ala | ATT Ile 45 | GAA Glu | GTC Va l | GTC Val | 144 |
| CAG Gln | GGG Gly 50 | CAT His | GAT Asp | GAG Glu | TCA Ser | CCA Pro 55 | GGA Gly | GTG Val | TTT Phe | TTA Leu | GAG Glu 60 | CAC His | CTC Leu | CAG Gln | GAG Glu | 192 |
| GCT Ala 65 | TAT Tyr | CGG Arg | ATT Ile | TAC Tyr | ACC Thr 70 | CCT Pro | TTT Phe | GAC Asp | CTG Leu | GCA Ala 75 | GCC Ala | CCC Pro | GAA Glu | AAT Asn | AGC Ser 80 | 240 |
| CAT His | GCT Ala | CTT Leu | AAT Asn | TTG Leu 85 | GCA Ala | TTT Phe | GTG Val | GCT Ala | CAG Gln 90 | GCA Ala | GCC Ala | CCA Pro | GAT Asp | AGT Ser 95 | AAA Lys | 288 |
| AGG Arg | AAA Lys | CTC Leu | CAA Gln 100 | AAA Lys | CTA Leu | GAG Glu | GGA Gly | TTT Phe 105 | TGC Cys | TGG Trp | AAT Asn | GAA Glu | TAC Tyr 110 | CAG Gln | TCA Ser | 336 |
| GCT Ala | TTT Phe | AGA Arg 115 | GAT Asp | AGC Ser | CTA Leu | AAA Lys | GGT Gly 120 | TTT Phe | | . * | | | | | | 363 |

NUCLEOTIDE SEQUENE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B17Ag1

| GC | TGGGCACAGT | GGCTCATACC | TGTAATCCTG | ACCGTTTCAG | AGGCTCAGGT | 60 |
|----|------------|------------|------------|------------|------------|-----|
| CG | CTTGAGCCCA | AGATTTCAAG | ACTAGTCTGG | GTAACATAGT | GAGACCCTAT | 120 |
| AA | AAATAAAAA | ATGAGCCTGG | TGTAGTGGCA | CACACCAGCT | GAGGAGGGAG | 180 |
| СТ | AGGAGA | | | | | 196 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B17Ag2

| GC | TTGGGGGCTC | TGACTAGAAA | TTCAAGGAAC | CTGGGATTCA | AGTCCAACTG | 60 |
|----|------------|------------|------------|------------|------------|-----|
| AC | TTACACTGTG | GNCTCCAATA | AACTGCTTCT | TTCCTATTCC | CTCTCTATTA | 120 |
| AA | GGAAAACGAT | GTCTGTGTAT | AGCCAAGTCA | GNTATCCTAA | AAGGAGATAC | 180 |
| AT | TAAATATCAG | AATGTAAAAC | CTGGGAACCA | GGTTCCCAGC | CTGGGATTAA | 240 |
| CA | AGAAGACTGA | ACAGTACTAC | TGTGAAAAGC | CCGAAGNGGC | AATATGTTCA | 300 |
| TT | GAAGGATGGC | TGGGAGAATG | AATGCTCTGT | CCCCCAGTCC | CAAGCTCACT | 360 |
| | CCTTTATAGC | | | | | 300 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B13Ag2a

| GC | CTATAATCAT | GTTTCTCATT | ATTTTCACAT | TTTATTAACC | AATTTCTGTT | 60 |
|----|------------|------------|------------|------------|------------|-----|
| AA | AATATGAGGG | AAATATATGA | AACAGGGAGG | CAATGTTCAG | ATAATTGATC | 120 |
| TG | ATTTCTACAT | CAGATGCTCT | TTCCTTTCCT | GTTTATTTCC | TTTTTATTTC | 180 |
| GG | TCGAATGTAA | TAGCTTTGTT | TCAAGAGAGA | GTTTTGGCAG | TTTCTGTAGC | 240 |
| СТ | GCTCATGTCT | CCAGGCATCT | ATTTGCACTT | TAGGAGGTGT | CGTGGGAGAC | 300 |
| СТ | ATTTTTTCCA | TATTTGGGCA | ACTACTA | | | 337 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B13Ag1b

| GC | CATACAGTGC | CTTTCCATTT | ATTTAACCCC | CACCTGAACG | GCATAAACTG | 6 |
|----|------------|-------------|------------|--------------|------------|-----|
| GC | TGGTGTTTTT | TACTGTAAAC | AATAAGGAGA | CTTTGCTCTT | CATTTAAACC | 120 |
| ΑТ | TTCATATTT | ACGCTCGAGG | GTTTTTACCG | GTTCCTTTTT | ACACTCCTTA | 180 |
| TT | TAAGTCGTTT | GGAACAAGAT | ATTTTTTCTT | TCCTGGCAGC | TTTTAACATT | 240 |
| TT | TGTGTCTGGG | GGACTGCTGG | TCACTGTTTC | TCACAGTTGC | AAATCAAGGC | 300 |
| CC | AAGAAAAAA | AATTTTTTG | TTTTATTTGA | AACTGGACCG | GATAAACGGT | 360 |
| CG | GCTGCTGTAT | ATAGTTTTAA | ATGGTTTATT | GCACCTCCTT | AAGTTGCACT | 420 |
| GG | GGGGNTTTTG | NATAGAAAGT. | NTTTANTCAC | ANAGTCACAG | GGACTTTTNT | 480 |
| NA | CTGAGCTAAA | AAGGGCTGNT | TTTCGGGTGG | GGGCAGATGA . | AGGCTCACAG | 540 |
| TC | TCTTAGAGGG | GGGAACTNCT | А | | | 571 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B13Ag1a

| TA | ATAACTTAAA | TATATTTTGA | TCACCCACTG | GGGTGATAAG | ACAATAGATA | 60 |
|----|------------|------------|------------|------------|------------|-----|
| TT | TCCAAAAAGC | ATAAAACCAA | AGTATCATAC | CAAACCAAAT | TCATACTGCT | 120 |
| CC | GCACTGAAAC | TTCACCTTCT | AACTGTCTAC | CTAACCAAAT | TCTACCCTTC | 180 |
| GG | TGCGTGCTCA | CTACTCTTTT | TTTTTTTTT | TTTNTTTTGG | AGATGGAGTC | 240 |
| CA | GCCCAGGGGT | GGAGTACAAT | GGCACAACCT | CAGCTCACTG | NAACCTCCGC | 300 |
| TT | CATGAGATTC | TCCTGNTTCA | GCCTTCCCAG | TAGCTGGGAC | TACAGGTGTG | 360 |
| TG | CCTGGNTAAT | CTTTTTTNGT | TTTNGGGTAG | AGATGGGGGT | TTTACATGTT | 420 |
| TG | GTNTCGAACT | CCTGACCTCA | AGTGATCCAC | CCACCTCAGG | CTCCCAAAGT | 480 |
| TΑ | CAGACATGAG | CCACTGNGCC | CAGNCCTGGT | GCATGCTCAC | TTCTCTAGGC | 540 |
| | | | | | | 548 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B11Ag1

| TG | CACATGCAGA | ATATTCTATC | GGTACTTCAG | CTATTACTCA | TTTTGATGGC | 60 |
|----|------------|------------|------------|------------|------------|-----|
| AG | CCTATCCTCA | AGATGAGTAT | TTAGAAAGAA | TTGATTTAGC | GATAGACCAA | 120 |
| GC | ACTCTGACTA | CACGAAATTG | TTCAGATGTG | ATGGATTTAT | GACAGTTGAT | 180 |
| GΑ | GATTATTAAG | TGATTATTTT | AAAGGGAATC | CATTAATTCC | AGAATAÍCTT | 240 |
| TC | AAGATGATAT | AGAAATAGAA | CAGAAAGAGA | CTACAAATGA | AGATGTATCA | 300 |
| TA | TTGAAGAGCC | TATAGTAGAA | AATGAATTAG | CTGCATTTAT | TAGCCTTACA | 360 |
| TT | TTCCTGATGA | ATCTTATATT | CAGCCATCGA | CATAGCATTA | CCTGATGGGC | 420 |
| GΑ | ATAATAGAAA | CTGGGTGCGG | GGCTATTGAT | GAATTCATCC | NCAGTAAATT | 480 |
| 4C | AAAATATAAC | TCGATTGCAT | TTGGATGATG | GAATACTAAA | TCTGGCAAAA | 540 |
| 5G | AGCTACTAGT | AACCTCTCTT | TTTGAGATGC | AAAATTTTCT | TTTAGGGTTT | 600 |
| CT | ACTTTACGGA | TATTGGAGCA | TAACGGGA | | | 638 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B3CA3c

| ACTGATGGAT | GTCGCCGGAG | GCGAGGGGCC | TTATCTGATG | CTCGGCTGCC | TGTTCGTGAT | 60 |
|------------|------------|------------|------------|------------|------------|-----|
| GTGCGCGGCG | ATTGGGCTGT | TTATCTCAAA | CACCGCCACG | GCGGTGCTGA | TGGCGCCTAT | 120 |
| TGCCTTAGCG | GCGGCGAAGT | CAATGGGCGT | CTCACCCTAT | CCTTTTGCCA | TGGTGGTGGC | 180 |
| GATGGCGGCT | TCGGCGGCGT | TTATGACCCC | GGTCTCCTCG | CCGGTTAACA | CCCTGGTGCT | 240 |
| TGGCCCTGGC | AAGTACTCAT | TTAGCGATTT | TGTCAAAATA | GGCGTG | | 286 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B9CG1

| AG' | CAGCCCCTTC | TTCTCAATTT | CATCTGTCAC | TACCCTGGTG | TAGTATCTCA | 60 |
|-----|------------|------------|------------|------------|------------|-----|
| CA | TTTTTATAGC | СТССТСССТБ | GTCTGTCTTT | TGATTTTCCT | GCCTGTAATC | 120 |
| AC | ATAACTGCAA | GTAAACATTT | CTAAAGTGTG | GTTATGCTCA | TGTCACTCCT | 180 |
| AA | ATAGTTTCCA | TTACCGTCTT | AATAAAATTC | GGATTTGTTC | TTTNCTATTN | 240 |
| CA | CCTATGACCG | AA | | | | 262 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B9CG3

| AG | CAAAGCCAGT | GGTTTGAGCT | CTCTACTGTG | TAAACTCCTA | AACCAAGGCC | 60 |
|----|------------|------------|------------|------------|------------|-----|
| TA | AATGGTGGCA | GGATTTTTAT | TATAAACATG | TACCCATGCA | AATTTCCTAT | 120 |
| GA | TATATTCTTC | TACATTTAAA | CAATAAAAAT | AATCTATTTT | TAAAAGCCTA | 180 |
| AG | TTAGGTAAGA | GTGTTTAATG | AGAGGGTATA | AGGTATAAAT | CACCAGTCAA | 240 |
| TG | CCTATGACCG | A | | | | 261 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B2CA2

| GG | GCATGGACGC | AGACGCCTGA | CGTTTGGCTG | AAAATCTTTC | ATTGATTCGT | 6 |
|----|------------|------------|------------|------------|------------|-----|
| ΑT | AGGAAAATTC | CCAAAGAGGG | AATGTCCTGT | TGCTCGCCAG | TTTTTNTGTT | 120 |
| GG | ANAAGGCAAN | GAGCTCTTCA | GACTATTGGN | ATTNTCGTTC | GGTCTTCTGC | 180 |
| CG | NCTTGCNANG | ATCTTCAT | | | · | 208 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B3CA1

| GG | GCATGGACGC | AGACGCCTGA | CGTTTGGCTG | AAAATCTTTC | ATTGATTCGT | 60 |
|----|------------|------------|------------|------------|------------|-----|
| ΑT | AGGAAAATTC | CCAAAGAGGG | AATGTCCTGT | TGCTCGCCAG | TTTTTNTGTT | 120 |
| GG | ANAAGGCAAN | GAGCTCTTCA | GACTATTGGN | ATTNTCGTTC | GGTCTŢCTGC | 180 |
| CG | NCTTGCNANG | ATCTTCAT | | | | 208 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B3CA2


| GG | GCATGGACGC | AGACGCCTGA | CGTTTGGCTG | AAAATCTTTC | ATTGATTCGT | 61 |
|----|------------|------------|------------|------------|------------|-----|
| ΑT | AGGAAAATTC | CCAAAGAGGG | AATGTCCTGT | TGCTCGCCAG | TTTTTNTGTT | 120 |
| GG | ANAAGGCAAN | GAGCTCTTCA | GACTATTGGN | ATTNTCGTTC | GGTCTTCTGC | 180 |
| CG | NCTTGCNANG | ATCTTCAT | | - | | 208 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B3CA3


| ٩G | GGAGCAAGGA | GAAGGCATGG | AGAGGCTCAN | GCTGGTCCTG | GCCTACGACT | 60 |
|----|------------|------------|------------|------------|------------|-----|
| СТ | GTCGCCGGGG | ATGGTGGAGA | ACTGAAGCGG | GACCTCCTCG | AGGTCCTCCG | 120 |
| TC | NCCGTCCAGG | AGGAGGGTCT | TTCCGTGGTC | TNGGAGGAGC | GGGGGGAGAA | 180 |
| TC | ATGGTCNACA | TCCC | | | | 204 |

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B4CA1

| TC | AGGAGCGGGT | AGAGTGGCAC | CATTGAGGGG | ATATTCAAAA | ATATTATTT | 60 |
|----|------------|------------|------------|------------|------------|-----|
| TG | ATAGTTGCTG | AGTTTTCTT | TGACCCATGA | GTTATATTGG | AGTTTATTTT | 120 |
| CC | AATCGCATGG | ACATGTTAGA | CTTATTTTCT | GTTAATGATT | NCTATTTTTA | 180 |
| GA | TTTGAGAAAT | TGGTTNTTAT | TATATCAATT | TTTGGTATTT | GTTGAGTTTG | 240 |
| GC | TTAGTATGTG | ACCA | | | | 264 |



SUBSTITUTE SHEET (RULE 26)



12 : 27

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: C07K 14/47, 14/82, 14/15, C12Q 1/68, G01N 33/574, A61K 38/17, 39/00

(11) International Publication Number: **A3**

WO 98/45328

(43) International Publication Date:

15 October 1998 (15.10.98)

(21) International Application Number:

PCT/US98/06939

(22) International Filing Date:

9 April 1998 (09.04.98)

(30) Priority Data:

08/838,762 08/991,789 9 April 1997 (09.04.97)

US 11 December 1997 (11.12.97)

(71) Applicant: CORIXA CORPORATION [US/US]; Suite 200. 1124 Columbia Street, Seattle, WA 98104 (US).

(72) Inventors: FRUDAKIS, Tony, N.; P.O. Box 99232, Seattle, WA 99232-0232 (US). SMITH, John, M.; 208 - 116th Place Southeast, Everett, WA 98208 (US). REED, Steven, G.; 2843 - 122nd Place N.E., Bellevue, WA 98005 (US).

(74) Agents: MAKI, David, J. et al.; Seed and Berry LLP, 6300 Columbia Center, 701 Fifth Avenue, Seattle, WA 98104-7092 (US).

(81) Designated States: AL, AM, AT, AU, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(88) Date of publication of the international search report:

22 April 1999 (22.04.99)

(54) Title: COMPOSITIONS AND METHODS FOR THE TREATMENT AND DIAGNOSIS OF BREAST CANCER

(57) Abstract

Compositions and methods for the detection and therapy of breast cancer are disclosed. The compounds provided include nucleotide sequences that are preferentially expressed in breast tumor tissue, as well as polypeptides encoded by such nucleotide sequences. Vaccines and pharmaceutical compositions comprising such compounds are also provided and may be used, for example, for the prevention and treatment of breast cancer. The polypeptides may also be used for the production of antibodies, which are useful for diagnosing and monitoring the progression of breast cancer patient.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

PCT/UJ 98/06939

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C07K14/47 C07K14/82 C07K14/15 C12Q1/68 G01N33/574 A61K38/17 A61K39/00 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 C07K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Category ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. Y "S71 IS A WERNER T ET AL: 1,2, PHYLOGENETICALLY DISTINCT HUMAN ENDOGENOUS 4-10,12, RETROVIRAL ELEMENT WITH STRUCTURAL AND 13,15, SEQUENCE HOMOLOGY TO SIMIAN SARCOMA VIRUS 17,18, (SSV)" 20,22, VIROLOGY, 23, vol. 174, no. 1, January 1990, 25-27, pages 225-238, XP000670325 29, 31-33, 35-37, 39-41, 44,46,47 see the whole document -/--Further documents are listed in the continuation of box C. Х Patent family members are listed in annex. Special categories of cited documents: T later document published after the international filing date or priority date and not in conflict with the application but "A" document defining the general state of the art which is not cited to understand the principle or theory underlying the considered to be of particular relevance invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or document is combined with one or more other such docu ments, such combination being obvious to a person skilled in the art. document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 31 August 1998 26 January 1999 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Hagenmaier, S Fax: (+31-70) 340-3016

1

Internation No PCT/co 98/06939

| ategory ° | Citation of document with indication when the state of th | |
|-----------|--|--|
| | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
| | WO 95 32311 A (CALYPTE INC) 30 November 1995 | 1,2, 4-10,12, 13,15, |
| | | 17,18, 20,22, 23, 25-27, 29, |
| | | 31-33, 35-37, 39-41, |
| | see the whole document | 44,46,47 |
| A | LEIB-MOESCH C ET AL: "EVOLUTION AND BIOLOGICAL SIGNIFICANCE OF HUMAN RETROELEMENTS" VIRUS GENES, | |
| | vol. 11, no. 2/03, 1996, pages 133-145, XP000673508 | |
| A | WO 97 06256 A (INST NAT SANTE RECH MED; CENTRE NAT RECH SCIENT (FR); UNIV PASTEUR) 20 February 1997 see the whole document | |
| A | WATSON M A ET AL: "ISOLATION OF DIFFERENTIALLY EXPRESSED SEQUENCE TAGS FROM HUMAN BREAST CANCER" CANCER RESEARCH, vol. 54, no. 17, 1 September 1994, pages 4598-4602, XP000576043 see the whole document | |
| A | BYRNE J A ET AL: "A SCREENING METHOD TO IDENTIFY GENE COMMONLY OVEREXPRESSED IN CARCINOMAS AND THE IDENTIFICATION OF A NOVEL COMPLEMENTARY DNA SEQUENCE" CANCER RESEARCH, vol. 55, no. 13, 1 July 1995, pages 2896-2903, XP002025781 see the whole document | |
| A | WO 95 19369 A (UNIV VANDERBILT) 20 July 1995 see the whole document | |
| A | WO 91 02062 A (TRITON BIOSCIENCES INC) 21 February 1991 see the whole document | |
| | -/ | |
| | | |
| | | ! |

PCT/US 98/06939

| | | PC1/03 96/06939 | |
|---------------------------|--|--|---|
| C.(Continua Category ° | ation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. | |
| Category | Citation of document, with indication, where appropriate, or are restain pursuages | | |
| A | ZEHAN CHEN ET AL: "DIFFERENTIAL EXPRESSION OF HUMAN TISSUE FACTOR IN NORMAL MAMMARY EPITHELIAL CELLS AND IN CARCINOMAS" MOLECULAR MEDICINE, vol. 1, no. 2, January 1995, pages 153-160, XP000607858 see the whole document | | |
| Α | WO 96 38463 A (UNIV WASHINGTON ;WATSON MARK A (US); FLEMING TIMOTHY P (US)) 5 December 1996 see the whole document | | • |
| P,X | WO 97 25431 A (CORIXA CORP) 17 July 1997 | 1,2, 4-10,12, 13,15, 17,18, 20,22, 23, 25-27, 29, 31-33, 35-37, 39-41, 44,46,47 | |
| ĺ | see the whole document | | |
| P,X | WO 97 25426 A (CORIXA CORP) 17 July 1997 | 1,2, 4-10,12, 13,15, 17,18, 20,22, 23, 25-27, 29, 31-33, 35-37, 39-41, 44,46,47 | |
| | see the whole document | 44,40,47 | |
| | | | |
| | · | | |
| | | | |

1

inte anal application No.

PCT/US 98/06939

| B XI Observati ns where cer | tain claims were found unsearchable (Continuation of item 1 of first shect) |
|--|--|
| | |
| rine international Search Report has r | not been established in respect of certain claims under Article 17(2)(a) for the following reasons: |
| 1 | totalis. |
| 1. Claims Nos.: | t matter not required to 1 |
| | t matter not required to be searched by this Authority, namely: |
| | |
| | |
| | |
| 2. Claims Nos.: | |
| because they relate to parts o | f the International Application that do not comply with the prescribed requirements to such |
| inglui (| in the international Application that do not comply with the prescribed requirements to such international Search can be carried out, specifically: |
| | |
| | |
| | |
| 3. Claims Nos.: | |
| because they are dependent c | laims and are not drafted in accordance with the second and third sentences of Rule 6.4(a). |
| · · | |
| B x II Observations where unity | of invention is lacking (Continuation of item 2 of first sheet) |
| | |
| This International Searching Authority fo | ound multiple inventions in this international application, as follows: |
| | The second as follows. |
| see FURTHER INFORMATI | ON sheet |
| | an sheet |
| | |
| | |
| | |
| As all required additional search | n fees were timely paid by the applicant, this International Search Report covers all |
| comunity claims. | and the state of t |
| As all searchable de | |
| As all searchable claims could b | pe searched without effort justifying an additional fee, this Authority did not invite payment |
| the state of the s | Authority did not invite payment |
| | |
| . As only some of the require | |
| covers only those claims for white | ditional search fees were timely paid by the applicant, this International Search Report ch fees were paid, specifically claims Nos.: |
| | Nos.: |
| | |
| | `` · |
| | |
| X No required addition | |
| restricted to the invention first me | es were timely paid by the applicant. Consequently, this International Search Report is entioned in the claims, it is covered by claims Nos.: |
| i | |
| see FURHTER INFORMA | TION sheet, subject 1. |
| | 1 |
| | |
| | |
| | r |
| mark on Protest | The additional search fees were processed in the search fees were processe |
| mark on Protest | The additional search fees were accompanied by the applicant's protest. |
| mark on Protest | The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees. |

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1,2,4-10,12,13,15,17,18,20,22,23,25-27,29,31-33, 35-37,39-41,44,46,47 (all partially)

Invention 1: Isolated DNA molecule comprising a nucleotide sequence with Seq.ID 1, the corresponding polypeptide, an isolated DNA or RNA molecule comprising a nucleotide sequence complementary to seq. ID 1, a recombinant expression vector comprising that molecule, a host cell transfected with that vector, a monoclonal antibody binding to the polypeptide encoded by Seq. ID 1, as well as pharmaceutical compositions, vaccines, diagnostic methods used in the diagnosis and therapy of breast cancer.

2. Claims: 1,2,4-10,12,13,15,17,18,20,22,23,25-27,29,31-33, 35-37,39-41,44,46,47 (all partially)

Invention 2-75:
Isolated DNA molecule comprising a nucleotide sequence with Seq.ID 3, the corresponding polypeptide, an isolated DNA or RNA molecule comprising a nucleotide sequence complementary to Seq. ID 3, a recombinant expression vector comprising that molecule, a host cell transfected with that vector, a monoclonal antibody binding to the polypeptide encoded by Seq. ID 3, as well as pharmaceutical compositions, vaccines, diagnostic methods used in the diagnosis and therapy of breast cancer.

- ...ibidem for each of sequences 4-26, 28-77
- 3. Claims: 3 (completely), 4-10,12,13,15,17,18,20,22,23,25-27, 29,31-33,35-37,39-41,44,46,47 (all partially)

Invention 76:
Isolated DNA molecule comprising a nucleotide sequence with Seq.ID 141, the corresponding polypeptide, an isolated DNA or RNA molecule comprising a nucleotide sequence complementary to Seq. ID 141, a recombinant expression vector comprising that molecule, a host cell transfected with that vector, a monoclonal antibody binding to the polypeptide encoded by Seq. ID 141, as well as pharmaceutical compositions, vaccines, diagnostic methods used in the diagnosis and therapy of breast cancer.

4. Claims: 1,2,4-10,12,13,15,17,18,20,22,23,25-27,29,31-33, 35-37,39-41,44,46,47 (all partially)

Invention 77-200:
Isolated DNA molecule comprising a nucleotide sequence with Seq.ID 142, the corresponding polypeptide, an isolated DNA or RNA molecule comprising a nucleotide sequence complementary to Seq. ID 142, a recombinant expression vector comprising that molecule, a host cell transfected with that vector, a monoclonal antibody binding to the polypeptide encoded by Seq. ID 142, as well as pharmaceutical compositions, vaccines, diagnostic methods used in the diagnosis and therapy of breast cancer.

...ibidem for each of sequences 143,146-152,154-166,168-176,178-192,194-198,200-204,206,207,2 09-214,216,218,219,221-240,243-245,247,250,251,253,255,257-26 6,268,269,271-273,275,276,278,280,281,284,288 and 291-297

5. Claims: 11,12,14,16,17,19,21,22,24,30,34,35,36,38,39,42,43, 45,48,49 (all partially)

Invention 201-241:
Isolated DNA molecule comprising a nucleotide sequence with Seq.ID 78, the corresponding polypeptide, an isolated DNA or RNA molecule comprising a nucleotide sequence complementary to Seq. ID 78, a recombinant expression vector comprising that molecule, a host cell transfected with that vector, a monoclonal antibody binding to the polypeptide encoded by Seq. ID 78, as well as pharmaceutical compositions, vaccines, diagnostic methods used in the diagnosis and therapy of breast cancer.

...ibidem for each of sequences 78-86,144,145,153,167,177,193,199,205,208,215,217,220,241,242,246,248,249,252,256,267,270,274,277,279,282,283,285-287,289,290

int ation on patent family members

Internatic Application No
PCT/US 98/06939

| | | 101/05 | 30/00333 |
|--|---------------------|--|--|
| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
| WO 9532311 A | 30-11-1995 | AU 2690995 A CA 2191099 A EP 0763137 A | 18-12-1995 30-11-1995 19-03-1997 |
| WO 9706256 A | 20-02-1997 | CA 2228999 A EP 0854923 A | 20-02-1997 29-07-1998 |
| WO 9519369 A | 20-07-1995 | US 5677125 A AU 1831795 A CA 2210396 A EP 0804453 A | 14-10-1997 01-08-1995 20-07-1995 05-11-1997 |
| WO 9102062 | A 21-02-1991 | AU 645760 B AU 6413590 A CA 2042064 A EP 0444181 A JP 4503012 T | 27-01-1994 11-03-1991 05-02-1991 04-09-1991 04-06-1992 |
| WO 9638463 | A 05-12-1996 | US 5668267 A AU 698823 B AU 5961696 A CA 2222747 A CZ 9703783 A EP 0833834 A NO 975508 A PL 323632 A | 16-09-1997 05-11-1998 18-12-1996 05-12-1996 17-06-1998 08-04-1998 18-03-1998 14-04-1998 |
| WO 9725431 | A 17-07-1997 | AU 1575697 A | 01-08-1997 |
| WO 9725426 | A 17-07-1997 | AU 1697497 A CA 2242340 A EP 0874902 A NO 983183 A | 01-08-1997 17-07-1997 04-11-1998 10-09-1998 |

ţ Same of the second